

PVC Cement (Clear) - Heavy Bodied



DESCRIPTION

Black Swan PVC Cement - Heavy is a clear, heavy bodied, low set, high strength PVC solvent cement used to join PVC pipe and fittings. PVC Cement - Heavy is used for all classes and schedules of pipe and fittings through 12" diameter. Can be used on irrigation, gas and conduit pipe. PVC Cement - Heavy is most effective when used in temperature ranges from 40°F to 100°F.

SHELF LIFE

PVC Cement - Heavy has a shelf life of two years from date on bottom of can.

STANDARDS AND APPROVALS

PVC Cement - Heavy meets ASTM D-2564 and is listed by NSF International for use on potable water, sewer and drain, waste & vent systems.

PACKAGING

Available in pint, quart and gallon containers. Larger sizes available upon request. On sizes smaller than one gallon there is a dauber in each container to facilitate application of cement.

UPC NUMBER AND CARTON INFORMATION

STOCK NO.	SIZE	UPC NUMBER	CARTON CUBIC FEET
07048	1/4 pt.	0 54647 07048 3	.222
07049	1/2 pt.	0 54647 07049 0	.385
07050	pt.	0 54647 07050 6	.376
07055	qt.	0 54647 07055 1	.711
07056	gal.	0 54647 07056 8	1.000

