

SAFETY DATA SHEET

1. Identification

Product identifier CLR Calcium, Lime & Rust Remover

Other means of identification None.

Recommended use Remover

For more information, see www.CLRbrands.com

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Canadian Distributor

Company name MAGTAR SALES INC.
Address 376 Watline Ave

Mississauga, ON L4Z 1X2

Canada

Telephone (905) 568-0100/1-800-387-7446
E-mail dhancock@magtarsales.ca
Emergency phone number CHEMTREC: 1-800-424-9300

Manufacturer Jelmar, LLC

2. Hazard identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsSerious eye damage/eye irritationCategory 2A

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement May be corrosive to metals. Causes serious eye irritation.

Precautionary statement

Prevention Keep only in original packaging. Wash thoroughly after handling. Wear eye protection.

Response Absorb spillage to prevent material-damage.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage Store in a corrosion resistant container with a resistant inner liner.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

Other hazards None known.

Supplemental information Exempt - Consumer product

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as

per paragraph 12(j); Schedule 1 (Non-Application of Part II).

This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or

product made of wood.

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Lactic acid		79-33-4	10-30
Lauryldimethylamine oxide		1643-20-5	1-5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Skin contact Eye contact If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

and easy to do

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

treatment needed
General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Hazardous combustion

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

products
Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

Move containers from fire area if you can do so without risk.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in a corrosion resistant container with a resistant inner liner. Keep only in the original container. Keep out of the reach of children. Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits Biological limit values

No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s).

#21038 Page: 2 of 6 Issue date 04-November-2020

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields.

Skin protection

Hand protection Not normally required.

As required by employer code. Other

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. When using do not eat or drink.

9. Physical and chemical properties

Appearance Clear Liquid. Physical state Liquid. **Form** Colour Green Odour Acidic

Odour threshold Not available.

pН 2.1 - 2.3, acid reserve 3.98

Melting point/freezing point Not available Initial boiling point and boiling

range

99 °C (210.2 °F)

Flash point none

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%)

Explosive limit - upper

Not available. Not available.

(%)

Not available.

Vapour pressure Vapour density Relative density

Not available. 1.04 - 1.06

Solubility(ies)

Solubility (water) 100 %

Partition coefficient (n-octanol/water)

Not available.

Not available

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature**

Other information

Viscosity

Not explosive. **Explosive properties Oxidising properties** Not oxidising

10. Stability and reactivity

May be corrosive to metals. Reactivity

Material is stable under normal conditions. **Chemical stability**

#21038 Page: 3 of 6 Issue date 04-November-2020 Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Do not mix with bleach or any other chemical.

Strong oxidising agents. Metals.

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Non-irritating based on test data.

Eye contact Moderately irritating to the eyes based on test data. **Ingestion** May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause

redness and pain.

Information on toxicological effects

Acute toxicity

Test Results Components **Species** Lactic acid (CAS 79-33-4) Acute Dermal LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA Inhalation LC50 Rat > 7.9 mg/L, 4 Hours, ECHA Oral LD50 Rat > 2000 mg/kg, ECHA Lauryldimethylamine oxide (CAS 1643-20-5) **Acute** Dermal

LD50 Rat > 2000 mg/kg, ECHA

Inhalation

LC50 Not available

Oral

LD50 Rat 1064 mg/kg, ECHA

Skin corrosion/irritation Non-irritating based on test data.

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening value

Conjunctival oedema value

Not available.

Recover days

Not available.

Not available.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not available.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

#21038 Page: 4 of 6 Issue date 04-November-2020

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects Further information

Not available. Not available.

12. Ecological information

Ecotoxicity

See below

Ecotoxicological data

Components

Test Results Species

Lactic acid (CAS 79-33-4)

Aquatic

EC50 Crustacea Water flea (Daphnia magna) 180 - 320 mg/L, 48 hours

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of this product.

Mobility in soil No data available. Not available.

Mobility in general Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections General

2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical

name and the classification of the product will appear below.

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN3265

Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.


Technical name Lactic acid

Limited Quantity - Canada **Hazard class**

Packing group Ш **Special provisions** 16

Packaging exceptions <5L - Limited Quantity

TDG



#21038 Page: 5 of 6 Issue date 04-November-2020

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II).

This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

WHMIS classification Exempt - Consumer product

Inventory status


Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Issue date 04-November-2020
Revision date 04-November-2020

Version No. 02

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or

consequential damages which may result from the use of or reliance on any information contained

in this document.

Prepared by Dell Tech Laboratories Ltd. Phone: (519) 858-5021