



# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** STAINLESS STEEL POLISH AND CLEANER

**Other means of identification**

**SDS number:** RE1000003396

**Recommended restrictions**

**Product use:** Cleaner

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

Company Name: SPRAYWAY, INC.  
Address: 8001 KEELE ST  
CONCORD, ONTARIO L4K 1Y8  
Telephone: 800-332-9000

**Emergency telephone number:** 1-866-836-8855

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Flammable aerosol Category 1

**Health Hazards**

Serious Eye Damage/Eye Irritation Category 2A

Skin sensitizer Category 1

Aspiration Hazard Category 1

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** Extremely flammable aerosol.  
Causes serious eye irritation.  
May cause an allergic skin reaction.  
May be fatal if swallowed and enters airways.



### Precautionary Statements

- Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/eye protection/face protection.
- Response:** IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Storage:** Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in GHS classification:** None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light		64742-47-8	15 - 40%
White mineral oil (petroleum)		8042-47-5	10 - 30%
2-Propanone		67-64-1	10 - 30%
Propane		74-98-6	10 - 30%
2,6-Octadienal, 3,7-dimethyl-		5392-40-5	0.1 - 1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

- Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
- Inhalation:** Move to fresh air.
- Skin Contact:** Get medical attention if symptoms occur. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.
- Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.



**Hazards:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** No data available.

**5. Fire-fighting measures**

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Vapors may travel considerable distance to a source of ignition and flash back.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**Methods and material for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

**Notification Procedures:** Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

**7. Handling and storage**

**Precautions for safe handling:** Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.



**Conditions for safe storage, including any incompatibilities:**

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated light	TWA	525 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (12 2007)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Distillates (petroleum), hydrotreated light - Vapor. - as total hydrocarbon vapor	TWA	200 mg/m <sup>3</sup>	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m <sup>3</sup>	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Distillates (petroleum), hydrotreated light - Vapor. - as total hydrocarbons	8 HR ACL	200 mg/m <sup>3</sup>	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	15 MIN ACL	250 mg/m <sup>3</sup>	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	TWA	200 mg/m <sup>3</sup>	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
	TWA	200 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values, as amended (2008)
	TWA	200 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values, as amended (2008)
White mineral oil (petroleum) - Mist.	STEL	10 mg/m <sup>3</sup>	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
	TWA	5 mg/m <sup>3</sup>	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
White mineral oil (petroleum) - Mist.	TWA	1 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
White mineral oil (petroleum)	8 HR ACL	5 mg/m <sup>3</sup>	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	15 MIN ACL	10 mg/m <sup>3</sup>	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
White mineral oil (petroleum) - Inhalable fraction.	TWA	5 mg/m <sup>3</sup>	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
White mineral oil (petroleum) - Inhalable fraction.	TWA	5 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
White mineral oil (petroleum) - Mist.	TWA	5 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
	TWA	5 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
	STEL	10 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
White mineral oil (petroleum) - Inhalable fraction.	TWA	5 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values, as amended (01 2010)
2-Propanone	STEL	750 ppm 1,800 mg/m <sup>3</sup>	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
2-Propanone	STEL	500 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)



2-Propanone	TWA	250 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)
	STEL	500 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)
	TWA	250 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
2-Propanone	TWA	250 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2015)
2-Propanone	8 HR ACL	500 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	STEL	500 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2015)
2-Propanone	STEL	1,000 ppm 2,380 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
	TWA	500 ppm 1,200 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
	TWA	500 ppm 1,190 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
	15 MIN ACL	750 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
2-Propanone	TWA	250 ppm	US. ACGIH Threshold Limit Values, as amended (03 2015)
	STEL	500 ppm	US. ACGIH Threshold Limit Values, as amended (03 2015)
Propane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Propane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Propane	TWA	1,000 ppm 1,800 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (12 2008)
Propane	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm	US. ACGIH Threshold Limit Values, as amended (01 2010)
Naphtha (petroleum), heavy alkylate	8 HR ACL	400 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Naphtha (petroleum), heavy alkylate	TWA	400 ppm 1,590 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
	15 MIN ACL	500 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Naphtha (petroleum), heavy alkylate	TWA	525 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Naphtha (petroleum), heavy alkylate	TWA	400 ppm 1,590 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
Bicyclo[3.1.1]hept-2-ene, 2,6,6- trimethyl-	TWA	20 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Bicyclo[3.1.1]hept-2-ene, 2,6,6- trimethyl-	TWA	20 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (12 2007)
Bicyclo[3.1.1]hept-2-ene, 2,6,6- trimethyl-	15 MIN ACL	30 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)



	8 HR ACL	20 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm 112 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm	US. ACGIH Threshold Limit Values, as amended (2008)

**Appropriate Engineering Controls** No data available.

#### Individual protection measures, such as personal protective equipment

- General information:** Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
- Eye/face protection:** Wear safety glasses with side shields (or goggles).
- Skin Protection**
- Hand Protection:** No data available.
- Other:** Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
- Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
- Hygiene measures:** Observe good industrial hygiene practices. Avoid contact with eyes. When using do not smoke. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

### 9. Physical and chemical properties

#### Appearance

- Physical state:** liquid
- Form:** Spray Aerosol
- Color:** No data available.
- Odor:** No data available.
- Odor threshold:** No data available.
- pH:** No data available.
- Melting point/freezing point:** No data available.
- Initial boiling point and boiling range:** No data available.
- Flash Point:** Estimated -104 °C
- Evaporation rate:** No data available.
- Flammability (solid, gas):** No data available.

#### Upper/lower limit on flammability or explosive limits

- Flammability limit - upper (%):** Estimated 9.5 %(V)
- Flammability limit - lower (%):** Estimated 2.2 %(V)
- Explosive limit - upper (%):** No data available.



<b>Explosive limit - lower (%):</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	No data available.
<b>Density:</b>	No data available.
<b>Relative density:</b>	No data available.
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	No data available.
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	No data available.
<b>Conditions to avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	No data available.
<b>Hazardous Decomposition Products:</b>	No data available.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

<b>Oral Product:</b>	Not classified for acute toxicity based on available data.
----------------------	--



<b>Specified substance(s):</b> Distillates (petroleum), hydrotreated light	LD 50 (Rat): > 5,000 mg/kg
White mineral oil (petroleum)	LD 50 (Rat): > 5,000 mg/kg
2-Propanone	LD 50 (Rat): 5,800 mg/kg
Propane	LD 50: > 5,000 mg/kg
2,6-Octadienal, 3,7- dimethyl-	LD 50 (Rat): 6,800 mg/kg

**Dermal**  
**Product:** ATEmix: 2,924.13 mg/kg

**Inhalation**  
**Product:** Not classified for acute toxicity based on available data.

<b>Specified substance(s):</b> Distillates (petroleum), hydrotreated light	LC 50: > 100 mg/l LC 50: > 100 mg/l
White mineral oil (petroleum)	LC 50: > 100 mg/l LC 50: > 100 mg/l LC 50 (Rat): > 5 mg/l
2-Propanone	LC 50 (Rat): 50.1 mg/l
Propane	LC 50: > 100 mg/l LC 50: > 100 mg/l
2,6-Octadienal, 3,7- dimethyl-	LC 50: > 100 mg/l LC 50: > 100 mg/l

**Repeated dose toxicity**  
**Product:** No data available.

<b>Specified substance(s):</b> Distillates (petroleum), hydrotreated light	NOAEL (Rat(Female, Male), Inhalation): $\geq$ 24 mg/m <sup>3</sup> Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study
White mineral oil (petroleum)	NOAEL (Rat(Female, Male), Oral, 90 d): $\geq$ 20,000 ppm(m) Oral Experimental result, Key study
2-Propanone	NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, $\geq$ 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, $\geq$ 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
2,6-Octadienal, 3,7- dimethyl-	LOAEL (Rat(Female), Oral, 14 Weeks): 335 mg/kg Oral Experimental result, Key study

**Skin Corrosion/Irritation**  
**Product:** No data available.

<b>Specified substance(s):</b> Distillates (petroleum), hydrotreated light	in vivo (Rabbit): Not irritant Experimental result, Key study
--	---





White mineral oil (petroleum) in vivo (Rabbit): Not irritant Experimental result, Key study

2-Propanone in vivo (Rabbit): Not irritant Experimental result, Supporting study

### Serious Eye Damage/Eye Irritation

**Product:** No data available.

#### Specified substance(s):

Distillates (petroleum), hydrotreated light Rabbit, 24 - 72 hrs: Not irritating

White mineral oil (petroleum) Rabbit, 24 - 72 hrs: Not irritating

2-Propanone Irritating.  
Rabbit, 24 hrs: Minimum grade of severe eye irritant

### Respiratory or Skin Sensitization

**Product:** No data available.

#### Specified substance(s):

Distillates (petroleum), hydrotreated light Skin sensitization:, in vivo (Guinea pig): Non sensitising

White mineral oil (petroleum) Skin sensitization:, in vivo (Guinea pig): Non sensitising

2-Propanone Skin sensitization:, in vivo (Guinea pig): Non sensitising

### Carcinogenicity

**Product:** No data available.

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

### US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

### ACGIH Carcinogen List:

No carcinogenic components identified

### Germ Cell Mutagenicity

#### In vitro

**Product:** No data available.

#### In vivo

**Product:** No data available.

### Reproductive toxicity

**Product:** No data available.

### Specific Target Organ Toxicity - Single Exposure

**Product:** No data available.

#### Specified substance(s):

2-Propanone Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

### Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

### Aspiration Hazard

**Product:** No data available.



<b>Specified substance(s):</b> Distillates (petroleum), hydrotreated light	May be fatal if swallowed and enters airways.
White mineral oil (petroleum)	May be fatal if swallowed and enters airways.
<b>Other effects:</b>	No data available.

## 12. Ecological information

### Ecotoxicity:

#### Acute hazards to the aquatic environment:

##### Fish

**Product:** No data available.

##### Specified substance(s):

White mineral oil (petroleum) NOAEL (Oncorhynchus mykiss, 96 h):  $\geq 100$  mg/l Experimental result, Key study

2-Propanone LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

2,6-Octadienal, 3,7-dimethyl- LC 50 (Leuciscus idus, 96 h): 6.78 mg/l Experimental result, Key study

##### Aquatic Invertebrates

**Product:** No data available.

##### Specified substance(s):

White mineral oil (petroleum) NOAEL (Daphnia magna, 48 h):  $\geq 100$  mg/l Experimental result, Key study

2-Propanone LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study

2,6-Octadienal, 3,7-dimethyl- EC 50 (Daphnia magna, 48 h): 6.8 mg/l Experimental result, Key study

#### Chronic hazards to the aquatic environment:

##### Fish

**Product:** No data available.

##### Specified substance(s):

Distillates (petroleum), hydrotreated light NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

White mineral oil (petroleum) NOAEL (Oncorhynchus mykiss):  $\geq 1,000$  mg/l QSAR QSAR, Supporting study

##### Aquatic Invertebrates

**Product:** No data available.

##### Specified substance(s):

White mineral oil (petroleum) NOAEL (Daphnia magna):  $\geq 1,000$  mg/l QSAR QSAR, Supporting study



2-Propanone LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study  
NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light 61 % Detected in water. Experimental result, Supporting study

White mineral oil (petroleum) 31 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Supporting study

2-Propanone 90.9 % (28 d) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study  
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

2,6-Octadienal, 3,7-dimethyl- 85 - 95 % (28 d) Detected in water. Experimental result, Key study

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

2-Propanone Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment  
Experimental result, Not specified

2,6-Octadienal, 3,7-dimethyl- Bioconcentration Factor (BCF): 89.72 Aquatic sediment Estimated by  
calculation, Key study

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

Distillates (petroleum), hydrotreated light	No data available.
White mineral oil (petroleum)	No data available.
2-Propanone	No data available.
Propane	No data available.
2,6-Octadienal, 3,7-dimethyl-	No data available.

**Other adverse effects:** No data available.

**13. Disposal considerations**

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:** No data available.



## 14. Transport information

### TDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	–
EmS No.:	–
Packing Group:	–
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	None known.

### IMDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	–
EmS No.:	F-D, S-U
Packing Group:	–
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	None known.

### IATA

UN Number:	UN 1950
Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	–
Packing Group:	–
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	None known.
Cargo aircraft only:	Forbidden.

## 15. Regulatory information

### Canada Federal Regulations

#### List of Toxic Substances (CEPA, Schedule 1)

##### Chemical Identity

Distillates (petroleum), hydrotreated light  
2-Propanone  
Terpenes and Terpenoids, sweet orange-oil

#### Export Control List (CEPA 1999, Schedule 3)

##### Chemical Identity

Distillates (petroleum), hydrotreated light  
2-Propanone  
Terpenes and Terpenoids, sweet orange-oil



### National Pollutant Release Inventory (NPRI)

#### Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5	Distillates (petroleum), hydrotreated light White mineral oil (petroleum) 2-Propanone Propane Terpenes and Terpenoids, sweet orange-oil Naphtha (petroleum), heavy alkylate Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-
----------	---

#### Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)

NPRI	Distillates (petroleum), hydrotreated light 2-Propanone Terpenes and Terpenoids, sweet orange-oil
------	---

### Greenhouse Gases

#### Chemical Identity

Distillates (petroleum), hydrotreated light  
2-Propanone  
Terpenes and Terpenoids, sweet orange-oil

### Controlled Drugs and Substances Act

CA CDSI	Distillates (petroleum), hydrotreated light 2-Propanone Terpenes and Terpenoids, sweet orange-oil
CA CDSII	Distillates (petroleum), hydrotreated light 2-Propanone Terpenes and Terpenoids, sweet orange-oil
CA CDSIII	Distillates (petroleum), hydrotreated light 2-Propanone Terpenes and Terpenoids, sweet orange-oil
CA CDSIV	Distillates (petroleum), hydrotreated light 2-Propanone Terpenes and Terpenoids, sweet orange-oil
CA CDSV	Distillates (petroleum), hydrotreated light 2-Propanone Terpenes and Terpenoids, sweet orange-oil
CA CDSVII	Distillates (petroleum), hydrotreated light 2-Propanone Terpenes and Terpenoids, sweet orange-oil
CA CDSVIII	Distillates (petroleum), hydrotreated light 2-Propanone Terpenes and Terpenoids, sweet orange-oil

### Precursor Control Regulations

#### Chemical Identity

Distillates (petroleum), hydrotreated light  
2-Propanone  
Terpenes and Terpenoids, sweet orange-oil

### International regulations

#### Montreal protocol

Distillates (petroleum), hydrotreated light  
2-Propanone  
Terpenes and Terpenoids, sweet orange-oil



**Stockholm convention**

Distillates (petroleum), hydrotreated light  
2-Propanone  
Terpenes and Terpenoids, sweet orange-oil

**Rotterdam convention**

Distillates (petroleum), hydrotreated light  
2-Propanone  
Terpenes and Terpenoids, sweet orange-oil

UVCBs-organic  
Organics  
UVCBs-biological

**Kyoto protocol**

**Inventory Status:**

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.

**16. Other information, including date of preparation or last revision**

**Issue Date:** 11/11/2021

**Revision Date:** No data available.

**Version #:** 2.0

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.