K-G SPRAY-PAK INC 8001 KEELE STREET, P.O BOX 89 CONCORD, L4K 1Y8, ONTARIO CANADA 905--669-9855 (905) 669-9855

## PRODUCT: 0931-23-002PP PRESSURE PLUMBER 10.50Z

## Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

K-G SPRAY-PAK INC MANUFACTURER .....

8001 KEELE STREET P.O. BOX 89

ONTARIO **CANADA** L4K 1Y8

CANUTEC EMERGENCY #:1-613-996-6666(24HR)

0931-23-002PP PRESSURE PLUMBER 10.5OZ PRODUCT NAME.....CHEMICAL FAMILY.....

HALOGENATED HYDROCARBONS.

MOLECULAR WEIGHT..... NOT APPLICABLE. CHEMICAL FORMULA..... NOT APPLICABLE.

TRADE NAMES & SYNONYMS

RECOMMENDED PRODUCT USES..... DEGREASER/CLEANER. FORMULA/LAB BOOK #..... FORM-9910-2-251.

#### Section 02: HAZARDS IDENTIFICATION





HAZARD CLASSIFICATION...... CAUTION. SIGNAL WORD..... CAUTION.

SWALLOWED. H315+H320 CAUSES SKIN AND EYE IRRITATION.

P101 IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL AT HAND. P102 KEEP OUT OF REACH OF CHILDREN. P103 READ LABEL BEFORE USE. PRECAUTIONARY STATEMENTS.....

Wt. %

OTHER HAZARDS...... No additional information available.

Section 03: COMPOSITION/INFORMATION INGREDIENTS

1,1,1,2-TETRAFLUOROETHANE 811-97-2 60-100

CAS#

**ACETONE** 67-64-1 1-5

#### Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE .... IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR

AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH

THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE

VOMITING, GET MEDICAL ATTENTION.

#### Section 05: FIRE FIGHTING MEASURES

FLAMMABILITY.....IF YES, UNDER WHICH CONDITIONS?.....

NOT A FLAMMABLE PRODUCT (AS PER CANADIAN AEROSOL REGULATIONS). EXCESSIVE HEAT, SPARKS AND OPEN FLAME. WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS SPECIAL PROCEDURES.....

TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARTATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.

**EXPLOSION DATA** 

Hazardous Ingredients

SENSITIVITY TO STATIC DISCHARGE. SENSITIVITY TO IMPACT..... NOT APPLICABLE.

NOT APPLICABLE

HAZARDOUS COMBUSTION

EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

PRODUCTS..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION

IS INCOMPLETE.

AEROSOL FLAME PROJECTION

## PRODUCT: 0931-23-002PP PRESSURE PLUMBER 10.5OZ

## Section 05: FIRE FIGHTING MEASURES

CLASSIFIED AS:.... 0 cm. FLASHBACK..... NONE.

### Section 06: ACCIDENTAL RELEASE MEASURES

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND

NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A

WATERCOURSE.

#### Section 07: HANDLING AND STORAGE

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.

ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS

BASIS).

STORÉ IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C. HANDLING PROCEDURES AND .....

**EQUIPMENT** 

SYNERGISTIC MATERIALS...... NONE KNOWN.

### Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

	ACGIH TLV		OSHA PEL			NIOSH
Ingredients	TWA	STEL	PEL		REL	

1,1,1,2-TETRAFLUOROE 1000 ppm

THANE

ACETONE 750 ppm

GLOVES/ TYPE...... WEAR CHEMICAL RESISTANT GLOVES.

RESPIRATORY/TYPE...... IF USED INDOORS ON A CONTINUOUS BASIS, USE OF A CARTRIDGE TYPE

RESPIRATOR (NIOSH/MSHATC 23C OR EQUIVALENT) IS RECOMMENDED.

..... SAFETY GLASSES

FOOTWEAR/TYPE......NOT NORMALLY REQUIRED.

OTHER/TYPE...... NOT REQUIRED.

#### Section 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE...... AEROSOL APPEARANCE...... COLOURLESS. ..... ETHEREAL ODOR..... ODOR THRESHOLD...... NOT AVAILABLE. ..... NOT APPLICABLE. (CONCENTRATE) ÈVAPORATION RATE...... NOT AVAILABLE. n-BUTYL ACETATE = 1 UPPER FLAMMABLE LIMIT...... 12.8. (% BY VOLUME) LOWER FLAMMABLE LIMIT...... 1. (% BY VOLUME) VAPOUR PRESSURE(PSIG)-AEROSOL..... 65-75. @ 20 C VAPOUR DENSITY (AIR=1)..... GREATER THAN 1. (BY WEIGHT) SPECIFIC GRAVITY (LIQUID)...... NOT AVAILABLE. SOLUBILITY IN WATER g/L (20°C)..... 0.15. COEFFICIENT OF WATER\OIL DIST...... NOT AVAILABLE. AUTO IGNITION TEMPERATURE (°C)....... 465. AEROSOL PERCENT VOLATILE...... 100.

# **Section 10: STABILITY AND REACTIVITY**

HAZARDOUS PRODUCTS OF

DECOMPOSITION..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION

IS INCOMPLETE.

CHEMICAL STABILITY:

(BY WEIGHT).

## PRODUCT: 0931-23-002PP PRESSURE PLUMBER 10.5OZ

## **Section 10: STABILITY AND REACTIVITY**

COMPATIBILITY WITH OTHER

SUBSTANCES:

NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.

REÁCTIVITY CONDITIONS?...... NOT APPLICABLE. HAZARDOUS POLYMERIZATION...... WILL NOT OCCUR.

### Section 11: TOXICOLOGICAL INFORMATION

Ingredients LC50 LD50

1,1,1,2-TETRAFLUOROETHANE 567000 ppm (4hr) INHAL - RAT NOT AVAILABLE

ACETONE >16,000 ppm (4 hr) INHAL - RAT >9750 mg/kg ORAL - RAT

ROUTE OF ENTRY:

INHALATION...... PROPELLANT IS A SIMPLE ASPHYXIANT.

INGESTION...... PRODUCT IS A GAS. THEREFORE, INGESTION IS NOT A LIKELY ROUTE OF

EXPOSURE.

EYE CONTACT...... MAY CAUSE IRRITATION.

EFFECTS OF ACUTE EXPOSURE...... DIZZINESS, NAUSEA NONE KNOWN.
IRRITANCY OF MATERIAL...... SKIN/EYE IRRITANT.

NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC,(INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL

INDUSTRIAL HYGIENISTS).

MUTAGENICITY...... NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE

ANTICIPATED.

ANTICIPATED.

ANTICIPATED.

SENSITIZING CAPABILITY OF MATERIAL. UNKNOWN.

### Section 12: ECOLOGICAL CONSIDERATIONS

ENVIRONMENTAL...... NOT AVAILABLE.

### Section 13: DISPOSAL CONSIDERATIONS

### Section 14: TRANSPORTATION INFORMATION

T.D.G. CLASSIFICATION...... CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.2).

D.O.T. CLASSIFICATION...... CONSUMER COMMODITY, ORM-D.

### Section 15: REGULATORY INFORMATION

### CANADIAN REGULATIONS:

CEPA (Canadian Environmental Protection ... ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC

SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

#### U.S. REGULATIONS:

HMIS RATING PERSONAL PROTECTION.. B.

NFPA CODE 30B..... LEVEL 1.

### PRODUCT: 0931-23-002PP PRESSURE PLUMBER 10.5OZ

# Section 15: REGULATORY INFORMATION

SARA 313 INFORMATION:....

THIS PRODUCT CONTAINS NO INGREDIENTS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND

COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372.

. CAS #: **CHEMICAL** 

CALIFORNIA PROPOSITION 65:.....

THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986:

. WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE

CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

. CAS #: CHEMICAL NAME:

. N/A.

TSCA (Toxic Substances Control Act)......... ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY

IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING. VOC (w/w%).....

#### Section 16: OTHER INFORMATION

NOTICE FROM K-G SPRAY- PAK INC ...... THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY K-G

SPRAY PAK INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. K-G SPRAY PAK INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN

ANY PROCESS.

PREPARED BY..... Regulatory Affairs

PREPARATION DATE ..... Mar13/15