


Sullivan 31.1" Dresser 1.0





SKU# CS94208



For Best Results

- Do not throw away packaging materials until assembly is complete.
- Assemble item on a soft surface, such as cardboard or carpet, to protectnish
- Proper assembly requires two people.







View our assembly video online www.manhattancomfort.com



Stuck? Questions? We are here to help. 1-888-230-2225 help@manhattancomfort.com


Avoid accidents

After finishing the assembly of the chest, use the indicated safety bracket to keep it fixed in the wall.


Do not climb or lean on the chest.





Included in this Package





Top panel	x1
Back panel	x1
H Profile	x1
Back panel	x1
Central batten	x1
Front frame	x2
Left side panel	x1
Right side panel	x1
Left leg	x1
Right leg	x1
Leg	x2
Drawer front	x4
Right drawer side	х4
Left drawer side	x4
Drawer back	x4
Drawer bottom	x4
	Back panel H Profile Back panel Central batten Front frame Left side panel Right side panel Left leg Right leg Leg Drawer front Right drawer side Left drawer side Drawer back

















STEP 6











STEP 8













STEP 13





A guide to - Wall Mounting & Fixings

Important note:

If plastic wall plugs are supplied with your product:



- these are only suitable for use in masonry walls.

If you are in any doubt about the correct wall plugs for your wall, seek professional advice.

Failure of the product due to using incorrect fixings is the responsibility of the installer.



Important: When drilling into walls always check that there are no hidden wires or pipes etc.

Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualifed tradesperson if you are unsure.


Hints:

- 1: General rule: Always use a larger screw and wall plug if you are not sure.
- 2: Ensure you use the recommended drill bit to match the wall plug and hole size.
- 3: Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.
- 4: Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid the tiles splitting or cracking.
- 5: Ensure wall plugs are well fitted and are a tight fit in the drilled hole.

Types of walls


You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.

No.1"General Purpose" wall plug




Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general purpose wall plugs can be used.

No.2"Plasterboard" wall plug




For use when attaching light loads on to plasterboard partitions.

No.3"Cavity Fixing" wall plug




For use with plasterboard partitions or hollow wooden doors.

No.4"Cavity Fixing-Heavy Duty" wall plug




For use when fitting or supporting heavy loads such as shelving, wall cabinets and coat racks.

No.5"Hammer Fixing" wall plug



For use with walls stuck with plasterboard. The hammer fixing allows it to be fixed to the wall rather than the plasterboard. Always check the fixing is secure to the retaining wall.

No.6"Shield Anchor" wall plug Heavy loads



For use with heavier loads such as TV & HiFi speakers and satelite dishes etc.



Safety: Always check the fitting and location to ensure your safety in and around the home.

Fitting: From time to time check the fitting to ensure the wall plugs or screws do not become loose.