

Compiled Compounds: Prescribing App

Compounds can now also be sent as compiled compounds, consisting of one or more compound ingredient.

Add Compiled Compound

To begin the process of adding a new compiled compound, click the “Add Prescription” button in the upper right hand corner of the Patient Details page.

The screenshot shows a patient details interface. At the top left, the patient's name and age are displayed: "Fred A Jockey, Male, 99 yrs". Below this are two buttons: "Add/Edit Drug Allergies" and "Add/Edit Pharmacies". To the right is a "Coverage Details" section with a dropdown menu showing "Plan: PBMA". On the far right, there are two orange buttons: "Add Prescription" and "Add Patient Reported". Below the patient information is a yellow alert box titled "Alerts from 'Pending' Medications" with a close button. The alert contains the text "Minor Drug Interaction - Tylenol and Lomotil".

Add New Compiled Compound

Step One

Search for a compound ingredient by typing in the name of the ingredient. An autocomplete dropdown will be triggered if the user enters a string of three or more characters. Select the ingredient from the autocomplete drop-down list.

If the compound ingredient does not appear in the autocomplete drop-down, enter the compound ingredient as a free-text entry and click “Next” to go to Step 2.

The screenshot shows the "Add Prescription" form with the "Compound" tab selected. The form is titled "Step 1" and includes the following fields and options:

- Current diagnosis:** "Other problems related to medical facilities and other health care" with a "Change" button.
- Ingredient:** A text input field containing "Vitamin C (oral - tablet)".
- Current strength:** "250 mg" with a "Change" button.
- Dispense:** A text input field containing "1".
- Dispense Unit:** A dropdown menu showing "Capsule".

On the right side of the form, there is a "My Favorites" section with two entries: "prescriber fav 1 - compound04182202" and "prescriberfav2 - compound04182", each with a pencil icon for editing.

The user also has the option to select a medication from the “My Favorites” list, if the user has any saved favorites. This will bring the user directly to Step 5 of the workflow.

Add Prescription ✕

Medication

Supply

Compound

Step 1

Current diagnosis: Other problems related to medical facilities and other health care Change

✕

Build a custom compound from one or more ingredients. Search for a medication and select it, or enter a free text ingredient with strength then click the plus sign to add to the compound in the right hand panel. Free text ingredients must not be controlled. Once all ingredients have been specified, name the compound and click 'Build Compound'.

Ingredient* ✕

Current strength* 250 mg Change

Dispense* Dispense Unit* +

My Favorites

[prescriber fav 1 - compound04182202](#) ✕

[prescriberfav2 - compound04182](#) ✕

Note: If diagnosis is enabled in the clinic’s configurations, the user has the option to select a diagnosis for the prescription. ICD diagnosis codes can support up to two diagnoses per prescription. CDT diagnosis codes can support one diagnosis code per prescription. **A diagnosis is required if the clinician is adding a compound with a controlled substance as an ingredient.**

Step Two

Select the desired strength, dispense unit, and dispense unit amount for the ingredient. Only the legal variations of the drug will be available to prevent any errors.

Add Prescription ✕

Medication

Supply

Compound

Step 1

Current diagnosis: Other problems related to medical facilities and other health care Change

✕

Build a custom compound from one or more ingredients. Search for a medication and select it, or enter a free text ingredient with strength then click the plus sign to add to the compound in the right hand panel. Free text ingredients must not be controlled. Once all ingredients have been specified, name the compound and click 'Build Compound'.

Ingredient* ✕

Current strength* 250 mg Change

Dispense* Dispense Unit* +

My Favorites

[prescriber fav 1 - compound04182202](#) ✕

[prescriberfav2 - compound04182](#) ✕

Step Three

Add ingredient to compiled compound. The favorites tab will disappear and be replaced by the compiled compound screen.

Add Prescription ✕

Medication
Supply
Compound

Step 1

Current diagnosis: Other problems related to medical facilities and other health care Change

✕

Build a custom compound from one or more ingredients. Search for a medication and select it, or enter a free text ingredient with strength then click the plus sign to add to the compound in the right hand panel. Free text ingredients must not be controlled. Once all ingredients have been specified, name the compound and click 'Build Compound'.

Ingredient*

Vitamin C (oral - tablet)
✕

Current strength* 250 mg Change

Dispense* **Dispense Unit*** Capsule +

My Favorites

prescriber fav 1 - compound04182202 ✎

prescriberfav2 - compound04182 ✎

Step Four

Repeat steps one through three until every ingredient has been added. Ingredients can be removed by selecting the (-) next to the ingredient on the right part of the add prescription tab. Ingredients cannot be edited after they have been added. To make changes, remove and readd the ingredient. When all ingredients have been added, name and build the compound.

Add Prescription ✕

Medication
Supply
Compound

Step 1

Current diagnosis: Other problems related to medical facilities and other health care Change

✕

Build a custom compound from one or more ingredients. Search for a medication and select it, or enter a free text ingredient with strength then click the plus sign to add to the compound in the right hand panel. Free text ingredients must not be controlled. Once all ingredients have been specified, name the compound and click 'Build Compound'.

Ingredient*

✕

Dispense* **Dispense Unit*** Select... +

Build a Compound

Vitamin C (oral - tablet) 250 mg - 1 Capsule -


Name your compound*

Clear All
Build Compound

Step Five

Fill in the prescription details by completing the following fields:

- Effective Date
- Patient Directions* (1000 characters)
- Dispense*
- Dispense Unit*
- Refills*
- Days Supply
- No Substitutions (check if substitutions are not allowed)
- Pharmacy Notes (click the “+” icon next to Show Pharmacy Notes to show the field)
- Urgent



The screenshot shows the 'Step 2' form for creating a prescription. At the top, there are tabs for 'Medication', 'Supply', and 'Compound'. Below this, the 'Current diagnosis' is 'Other problems related to medical facilities and other health care' with a 'Change' button. The 'Compound Name' is 'Compound1' with a 'Change' button. Below that, the medication is listed as 'Vitamin C (oral - tablet) 250 mg - 1 Capsule'. The 'Effective Date' field is empty with a 'Today' button. The 'Patient Directions*' field is a large text area. Below this are four dropdown menus for 'Dispense*', 'Dispense Unit*', 'Refills*', and 'Days Supply'. There is a 'Show Pharmacy Notes' button with a red asterisk. Below it is an 'Insert Common Note' dropdown. The 'Pharmacy Notes' field contains the text 'Terminally ill Hospice Patient, partial fills allowed'. To the right of this field are two checkboxes: 'No Substitutions' and 'Urgent'. At the bottom left, there is a 'NADEAN: None' label and a checkbox for 'Prescription is not intended for detox'. At the bottom right, there is a 'Save As Favorite' star icon and a large orange 'Save Prescription' button.

Note: EPCS prescriptions requires an Effective Date and Days Supply

Note: Required fields are marked with a red asterisk (*) in the form.

Click “Save Prescription” to add the prescription to the patient’s Pending Medications list.

Note: Certain controlled substances normally used for detox purposes will appear with a checkbox to denote whether the medication will be used for detox or not. To use these medications for detox, prescribers must have an NADEA number on file. Otherwise, they must check the box saying that the prescription is not intended for detox.

NADEAN: None

Prescription is not intended for detox


Save As Favorite

Saving a compiled compound as a favorite saves all entered prescription details and compound ingredients. Clinicians can access their favorites through the My Favorites list in Step 1 of the Add Prescription workflow. This will take the clinician directly to Step 3 to edit any prescription details and submit the form. To save a prescription as a favorite:

1. In the final step of the Add Prescription workflow, fill in prescription details.
2. Click the Star icon next to “Save As Favorite” and click “Save Prescription.”



3. A pop up will appear. Enter a nickname for the favorite and click “OK”. If you would like to save this as a Master Favorite, add an asterisk (*) to the beginning of the nickname.
4. The prescription will be added to the Pending Medications list, and a copy of the prescription will be saved as a favorite.



A screenshot of a 'Add Favorite' pop-up dialog. The title bar is dark blue with the text 'Add Favorite' and a close icon. The main content area is white and contains the text 'Please enter a nickname for this to be added to your Favorites List:'. Below this text is a text input field containing '*Favorite 1'. At the bottom of the dialog are two buttons: 'Cancel' (white with orange border) and 'OK' (orange).