




AUTHORIZED DEALER

Office: (425)251-3112

info@protectconstruction.com

www.protectconstruction.com

cover (guard)[®]
every way protected[™]



TEMPORARY SURFACE PROTECTION

PRODUCT INFORMATION



cover guard® is a leading producer of temporary surface protection in both "Flame Retardant" and "Non-Flame Retardant" systems. Used by the marine, offshore, aviation, rail and construction industries to protect during new building, refurbishment, maintenance and outfitting stages.

- **Durable & Strong**
- **Waterproof**
- **Easy Installation & Removal**
- **Puncture Resistance**
- **Resistant to most Liquids and Chemicals**
- **Anti Static**
- **Reusable & Recyclable**
- **Internationally Approved**
- **Available in both **Flame Retardant** and **Non-Flame Retardant** Formulations**

The cover guard® range has been designed and developed to provide innovative temporary protection for all types of horizontal and vertical surfaces and finishes. The products can be used both internally and externally to protect against damage from trade, wear and tear and workmen's activity. cover guard® can also be used to wrap, cover, screen and contain all types of equipment, furniture, fittings and fixtures.

Flame Retardant DIAMOND PLATE cover guard®


- cover guard® offers excellent protection for all types of surfaces including hardwood floors, stone, tile, terrazzo, paint, glass, bare metal, concrete and many more.
- cover guard® is extremely strong, durable, tear resistant and is resistant to water, most chemicals and most solvents.
- cover guard®'s unique deck plate pattern provides anti-slip / anti-trip characteristics - meets ASTM C 1028-07.
- The system is quick, easy and efficient to install and remove. Cutting and shaping is very simple, reducing labor time, storage and handling. Maintenance is also kept to a minimum.
- Compact rolls are easy to handle, particularly in confined spaces and helps keep storage space to a minimum.
- Flame retardant cover guard® compliant with NFPA-701.



ITEM NO.	DESCRIPTION	SQ. FT.	WEIGHT
CG1036 DP	36" x 393'	1,179	60 lbs
CG1036 DPSR	36" x 100'	300	15 lbs
CG1072 DP	72" x 393'	2,358	120 lbs
CG2536 DP	36" x 180'	540	70 lbs
CG2572 DP	72" x 180'	1,080	140 lbs
CG4036 DP	36" x 120'	360	70 lbs
CG4072 DP	72" x 120'	720	150 lbs

Non-FR DIAMOND PLATE cover guard2®

- cover guard2® offers excellent protection for all types of surfaces including hardwood floors, stone, tile, terrazzo, paint, glass, bare metal, concrete and many more.
- cover guard2® is extremely strong, durable, tear resistant and is resistant to water, most chemicals and most solvents.
- cover guard2®'s unique deck plate pattern provides anti-slip / anti-trip characteristics - meets ASTM C 1028-07.
- The system is quick, easy and efficient to install and remove. Cutting and shaping is very simple, reducing labor time, storage and handling. Maintenance is also kept to a minimum.
- Compact rolls are easy to handle, particularly in confined spaces and helps keep storage space to a minimum.



ITEM NO.	DESCRIPTION	SQ. FT.	WEIGHT
CG2 1036 DP	36" x 393'	1,179	60 lbs
CG2 1036 DPSR	36" x 100'	300	15 lbs
CG2 2536 DP	36" x 180'	540	70 lbs
CG2 2572 DP	72" x 180'	1,080	140 lbs
CG2 4036 DP	36" x 120'	360	70 lbs

cover guard® SEAM TAPE

MULTI-PURPOSE DUCT TAPE

VERSATILE PERFORMANCE


Industrial grade duct tape. Excellent for varied uses, especially seam sealing of cover guard®. Product Certification: Complies with UL 723. Primary suggested use is to seal the seam of two abutting lengths of cover guard®.

Applications

- High quality maintenance tape in a variety of manufacturing environments.
- Broad range of applications in the construction industry.
- Seam sealing and hanging of cover guard®.

Feature/Benefits

- High quality polyethylene coated cloth.
- Conforms well to irregular surfaces.
- Adheres to a wide variety of surfaces.
- Tears straight, hangs straight, curl resistant.
- Easy unwind.



ITEM NO.	DESCRIPTION	SQ. FT.	WEIGHT
CGTP03BU	3" x 165'	41	2.5 lbs

SMOOTH FINISH cover guard®

20 mil & 30 mil

- Used to cover and protect all types of flooring surfaces, and much more.
- Protects floors and hallways.
- SF (Smooth, Flat Finish) version is available and suitable for specific flooring applications in lieu of Diamond Plate design.
- Easy to install – cut and size around objects.



ITEM NO.	DESCRIPTION	SQ. FT.	WEIGHT
CG2048 SF	48" x 100'	400	42 lbs
CG303610 SF	36" x 100'	300	45 lbs

ORDER FORM

Name: _____

Company Name: _____

Address: _____

Phone Number: _____

Email: _____

Credit Card: _____ Exp. _____

Quantity	Item #	Description	Sq. Footage	Price *
	CG1036 DP	Diamond Plate	1,179	
	CG1036 DPSR	Diamond Plate	300	
	CG1072 DP	Diamond Plate	2,358	
	CG2536 DP	Diamond Plate	540	
	CG2572 DP	Diamond Plate	1,080	
	CG4036 DP	Diamond Plate	360	
	CG4072 DP	Diamond Plate	720	
	CG2 1036 DP	Non-Fr Diamond Plate	1,179	
	CG2 1036 DPSR	Non-Fr Diamond Plate	300	
	CG2 2536 DP	Non-Fr Diamond Plate	540	
	CG2 2572 DP	Non-Fr Diamond Plate	1,080	
	CG2 4036 DP	Non-Fr Diamond Plate	360	
	CG2048 SF	Smooth Finish	400	
	CG303610 SF	Smooth Finish	300	
	CGTP03BU	Seam Tape	41	

(425)251-3112 www.protectconstruction.com