


STARTER BAR
(STEEL STUD)

CERACLAD SIDING PANEL (16mm)

- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W



JUN 19 2020




HORIZONTAL JOINT
 (HORIZONTAL SECTION)
 (STEEL STUD)

CERACLAD SIDING PANEL (16mm)

- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W



JUN 19 2020




PANEL CAULKING JOINT
(STEEL STUD)

CERACLAD SIDING PANEL (16mm)

- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W

JUN 19 2020

 CERACLAD




OUTSIDE PREFORMED
 CORNER
 (STEEL STUD)

CERACLAD SIDING PANEL (16mm)

- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W

JUN 19 2020






OUTSIDE METAL
 CORNER
 (STEEL STUD)

CERACLAD SIDING PANEL (16mm)

- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W



JUN 19 2020




INSIDE CORNER
(STEEL STUD)

CERACLAD SIDING PANEL (16mm)

- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W



JUN 19 2020




UNDER EAVES
 (STEEL STUD)

CERACLAD SIDING PANEL (16mm)

- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W



JUN 19 2020



THROUGH WALL
FLASHING
(STEEL STUD)

CERACLAD SIDING PANEL (16mm)


- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W

 CERACLAD

JUN 19 2020

HORIZONTAL HAT CHANNEL, MIN 18GA
ENGINEERED BY OTHERS, MINIMUM WIDTH-3"

TWO SCREWS FOR 18GA HAT CHANNEL
OR ONE SCREW FOR 16GA CHANNEL
PER CLIP




WINDOW AND DOOR
JAMB(CAULKING)
(STEEL STUD)

CERACLAD SIDING PANEL (16mm)

- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W

JUN 19 2020






WINDOW AND DOOR HEAD
AND SILL(CAULKING)
(STEEL STUD)

CERACLAD SIDING PANEL (16mm)

- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W

 CERACLAD

JUN 19 2020



LOW SLOPE ROOF
AND WALL
(STEEL STUD)

CERACLAD SIDING PANEL (16mm)

- PLAN DETAIL
- HORIZONTAL INSTALLATION
- 3030mm Lx455mm W



JUN 19 2020