

NO FAULT Safety Surface



Standard Color Blends







Features & **Characteristics**

- Recycled / Environmentally Friendly
- Seamless & Accessible
- Porous & Slip Resistant
- Freeze / Thaw Resistant
- Customizable Designs
- Clean / Non-Toxic

No Fault Safety Surface for Playgrounds

No Fault Safety Surface (NFSS) is comprised of the highest quality EPDM or TPV rubber granules blended with a polyurethane binder. NFSS is poured-in-place and professionally installed on site as a 2-layer system for playgrounds. The bottom impact absorbing layer is made of clean, recycled rubber buffing. The top decorative wear layer consists of highquality EPDM or TPV rubber granules. The wear layer is available in a wide variety of color blends and provides the option to create fun theme shaped designs.

Utilizing our exclusive hand troweling and screed rod method, No Fault Safety Surface Playground System is engineered on site by our certified installation crew.

The complete No Fault Safety Surface System is designed to provide a resilient, porous, and seamless playground safety surface. It is the absolute best playground safety surface available for fall protection and ADA accessibility.

No Fault Sport Group provides coast-to-coast installation service to ensure consistent auality and premium customer service for all of our poured-in-place surfaces!









Available Colors for No Fault Safety Surface





























Fall Hoight Chart	
Fall Height Chart	
Depth	Fall Height
1.75"	4'
2.25"	5'
2.5"	6'
3"	7'
3.5"	8'
4.5"	9'
5"	10'
6.5"	12'

Added Values

- Superior Customer Service
- Proven Durability
- IPEMA Certified
- ASTM, CPSC & **LEED Compliant**
- ADA Accessible
- Experienced Craftsmanship
- Factory Warranty
- Reduced Maintenance Cost
- Enhanced Safety





To verify product certificiatio



Features & **Characteristics**

- Seamless & Porous
- Slip Resistant
- Clean / Non-Toxic
- Customizable Designs
- UV Stable

Added Values

- Superior Customer Service
- Proven Durability
- Experienced Craftsmanship
- Factory Warranty
- Enhanced Safety

No Fault Safety Surface for Water Play

No Fault Safety Surface for Water Play is manufactured on site. The blending of multiple color combinations to create custom inlaid graphic designs and patterns makes it the perfect play surface for pool decks, splash pads, and themed environments.

No Fault Safety Surface for Water Play is designed for barefoot play in wet areas. This system consists of the highest quality EPDM or TPV rubber granules integrated with a polyurethane binder and professionally installed at 3/8" (minimum) total depth over a concrete sub-base.

No Fault Sport Group provides coast-to-coast installation service to ensure consistent quality and premium customer service for all of our poured-in-place surfaces!











Jo Fault

Water **Environment Applications**

- Splash Pads
- Water Parks
- Landing Pads
- Pool Decks
- Walkways


"We absolutely love the new surface! The colors are so bright and vibrant, and are certain to add to the enjoyment of our families for years to come. "

> - Give Kids the World, Kissimmee, FL

Recommended Color Blends for Water Environments











NO FAULT Safety Surface

1-866-637-7678 www.nofault.com



Features & **Characteristics**

- Safe & Resilient
- Fast Drying After Heavy Rainfall
- ADA Accessible
- Low Maintenance

Added Values

- Superior Customer Service
- Proven Durability
- Experienced Craftsmanship
- Factory Warranty
- Enhanced Safety

"If you don't have a poured-in-place rubber surface for your playground, then you don't have a surface for children of all abilities. The No Fault Safety Surface is beautiful, and we love it."

> - Arise at the Farm, Chittenango, NY

No Fault Safety Surface for Multi-Purpose Applications

No Fault Safety Surface for Multi-Purpose Applications is designed for high intensity recreation areas to promote active play while allowing a cooler, slip resistant, and less abrasive surface than alternative surfaces.

No Fault Sport Group provides coast-to-coast installation service to ensure consistent quality and premium customer service for all of our poured-in-place surfaces!





Multi-Purpose Applications

- Running, Walking & Jogging Fitness Paths
- Courtyards & **Recreation Areas**
- Basketball Courts



No Fault Safety Surface for Accessible Ballfields

No Fault Safety Surface for Accessible Ballfields is designed to be ADA compliant and promotes inclusive play for children of all ages and abilities.

No Fault Safety Surface for Accessible Ballfields is professionally installed by blending the highest quality TPV granules and polyurethane binder at a minimum of ½" thickness over concrete. Poured on site, the surface allows for the blending of color combinations to create custom patterns, lines, and designs.

Existing Accessible Ballfields can be given new life by applying the No Fault Safety Surface for Accessible Ballfields as a resurfacing option. Same as new fields, the surface is installed at 1/2" thickness over the old rubber surfacing and can incorporate a variety of colors and designs.







Recommended Color Blends for Accessible Ballfields



Recommended Color Blends for Multi-Purpose















- **Characteristics**
- ADA Accessible
- Slip Resistant

Features &

- Safe & Resilient
- Fast Drying After Heavy Rainfall
- Low Maintenance
- Customizable Design

Added Values

- Superior Customer Service
- Proven Durability
- Experienced Craftsmanship
- Factory Warranty
- Enhanced Safety



NO FAULT Rubber Mulch

1-866-637-7678 www.nofault.com

No Fault

Features &

Porous / Drains

Well

Characteristics



Fall Height Chart	
Depth	Fall Height
2.25"	5'
2.75"	6'
3.5"	7'
4"	8'

Features & **Characteristics**

- Porous / Drains Well
- 100% Recycled
- Seamless & Natural Appearance
- Installs Over Leveled Earth

Added Values

- IPEMA Certified
- ASTM & ADA Compliant
- Excellent Fall Protection
- Low Maintenance
- Factory Warranty

No Fault BONDED Rubber Mulch (100% Shredded Mulch)

No Fault Bonded Rubber Mulch (poured-in-place) utilizes clean, 100% recycled shredded rubber mulch combined with a single component polyurethane binder to achieve a unique, attractive, and natural look for outdoor activity areas. Always ready for use, the extremely porous bonded mulch allows water to rapidly flow through the surface.

Applied at various depths, No Fault Bonded Rubber Mulch provides an impact absorbing, seamless, and accessible safety surface that requires little to no maintenance.

No Fault Sport Group provides coast-to-coast installation service to ensure consistent quality and premium customer service for all our poured-in-place surfaces!





Bonded Rubber Mulch Applications

- Playgrounds
- Decorative Theme Environments
- Jogging Paths/ Walking Trails
- Landscapes and Tree Wells
- Courtyard & Decking
- Commercial & Residential

No Fault Loose Fill Rubber Mulch (100% Nuggets)

No Fault Loose Fill Rubber Mulch is made from clean, 100% recycled tires and provides excellent fall protection.

No Fault Rubber Mulch is an environmentally sustainable product that is non-toxic and non-staining. The color will not rub off on clothing, skin, or pets, and color will not bleed



Loose Fill Rubber Mulch Applications

- Playgrounds
- Tree Wells
- Commercial &





Clean / Non-Toxic •99.9% Wire Free • 100% Recycled

- Landscapes
- Residential

Added Values

Easy Installation

- Color Fade Warranty
- ASTM & ADA Compliant
- Excellent Fall Protection

Available Colors for Bonded Rubber Mulch









Available Colors for Rubber Mulch Nuggets













Features & Characteristics

- Full Glue or 4-Corner Lock System (optional)
- Easy Installation for Community Build Projects
- UV Resistant
- Freeze/Thaw Resistant

Added Values


- Superior
 Customer Service
- Made in USA
- Manufacturer
 Warranty
- IPEMA Certified
- ASTM, CPSC and LEED Compliant
- ADA Accessible
- Environmentally Sustainable

No Fault Safety Tiles

No Fault Safety Tiles are manufactured in the USA utilizing 100% environmentally sustainable recycled rubber. Our tiles are engineered exclusively to reduce the risk of serious injury associated with falls from playground equipment and other elevated surfaces. The dense recycled rubber composition enables easy maintenance and provides a clean, safe alternative to loose products such as wood mulch, sand, or pea gravel.

No Fault Safety Tiles are available in four traditional pigmented colors. All tiles have matching components for transitions, corners, and ADA accessibility. No Fault Safety Tiles are an excellent choice for new or renovated playgrounds offering easy installation, low maintenance, and superior performance.





Durable & Accessible



Available Colors for No Fault Safety Tiles









- Ask us about our premium EPDM and Ultra Tile color options
- Custom designs available upon request



Applications

- Playgrounds
- Roof Top Play Areas
- Patios & Courtyards
- Athletic & Recreational Spaces
- Indoor Playgrounds, Malls & Fitness Centers
- Call for critical fall height thickness
- Requires rigid or solid base for installation
- See our website for additional technical details





To verify product certificiatio

10

NO FAULT SporTurf



Features & Characteristics

- Low Maintenance
- Excellent Porosity
- Non-Rubber Infill
- Environmentally Friendly
- Superior Fall Protection
- ADA Accessible

Added Values

- Superior Customer Service
- Made in USA
- High Performance
- Infill Cooling System
- Reduces Allergens
- Manufacturer Warranty

No Fault SporTurf for Playgrounds and Open-Play Areas

No Fault SporTurf is the new generation of safety surface designed to bring sustainability, long-term value, and improved performance to playgrounds and multipurpose open-play areas. This beautiful and lush artificial turf created for playgrounds features proprietary sports performance fibers proven to outperform ordinary landscape fibers.

No Fault SporTurf for playgrounds can be installed over foam padding or a poured-inplace impact layer providing superior fall protection and ADA accessibility. The result is an impressive, sleek multi-functional play area that requires little to no maintenance and meets up to a 10 foot fall height.

No Fault Sport Group provides coast-to-coast installation services to ensure consistent quality and premium customer service for all SporTurf applications.







"Every member of the No Fault team that we dealt with from the start was very professional, helpful, and exemplified customer service. Thank you for such great service."

They did an awesome job. We will highly recommend No Fault surfacing."

"The installers were great, hard workers, courteous, and professional."

ademy, Baton Rouge, LA - Strong Reach Playground, B



Non-Rubber Infill

- Provides a safe environment for children & pets
- Cleaner than ordinary sand or crumb rubber
- Reduces turf temperature

"The owners at Avanti Senior Living were extremely pleased with the No Fault SporTurf product. The natural look of the turf created a beautiful, low maintenance courtyard for the residents to enjoy. We enjoyed having knowledgeable and professional No Fault installers as our subcontractor and will definitely use them again for future projects."

- Terry Hill- Womack Construction, Baton Rouge, LA

Quick Reference Guide

No Fault Safety Surface

(Traditional Poured-in-Place) For Playgrounds

Professionally Installed Installs over concrete, asphalt or compacted stone Variety of color options In-laid designs available IPEMA Certified See pages 2-7





No Fault Bonded Rubber Mulch

(Poured-in-Place Rubber Mulch) For Playgrounds & Fitness Trails

Professionally Installed
Installs over concrete, asphalt, compacted stone or compacted earth
Single or double blended color options
IPEMA Certified
See page 8

No Fault Rubber Nuggets

(Loose Fill Rubber Nuggets) For Playgrounds and Landscaping

Self Installed Installs over leveled earth Four color options See page 9





No Fault Safety Tiles

(Rubber Safety Tiles) For Playgrounds & Walkways

Self Installed
Installs over concrete, asphalt, compacted stone or rooftops
Pigmented and Ultra color options
IPEMA Certified
See pages 10-11

No Fault SporTurf (Synthetic Turf) For Playgrounds and Open-Play Areas

Professionally Installed Installs over concrete, asphalt or compacted stone Non-Rubber Infill See page 12-13



Disclaimers:

- No Fault surface temperatures will vary with the ambient temperature; subsequently, the surfacing will become hot with rising temperatures. No Fault recommends the owner monitor the play area and provide adequate signage warning that equipment and surfacing exposed to the intense, direct sun can potentially burn. No Fault Sport Group assumes no liability to such exposure of the surfacing temperature as this should be monitored prior to use.
- All colors depicted in catalog may not be an exact match to the colors in the field.



8082114-NFS

No Fault is proud to be an awarded vendor of Sourcewell® (Formerly NJPA).

Sourcewell is a government cooperative purchasing program that allows you to cut through all the paperwork by going through the bid process for you. Sourcewell offers nationally leveraged contract pricing with highly qualified vendors.

Membership is FREE!

Call your No Fault representative to learn more or visit:

https://sourcewell-mn.gov/become-member

to sign up today.



It is the mission of No Fault™ Sport Group to provide our customers with premium quality athletic and playground surfacing products. We are dedicated to superior customer service and consistent quality guaranteed!

CERTIFICATIONS

PURCHASING OPTION











INDUSTRY MEMBERSHIPS

























Corporate Headquarters

3112 Valley Creek Drive, Ste. C Baton Rouge, LA 70808

West Coast Division

273 S. Pershing Ave., Unit 1 San Bernardino, CA 92408

866-NFSPORT (637-7678) 800-232-7766

HIX
Paper from responsible sources
FSC
FSC C108566