



GENERAL TECHNOLOGIES, INC.



**CONCRETE
ACCESSORIES**




GTI COMPOSITE PC CHAIRS™



Primary Uses: Precast Concrete Slab and Wall Panels
Tilt-up Concrete Wall Panels
Elevated Slabs

Size: From 3/4" to 12 1/2" (1/4" increments)

- Features:**
- Grey color
 - Ball on foot does not damage form work
 - Ball is virtually invisible on concrete surface
 - Designed for maximum aggregate flow and concrete consolidation
 - Will cradle all sizes of reinforcing bars
 - Larger stable footprint
 - The strongest chair in the industry



Detail of Ball Foot



Part No.	Size	Pcs/Box	Wt/Box/Lbs
216075	3/4"	1,300	27
216100	1"	1,000	25
216125	1 1/4"	900	29
216150	1 1/2"	700	26
216175	1 3/4"	650	26
216200	2"	500	25
216225	2 1/4"	400	22
216250	2 1/2"	350	21
216275	2 3/4"	500	32
216300	3"	400	30
216325	3 1/4"	400	32
216350	3 1/2"	400	41
216375	3 3/4"	400	43
216400	4"	385	45
216425	4 1/4"	300	36
216450	4 1/2"	300	38
216475	4 3/4"	250	41
216500	5"	240	41
216525	5 1/4"	240	42
216550	5 1/2"	240	42
216575	5 3/4"	140	32
216600	6"	140	33
216625	6 1/4"	140	33
216650	6 1/2"	140	33
216675	6 3/4"	140	34
216700	7"	140	35
216725	7 1/4"	140	35
216750	7 1/2"	90	34
216775	7 3/4"	90	36
216800	8"	90	36
216825	8 1/4"	90	36
216850	8 1/2"	90	36
216875	8 3/4"	80	36
216900	9"	80	37
216925	9 1/4"	70	33
216950	9 1/2"	70	33
216975	9 3/4"	70	34
216980	10"	70	38
216981	10 1/4"	70	38
216982	10 1/2"	65	36
216983	10 3/4"	65	37
216984	11"	60	34
216985	11 1/4"	60	35
216986	11 1/2"	60	35
216987	11 3/4"	60	38
216988	12"	50	31
216989	12 1/4"	50	28
216990	12 1/2"	50	32

PRODUCT APPLICATIONS

DOT PC PT SOG SE TU

Note: Sand Plate available. See page 3



GTI COMPOSITE STACK CHAIRS™


Primary Uses: Top Layer Double Mat Support - PT, Rebar or Wire Mesh
Tilt-up Concrete Wall Panels

Size: From 12¹/₄" to 26" (in 1/4" increments)

- Features:**
- Points on legs assure minimal surface contact and become virtually invisible
 - Designed for maximum aggregate flow and concrete consolidation
 - Will cradle all sizes of reinforcing bars
 - Larger, more stable footprint

PRODUCT APPLICATIONS

DOT PC PT SE TU SOG



2-Piece Chairs		
Part No.	Size	Wt/Piece
291225	12 ¹ / ₄ "	1.027
291250	12 ¹ / ₂ "	1.036
291275	12 ³ / ₄ "	1.046
291300	13"	1.055
291325	13 ¹ / ₄ "	1.065
291350	13 ¹ / ₂ "	1.077
291375	13 ³ / ₄ "	1.086
291400	14"	1.096
291425	14 ¹ / ₄ "	1.105
291450	14 ¹ / ₂ "	1.115
291475	14 ³ / ₄ "	1.186
291500	15"	1.195
291525	15 ¹ / ₄ "	1.205
291550	15 ¹ / ₂ "	1.211
291575	15 ³ / ₄ "	1.224
291600	16"	1.236
291625	16 ¹ / ₄ "	1.245
291650	16 ¹ / ₂ "	1.255
291675	16 ³ / ₄ "	1.264
291700	17"	1.274
291725	17 ¹ / ₄ "	1.283
291750	17 ¹ / ₂ "	1.293
291775	17 ³ / ₄ "	1.303
291800	18"	1.312

3-Piece Chairs		
Part No.	Size	Wt/Piece
291825	18 ¹ / ₄ "	1.777
291850	18 ¹ / ₂ "	1.786
291875	18 ³ / ₄ "	1.796
291900	19"	1.805
291925	19 ¹ / ₄ "	1.815
291950	19 ¹ / ₂ "	1.827
291975	19 ³ / ₄ "	1.836
292000	20"	1.846
292025	20 ¹ / ₄ "	1.855
292050	20 ¹ / ₂ "	1.865
292075	20 ³ / ₄ "	1.936
292100	21"	1.945
292125	21 ¹ / ₄ "	1.955
292150	21 ¹ / ₂ "	1.964
292175	21 ³ / ₄ "	1.974
292200	22"	1.986
292225	22 ¹ / ₄ "	1.995
292250	22 ¹ / ₂ "	2.005
292275	22 ³ / ₄ "	2.014
292300	23"	2.024
292325	23 ¹ / ₄ "	2.033
292350	23 ¹ / ₂ "	2.043
292375	23 ³ / ₄ "	2.053
292400	24"	2.062
292425	24 ¹ / ₄ "	2.070
292450	24 ¹ / ₂ "	2.080
292475	24 ³ / ₄ "	2.089
292500	25"	2.099
292525	25 ¹ / ₄ "	2.108
292550	25 ¹ / ₂ "	2.118
292575	25 ³ / ₄ "	2.128
292600	26"	2.134

Note: Grayed selections upcoming, but not yet available



GTI COMPOSITE BAR CHAIRS®

Primary Uses: Single Mat Support - PT, Rebar or Mesh
Bottom Layer Double Mat Support - PT, Rebar or Wire Mesh
Slab-on-Grade using a Sand Plate


From 1/2" to 6" (1/4" increments)

Sizes:

Features:

- Feet that can be stapled
- Points on legs ensure minimal surface contact
- Designed for maximum aggregate flow and concrete consolidation
- Will cradle all sizes of reinforcing bars


208 Series




Part No.	Size	Pcs/Box	Wt/Box/Lbs
210050	1/2"	2200	34
210075	3/4"	1500	39
210100	1"	700	27
210125	1 1/4"	600	31
210150	1 1/2"	500	32
210175	1 3/4"	450	31
210200	2"	350	28
210225	2 1/4"	300	27
210250	2 1/2"	300	26
210275	2 3/4"	275	22
210300	3"	225	22
210325	3 1/4"	225	23
210350	3 1/2"	200	25
210375	3 3/4"	200	27
210400	4"	200	34
210425	4 1/4"	200	38
210450	4 1/2"	200	39
210475	4 3/4"	200	37
210500	5"	150	35
210525	5 1/4"	150	35
210550	5 1/2"	150	39
210575	5 3/4"	150	38

GTI COMPOSITE HIGH CHAIRS®

Part No.	Size	Pcs/Box	Wt/Box/Lbs
208600	6"	135	36
208650	6 1/4"	175	45
208650	6 1/2"	150	42
208675	6 3/4"	150	38
208700	7"	125	42
208725	7 1/4"	125	40
208750	7 1/2"	125	43
208775	7 3/4"	125	48
208800	8"	125	49
208825	8 1/4"	125	53
208850	8 1/2"	125	54
208875	8 3/4"	95	44
208900	9"	85	38
208925	9 1/4"	85	43
208950	9 1/2"	85	39
208975	9 3/4"	85	45
208101	10"	85	50



210 Series



PRODUCT APPLICATIONS

DOT PC PT SOG SE

GTI SAND PLATES®

Primary Uses: Slab-on-Grade, Precast Insulated Sandwich Panels





Size: See Table

Features: Multiple sizes for all chair types

Part No.	208 Series	210 Series	211 Series	216 Series	Wt/Box/Lbs
210001	na	1" - 4 3/4"	na		22
208002	6 1/4" - 10"	5" - 6"	10 1/4" - 18"		18
216001				3/4" - 4 1/2"	
216002				4 3/4" - 8 1/2"	
216003				> 8 1/2"	

PRODUCT APPLICATIONS

DOT PC PT SOG






GTI COMPOSITE SLAB/BEAM BOLSTERS®

GRAY BOLSTERS

Part No.	Size	Wt/Ft/Lbs
215075	3/4"	0.10
215100	1"	0.10
215125	1 1/4"	0.12
215150	1 1/2"	0.14
215175	1 3/4"	0.14
215200	2"	0.16
215250	2 1/2"	0.17
215300	3"	0.19
215350	3 1/2"	0.21
215400	4"	0.25

PRODUCT APPLICATIONS

DOT PC PT SE TU WC



Primary Uses: Bottom Layer Continuous Support
PT, Rebar or Wire Mesh
Elevated Slab
Tilt-up Concrete Wall Panels*
Side Form Spacer for Walls & Columns

Size: From 3/4" to 2" (in 1/4" increments)
From 2 1/2" to 4" (in 1/2" increments)

BLACK BOLSTERS

Part No.	Size	Wt/Ft/Lbs
209075	3/4"	0.09
209100	1"	0.12
209125	1 1/4"	0.12
209150	1 1/2"	0.14
209175	1 3/4"	0.16
209200	2"	0.16
209250	2 1/2"	0.17
209300	3"	0.19
209350	3 1/2"	0.21
209400	4"	0.22

Features:

- Feet that can be stapled
- Points on legs assure minimal surface contact
- Manufactured in 5'0" lengths (2'6" lengths optional)


GTI SLAB BOLSTER UPPER™

Primary Uses: Top Layer Double Mat Support - PT, Rebar or Wire Mesh

Size: From 3/4" to 6" (in 1/4" increments) x 5' Long

Features:

- Continuous Runner
- Designed for maximum aggregated flow and concrete consolidation
- Snap-Locking System
- Wide Stable base



Part No.	Size
260075	3/4"
260100	1"
260125	1 1/4"
260150	1 1/2"
260175	1 3/4"
260200	2"
260225	2 1/4"
260250	2 1/2"
260275	2 3/4"
260300	3"
260350	3 1/2"
260400	4"
260450	4 1/2"
260500	5"
260550	5 1/2"
260600	6"

Note: Grayed selections upcoming, but not yet available

PRODUCT APPLICATIONS

DOT PC PT SOG SE TU




GTI SINGLE LOCK PAVING CHAIRS®

Primary Uses: Slab-on-Grade - Rebar, PT
Single Mat - Rebar
City, County & Highway Paving
Bottom Layer Double Mat Support - Rebar
Top Layer Double Mat Support - Rebar

Size: From 2 1/2" to 10 1/2" (1/2" increments)

Features:

- Fits #5 or #6 Rebar
- Built-in Base Plate
- May also be used to support 1/2" PT Cable




Size	Part No.#5	Part No.#6	Pcs/Box	Wt/Box/Lbs
2 3/4"	212327	212527	260	35
3"	212330	212530	260	35
3 1/4"	212332	212532	260	37
3 1/2"	212335	212535	260	37
3 3/4"	212337	212537	240	34
4"	212340	212540	240	34
4 1/4"	212342	212542	220	33
4 1/2"	212345	212545	220	33
4 3/4"	212347	212547	220	33
5"	212350	212550	220	33
5 1/4"	212352	212552	220	33
5 1/2"	212355	212555	175	30
5 3/4"	212357	212557	175	30
6"	212360	212560	175	30
6 1/4"	212362	212562	175	30
6 1/2"	212365	212565	175	30
6 3/4"	212367	212567	175	30
7"	212370	212570	175	30
7 1/4"	212372	212572	175	30
7 1/2"	212375	212575	175	30
7 3/4"	212377	212577	175	30
8"	212380	212580	175	30
8 1/4"	212382	212582	175	30
8 1/2"	212385	212585	175	30
8 3/4"	212387	212587	175	30
9"	212390	212590	175	30
9 1/4"	212392	212592	175	30
9 1/2"	212395	212595	175	30
9 3/4"	212397	212597	120	30
10"	212310	212510	120	30
10 1/4"	212312	212512	120	30
10 1/2"	212315	212515	120	30
10 3/4"	212317	212517	120	30

Part No.	Size	Pcs/Box	Wt/Box/Lbs
212225	2 1/4"	350	39
212325	3 1/4"	340	42

PRODUCT APPLICATIONS

DOT **SOG**





GTI DOUBLE LOCK PAVING CHAIRS™ & 4" EXTENSION

Primary Uses: Slab-on-Grade - Rebar, PT
Single Mat - Rebar
City, County & Highway Paving
Bottom Layer Double Mat Support - Rebar
Top Layer Double Mat Support - Rebar


Size: From 2 1/2" to 10 3/4" (1/4" increments)

Features:

- Fits #4 - #7 rebar
- Built-in Base Plate

GTI DOUBLE MAT EXTENSION™


Height	#6 / #5	#6 / #6	Pcs/Bag	Wt/Bag
4"	217404	217504	280	30



217504
4" Extension

Rebar Code

	1	2	3	4	5	6	7	8		
	#4 / #4	#5 / #4	#5 / #5	#6 / #5	#6 / #6	#7 / #5	#7 / #6	#7 / #7		
Mold Configurations										
Height	#4 / #4	#5 / #4	#5 / #5	#6 / #5	#6 / #6	#7 / #5	#7 / #6	#7 / #7	Pcs/Bag	Wt/Bag/Lbs
2 1/2"	217125	217225	217325	217425	217525	217625	217725	217825	240	35
2 3/4"	217127	217227	217327	217427	217527	217627	217727	217827	240	35
3"	217130	217230	217330	217430	217530	217630	217730	217830	240	35
3 1/4"	217132	217232	217332	217432	217532	217632	217732	217832	200	34
3 1/2"	217135	217235	217335	217435	217535	217635	217735	217835	200	34
3 3/4"	217137	217237	217337	217437	217537	217637	217737	217837	180	32
4"	217140	217240	217340	217440	217540	217640	217740	217840	180	32
4 1/4"	217142	217242	217342	217442	217542	217642	217742	217842	180	32
4 1/2"	217145	217245	217345	217445	217545	217645	217745	217845	180	32
4 3/4"	217147	217247	217347	217447	217547	217647	217747	217847	175	30
5"	217150	217250	217350	217450	217550	217650	217750	217850	175	30
5 1/4"	217152	217252	217352	217452	217552	217652	217752	217852	175	30
5 1/2"	217155	217255	217355	217455	217555	217655	217755	217855	175	30
5 3/4"	217157	217257	217357	217457	217557	217657	217757	217857	175	30
6"	217160	217260	217360	217460	217560	217660	217760	217860	175	30
6 1/4"	217162	217262	217362	217462	217562	217662	217762	217862	175	30
6 1/2"	217165	217265	217365	217465	217565	217665	217765	217865	175	30
6 3/4"	217167	217267	217367	217467	217567	217667	217767	217867	175	30
7"	217170	217270	217370	217470	217570	217670	217770	217870	175	30
7 1/4"	217172	217272	217372	217472	217572	217672	217772	217872	175	30
7 1/2"	217175	217275	217375	217475	217575	217675	217775	217875	175	30
7 3/4"	217177	217277	217377	217477	217577	217677	217777	217877	175	30
8"	217180	217280	217380	217480	217580	217680	217780	217880	175	30
8 1/4"	217182	217282	217382	217482	217582	217682	217782	217882	175	30
8 1/2"	217185	217285	217385	217485	217585	217685	217785	217885	175	30
8 3/4"	217187	217287	217387	217487	217587	217687	217787	217887	120	30
9"	217190	217290	217390	217490	217590	217690	217790	217890	120	30
9 1/4"	217192	217292	217392	217492	217592	217692	217792	217892	120	30
9 1/2"	217195	217295	217395	217495	217595	217695	217795	217895	120	30
9 3/4"	217197	217297	217397	217497	217597	217697	217797	217897	120	30
10"	217110	217210	217310	217410	217510	217610	217710	217810	93	30
10 1/4"	217112	217212	217312	217412	217512	217612	217712	217812	93	30
10 1/2"	217115	217215	217315	217415	217515	217615	217715	217815	93	30
10 3/4"	217117	217217	217317	217417	217517	217617	217717	217817	93	30



SIZE


PRODUCT APPLICATIONS

DOT SOG



GTI SINGLE LOCK PAVING CHAIRS® G2

- Primary Uses:** Slab-on-Grade - Rebar, PT
Single Mat - Rebar
City, County & Highway Paving
Bottom Layer Double Mat Support - Rebar
Top Layer Double Mat Support - Rebar
- Size:** From 2 1/2" to 7 1/2" (1/4" increments)
- Features:**
- Fits #3 / #4, #5, #6 Rebar
 - Built-in Base Plate



Size	#3 / #4	#5	#6
2 1/2"	223225	222325	222425
2 3/4"	223227	222327	222427
3"	223230	222330	222430
3 1/4"	223232	222332	222432
3 1/2"	223235	222335	222435
3 3/4"	223237	222337	222437
4"	223240	222340	222440
4 1/4"	223242	222342	222442
4 1/2"	223245	222345	222445
4 3/4"	223247	222347	222447
5"	223250	222350	222450
5 1/4"	223252	222352	222452
5 1/2"	223255	222355	222455
5 3/4"	223257	222357	222457
6"	223260	222360	222460
6 1/4"	223262	222362	222462
6 1/2"	223265	222365	222465
6 3/4"	223267	222367	222467
7"	223270	222370	222470
7 1/4"	223272	222372	222472
7 1/2"	223275	222375	222475

PRODUCT APPLICATIONS


DOT **SOG**

GTI SINGLE LOCK MESH CHAIRS® G2

- Primary Uses:** Slab-on-Grade
City, County & Highway Paving
- Size:** From 2 1/2" to 7 1/2" (1/4" increments)
- Features:**
- Fits Mesh
 - Built-in Base Plate

PRODUCT APPLICATIONS

DOT **SOG**




Size	Mesh
2 1/2"	223125
2 3/4"	223127
3"	223130
3 1/4"	223132
3 1/2"	223135
3 3/4"	223137
4"	223140
4 1/4"	223142
4 1/2"	223145
4 3/4"	223147
5"	223150
5 1/4"	223152
5 1/2"	223155
5 3/4"	223157
6"	223160
6 1/4"	223162
6 1/2"	223165
6 3/4"	223167
7"	223170
7 1/4"	223172
7 1/2"	223175



GTI DOUBLE LOCK PAVING CHAIRS® & DOUBLE MAT EXTENSION G2

- Primary Uses:** Slab-on-Grade - Rebar, PT
Single Mat - Rebar
City, County & Highway Paving
Bottom Layer Double Mat Support - Rebar
Top Layer Double Mat Support - Rebar
- Size:** From 2 1/2" to 7 1/2" (1/4" increments)
- Features:**
- Fits #4 - #6 Rebar
 - Built-in Base Plate




Size	#4 / #4	#5 / #5	#6 / #5	#6 / #6
2 1/2"	222525	222625	222725	222825
2 3/4"	222527	222627	222727	222827
3"	222530	222630	222730	222830
3 1/4"	222532	222632	222732	222832
3 1/2"	222535	222635	222735	222835
3 3/4"	222537	222637	222737	222837
4"	222540	222640	222740	222840
4 1/4"	222542	222642	222742	222842
4 1/2"	222545	222645	222745	222845
4 3/4"	222547	222647	222747	222847
5"	222550	222650	222750	222850
5 1/4"	222552	222652	222752	222852
5 1/2"	222555	222655	222755	222855
5 3/4"	222557	222657	222757	222857
6"	222560	222660	222760	222860
6 1/4"	222562	222662	222762	222862
6 1/2"	222565	222665	222765	222865
6 3/4"	222567	222667	222767	222867
7"	222570	222670	222770	222870
7 1/4"	222572	222672	222772	222872
7 1/2"	222575	222675	222775	222875

PRODUCT APPLICATIONS

DOT SOG

GTI DOUBLE MAT EXTENSION G2

Head Bar Size						
		#5			#6	
Base Bar Size						
Size	#5 / #5	#6 / #5	#6 / #6	#5 / #5	#6 / #5	#6 / #6
3 1/2"	224363	224373	224383	224463	224373	224483
4"	224364	224374	224384	224464	224474	224484
4 1/2"	224365	224375	224385	224465	224475	224485



GTI INTERSECTIONAL CHAIRS™


- Primary Uses:

Size:

Features:
- Slab-on-Grade - PT or Rebar
Single Mat - Rebar or Wire Mesh
Precast Insulated Sandwich Panels

From 1 1/2" to 7" (1/2" Increments)

- Fits 1/2" PT cable or up to #5 rebar
 - Built-in Base Plate



Part No.	Size	Pcs/Bag	Bag/Pallet	Wt/Bag
205115	1 1/2"	1,000	14,000	36
205120	2"	1,000	12,000	39
205125	2 1/2"	1,000	12,000	38
205130	3"	1,000	12,000	39
205135	3 1/2"	750	9,000	36
205140	4"	450	5,400	27
205145	4 1/2"	450	4,500	39
205150	5"	450	4,500	38
205155	5 1/2"	350	4,500	45

Note: See 217 Series for all other larger sizes.

PRODUCT APPLICATIONS

PT
SOG

GTI SHIMS®


- Primary Uses:

Size:

Features:
- Bearing Pads for Tilt-up or Pre-cast Panels

4" x 6" From 1/16" to 1/4"

- Highest Bearing Strength > 8000 - 10000 psi
 - Made of Nylon Composite



GTI SHIM STACK, 4x6
Product Code: 219100

Part No.	Size	Pcs/Box	Wt/Box/Lbs
219060	1/16"	960	40
219125	1/8"	480	62
219250	1/4"	240	54
219100	Set	60	58

PRODUCT APPLICATIONS

DOT
PC
TU

Each shim stack set contains:

- 1 ea – 1/16" White Shim
- 2 ea – 1/8" Gray Shims
- 3 ea – 1/4" Black Shims





GTI STAPLER™ & STAPLES

Primary Uses: To staple bar supports to formwork to ensure tendon prolifes are securely maintained


Features:

- Nose is slotted to straddle the legs of bar supports

PRODUCT APPLICATIONS

DOT PT SE

Part No.	Description	Pcs/Box
230270	Staple, 1" Leg x 7/16" Crown, Galvanized	5000
230271	Staple, 1" Leg x 7/16" Crown, Stainless Steel	5000



230250
GTI Stapler
Assembly

GTI CONCRETE ACCESSORIES APPLICATION CHART

The products that are shown in this brochure are protected under license by one or more of the following patents: U.S. Patent Nos. 5555693, 5664390, 5762300, 5791095, 6557317, 6684594, 6684595, 6772571, 6775954, 7237367, 7284354, 7322158; Design Patent Nos. 388312, 480291, 482262, 495504, 497055, 500665, 504805, 543836, 565748, 565749; International Patent Nos. 0864022, 0891507, 1015712, 2238537 and 2250026, along with other patents pending.

"GENERAL TECHNOLOGIES, INC.", "GTI", "GTI COMPOSITE CHAIR", "GTI GRADE CHAIR", "GTI CLIP-ON CHAIR", "GTI WHEEL SPACER", "GTI SAND PLATE", and "GTI COMPOSITE SLAB BOLSTER" are registered trademarks of General Technologies, Inc.

PRODUCT APPLICATIONS

			DOT	PC	PT	SOG	SE	TU	WC
		Series	Department of Transportation	Precast	Post-Tension Slabs	Slab on Ground	Slab - Elevated	Tilt-Up	Walls & Columns
PRODUCTS	Individual Bar Supports	GTI Composite PC Chairs	216	✓	✓	✓	✓	✓	
		GTI Composite Stack Chairs	291	✓	✓	✓	✓	✓	
		GTI Composite Bar Chairs	210	✓	✓	✓	✓	✓	
		GTI Composite High Chairs	208	✓	✓	✓	✓	✓	
		GTI Sand Plates	208/210/216	✓	✓	✓			
		GTI Single Lock Paving Chairs	212	✓		✓			
		GTI Single Lock Paving Chairs G2	223	✓		✓			
		GTI Double Lock Paving Chairs	217	✓		✓			
		GTI Double Lock Paving Chairs G2	222	✓		✓			
		GTI Double Mat Extension G2	224	✓		✓			
		GTI Shims	219	✓	✓			✓	
	Continuous Bar Supports	GTI Slab/Beam Bolsters - Black	209	✓	✓	✓	✓	✓	✓
		GTI Slab/Beam Bolsters - Grey	215	✓	✓	✓	✓	✓	✓
		GTI Slab Bolster Upper	260	✓	✓	✓	✓	✓	
	PT Acc.	GTI Intersectional Chairs	205		✓	✓			



GTI CONTACTS



CORPORATE HEADQUARTERS, MANUFACTURING CENTER & SOUTHWESTERN DISTRIBUTION CENTER

HOUSTON

13022 Trinity Drive, Stafford, TX 77477 / Tel: (281) 240-0550 / Fax: (281) 240-0990 / www.gti-usa.net

Felix Sorkin, President – e-mail: sales@gti-usa.net

Joe Harrison, VP Marketing – e-mail: jharrison@gti-usa.net

Greg Reese, National Sales Manager – e-mail: greese@gti-usa.net – Cell: (703) 980-8174

Brian Rigbsby, SW Regional Sales Manager – e-mail: brigsby@gti-usa.net – Cell: (832) 459-4819

MID-ATLANTIC U.S.

VIRGINIA

9404 Gunston Cove Road
Lorton, VA 22079
Tel: (703) 495-8507
Fax: (703) 495-8509

Angela Dent
Location Manager
e-mail: adent@gti-usa.net

CENTRAL U.S.

CHICAGO

903 Wesemann Drive
West Dundee, IL 60118
Tel: (847) 241-2692
FAX: (847) 241-2694

Bob Jorgensen
Midwest Regional Sales Manager
e-mail: bjorgensen@gti-usa.net

Please contact GTI for Dealers in your area.

13022 Trinity Drive • P.O. Box 1503 • Stafford, TX 77477 • Tel: (281) 240-0550 • Fax: (281) 240-0990



P.O. Box 1503
13022 Trinity Drive
Stafford, TX 77477
Tel: (281) 240-0550

E-mail: sales@gti-usa.net
Website: www.gti-usa.net
Fax: (281) 240-0990
Toll-free: (888) 255-0440