



CERACLAD

Triple-Coated Rainscreen Siding Systems



CERACLAD®

Triple Coated Rainscreen Siding Systems

**20-Year Fade
Resistance Limited
Warranty**

**365 Days of Self-
Cleaning and Air
Purifying**

**Hundreds of Cladding
Design Options**



Next Generation Cladding Solutions

PHOTOCATALYTIC CERAMIC COATING

Building high-quality, long-lasting developments that create a better environment for residents and the community doesn't cost a fortune with **CERACLAD®**. Our proprietary Triple Coat Finishing System maintains the original vibrant color with our UV Blocking Ceramic Coating, while our photocatalytic coating provides self-cleaning performance that eliminates virtually all maintenance needed to keep your asset looking new.

OUR TECHNICAL BACKGROUND

KMEW was created as a subsidiary joint venture between two Japanese industry titans, **Panasonic** and **Kubota Corporations**. **CERACLAD** has a proven track record of performance nearing 40 years in Japan.

CERACLAD gives you superior cladding solutions for sustainable buildings and a healthy living environment through four important features:

1. Ceraclad Triple Coating Technology

Factory finish color coating
+ Ceramic coating +
Photocatalytic coating

2. Green Material


Recycled materials
+ Thermal barrier +
Rainscreen moisture
management

3. Design Options

Hundreds of possible color
and texture combinations

4. Cost-Effective

- Easy Installation
- Low maintenance
- Energy efficient



CERACLAD has exclusive Photocatalytic Coating for superior performance



TRIPLE COATING TECHNOLOGY

1. Colored Layer

Factory finished, available in proprietary colors




2. Ceramic Coating Layer

Excellent UV blocking properties,
20-year Fade Limited Warranty



3. Photocatalytic Coating Layer

Self-Cleaning / Air-purifying / Anti-virus and
Anti-bacterial



The main skeleton of the CERACLAD panel is 100% inorganic so bonding is stronger than the ultraviolet energy and there is almost no deterioration.

GREEN MATERIAL

Recycled Materials

Consisting of approximately 45% recycled material, the panels are 100% recyclable, factory finished with no VOC, and contain no asbestos.




Thermal Barrier Technology

Helps to maintain consistent temperatures inside the building and reducing energy consumption.

Rainscreen Moisture Management

Our exclusive technology combines a durable weather-resistant exterior with an internal ventilation layer that allows moisture to escape.



RICH DESIGN OPTIONS

CERACLAD siding panels also come in a wide range of rich textures and colors and provide you hundreds of possible combinations. And our exclusive **CREATIV™** custom color program allows you to order your components in colors that will match your exact specifications.



8 Reveal
Panel dimensions: 10"L (3030mm) x 18"W (455mm) x 5/8"T (16mm)
Weight: 46 lbs (21 kg)

**20-year Fade Limited Warranty
+ 365 Days of Self-cleaning**

CERACLAD
siding is
a smart
investment in
your property

COST EFFECTIVE

Easy Installation

- Integrated rainscreen with hidden fasteners
- Engineered clip installation
- Complete installation package

Low Maintenance

- Triple Coating Technology
- 20-years Fade limited Warranty
- 365 Days of Self-cleaning

Energy Efficient

- Excellent thermal barrier
- Reduces energy consumption
- Rainscreen Moisture Management



TECHNICAL SUPPORT/ INSTALLATION

CERACLAD's technical department works closely with architects to provide technical support during early design:

- Product samples
- 3D Interactive models
- Revit BIM /CAD details

We also work closely with contractors and installers:

- Project review
- Estimating support
- Onsite training

CERACLAD CAN INCREASE THE ROI ON YOUR PROJECTS BY:

- Lowering construction cost
- Significantly reducing maintenance cost
- Extending the life expectancy of the building envelope
- Creating market differentiation for sustainability value

BENEFITS OF CERACLAD

CERACLAD is the superior cladding solution for sustainable buildings and a healthy living environment

Ceraclad Triple Coating Technology

- Factory finish color coating + Ceramic coating + Photocatalytic coating - Long-lasting quality and beauty, and Self-Cleaning 365 days a year

Green Materials

- Recycle material + Thermal barrier + Rainscreen moisture management

Design Options

- Hundreds of possible color and texture combinations

Cost-Effective

- Easy installation
- Low maintenance
- Energy efficient

Technical Support

- From design through construction, we provide all the support you need





CERACLAD
Triple-Coated Rainscreen Siding Systems

More Colors

CREATIV™

2-COAT FINISH CUSTOM COLOR

Our patterns — your flair for color.

We heard you! You wanted more choices and we brought you **CREATIV™**, the **CERACLAD** custom color program with nearly unlimited choices.


We keep those colors true with two factory-applied finish coats to protect **CERACLAD CREATIV™** panels from damaging ultraviolet rays.

LEARN MORE AT CERACLAD.COM



CUSTOM COLOR COATING

Choose your own color with our **CREATIV™** custom color program. **CERACLAD CREATIV™** panels are made with a color coat, followed by a clear coat to protect the panels from



ultraviolet rays and to minimize discoloration on the building exterior. Other custom color products are made with just one color coat. This extra color protection reduces or eliminates the need for repainting and lowers maintenance costs.

Our proprietary colors and clear coatings are all applied in our factory during manufacturing to ensure quality. Two factory applied finish coats prevent fading.

CUSTOM COLOR FINISHES	
CREATIV™	OTHERS
2-Coat Finish	1-Coat Finish

CREATIV™ PROGRAM SUMMARY

COLOR SELECTION

Select your color, submit your order form (available on our website) and receive your samples.

COLOR APPROVAL

Once you are satisfied with the color samples, send an official approval* to us and we will provide unique SKU numbers for all products and colors.

ORDER PRODUCT

Submit your purchase order as you normally would and include the unique SKU number(s) as your color selection.

Minimum order quantity is 50 panels in each color.

PROGRAM DETAILS

Select a custom color from a **CERACLAD CREATIV™** color fan deck or send us a Benjamin Moore or Sherwin Williams color number and let us match your selection for you.** **CERACLAD CREATIV™** is available in Contemporary Smooth, Cashmere Smooth, Zen Garden, Velour and 8 Reveal.

CERACLAD will produce 4" x 8" **CREATIV™** color samples for your approval and send them to you within two weeks of our receipt of your sample order available on website, unless otherwise noted. If the samples don't meet your requirements, you may submit a new color sample request. Once you are satisfied with the color samples, send an official approval to us, and we will provide unique SKU numbers for all products and colors for easy ordering.

CREATIV™ orders will be shipped from our finish factory in eight to ten (8–10) weeks from the date of acceptance of your purchase order.

* Official approval: Signature on the back of the sample. Take a photo of the front and back with the signature and email the pictures to us.

** Certain colors are only available for indoor applications. Contact your local representative for more details or assistance with your custom color selection.

The sky is the limit.

The almost unlimited combinations of textures and colors of the **CERACLAD** system and **CREATIV™** program give you the ability to explore your creative limits with confidence, knowing our product quality, ease of installation, installation support, and low maintenance are backed by the best warranties in the industry.



Texture Finder


Natural

STANDARD DESIGN


Contemporary Smooth



Zen Garden



Cashmere Smooth



8 Reveal



Velour



WOOD SERIES

Urban Cedar



Barnwood



Rustic Wood



Sho Sugi Ban



Antique Sawn



Elements/ Walnut



Simple

Complex

CONCRETE SERIES

Board Formed Concrete




Elements/ Blacken Steel



Cast Stripe



Elements/ Weathered Concrete



Elements/ Exposed Aggregate



Canvas



Elements/ Ashlar Slate



ORIGINAL DESIGN/STONE & BRICK SERIES

Fiotto



Gridline



Elements/ Corten Steel



Modern Brick



Holme



Antique Brick



Mille Feuille



Granite



Modern Stripe



Elements/ Textured Marble



Mosaic Tile



Modern




Contemporary Smooth


CERACLAD® | Color Coating
Triple Coated
Rainscreen Siding | Ceramic Coating
Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying


CREATIV™ custom color program is available in this texture. Custom color samples can be requested at:
<https://ceraclad.com/creativ-custom-color>




BASIC SPECIFICATIONS	
Panel Type	Filtrated
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (15 colors) Creativ™ Custom Colors
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	60 lb. (27 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	




Arctic White
HEH9081H



Pearl
HEH9082H



Silk
HEH9083H



Silver Gray
HEH9084H



Mid Gray
HEH9085H



Dusky Gray
HEH9086H




Slate
HEH9087H



Sumi
HEH9088H



Wheat
HEH9089H



Brass
HEH90810H



Daisy Orange
HEH90811H



Saffron
HEH90812H



Burgundy
HEH90813H



Midnight Blue
HEH90814H



Dark Olive
HEH90815H



Wheat | HEH9089H

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.
4. Please note that this texture uses filtrated panels and cannot be used in areas where freeze/thaw weathering occurs more than 80 days per year.






Cashmere Smooth

CERACLAD® Triple Coated Rainscreen Siding | Color Coating Ceramic Coating Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying

CREATIV™ custom color program is available in this texture. Custom color samples can be requested at:
<https://ceraclad.com/creativ-custom-color>



BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (15 colors) Creativ™ Custom Colors
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	60 lb. (27 kg)

The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.

Please visit our website for additional **CERACLAD** product information including:

- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS

		
Arctic White HFH9161A	Pearl HFH9162A	Silk HFH9163A
		
Silver Gray HFH9164A	Mid Gray HFH9165A	Dusky Gray HFH9166A
		
Slate HFH9167A	Charcoal HFH9168A	Wheat HFH9169A
		
Brass HFH91610A	Daisy Orange HFH91611A	Saffron HFH91612A
		
Burgundy HFH91613A	Midnight Blue HFH91614A	Dark Olive HFH91615A



Wheat | HFH9169A


1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



CERACLAD® | Color Coating
Triple Coated Ceramic Coating
Rainscreen Siding Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying

CREATIV™ custom color program is available in this texture. Custom color samples can be requested at:
<https://ceraclad.com/creativ-custom-color>



BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (15 colors) Creativ™ Custom Colors
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	46 lb. (21 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	

		
Arctic White HNH3441U	Pearl HNH3442U	Silk HNH3443U
		
Silver Gray HNH3444U	Mid Gray HNH3445U	Dusky Gray HNH3446U
		
Slate HNH3447U	Charcoal HNH3448U	Wheat HNH3449U
		
Brass HNH34410U	Daisy Orange HNH34411U	Saffron HNH34412U
		
Burgundy HNH34413U	Midnight Blue HNH34414U	Dark Olive HNH34415U



Wheat | HNH3449U

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.




Zen Garden

CERACLAD® | Color Coating
Triple Coated
Rainscreen Siding | Ceramic Coating
Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying

CREATIV™ custom color program is available in this texture. Custom color samples can be requested at:
<https://ceraclad.com/creativ-custom-color>



BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (15 colors) Creativ™ Custom Colors
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	46 lb. (21 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	

		
Arctic White HNH9121U	Pearl HNH9122U	Silk HNH9123U
		
Silver Gray HNH9124U	Mid Gray HNH9125U	Dusky Gray HNH9126U
		
Slate HNH9127U	Charcoal HNH9128U	Wheat HNH9129U
		
Brass HNH91210U	Daisy Orange HNH91211U	Saffron HNH91212U
		
Burgundy HNH91213U	Midnight Blue HNH91214U	Dark Olive HNH91215U



Wheat | HNH9129U

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.




8 Reveal

CERACLAD® | Color Coating
Triple Coated
Rainscreen Siding | Ceramic Coating
Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying


CREATIV™ custom color program is available in this texture. Custom color samples can be requested at:
<https://ceraclad.com/creativ-custom-color>




BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (15 colors) Creativ™ Custom Colors
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	46 lb. (21 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	




Arctic White
HNH9131U




Pearl
HNH9132U



Silk
HNH9133U




Silver Gray
HNH9134U




Mid Gray
HNH9135U




Dusky Gray
HNH9136U




Slate
HNH9137U



Charcoal
HNH9138U



Wheat
HNH9139U




Brass
HNH91310U




Daisy Orange
HNH91311U




Saffron
HNH91312U



Burgundy
HNH91313U



Midnight Blue
HNH91314U



Dark Olive
HNH91315U



Wheat | HNH9139U


1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



Urban Cedar

CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



Honey
NH4992U



Cappuccino
NH4991U



Espresso
NH4994U



Golden Brown
NH4993U



Ash
HNH4995U



Ash | HNH4995U

BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (5 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	49 lb. (22 kg)

The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.

Please visit our website for additional CERACLAD product information including:

- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS


1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



Rustic Wood

CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



Almond
NH4059U



Coastal Gray
NH4052U



Coffee
NH4058U



Black
NH4054U



Caramel
NH4055U



Coffee | NH4058U

BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (5 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	46 lb. (21 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	


1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



Antique Sawn

CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



Dark Red
NH4751A



Ash
NH4755A



Amber
NH4756A



Brown
NH4752A

BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (4 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	46 lb. (21 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	



Brown | NH4752A


1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



Sho Sugi Ban

CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



Deep Charred
NH5481U



Light Charred
NH5491U

BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (2 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/7" (18 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	55 lb. (25 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	



Light Charred | NH5491U

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



Ash
NH7051A




Brown
NH7052A



Black
NH7053A



Mahogany
NH7054A



BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (4 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	49 lb. (22 kg)

The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.

Please visit our website for additional **CERACLAD** product information including:

- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.






Board Formed Concrete

CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



Close-up of texture



Concrete Gray
NH7041A



Warm Gray
NH7042A



Fog Gray
NH7043A



Concrete Gray | NH7041A

BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (3 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	49 lb. (22 kg)

The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.

Please visit our website for additional CERACLAD product information including:

- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS


1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



Cast Stripe

CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



Pearl
NH3121U



Ash
NH31213U



Charcoal
NH31215U



Amber
NH31216U


BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (4 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	44 lb. (20 kg)

The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.

Please visit our website for additional CERACLAD product information including:

- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS



Charcoal | NH31215U


1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



Elements

CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



Ashlar Slate
NH4971A



Blacken Steel
NH4976A



Corten Steel
NH49710A



Walnut
NH4979A



Exposed Aggregate
NH4978A



Textured Marble
NH4977A



Weathered Concrete
NH49711A



Blacken Steel | NH4976A

BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (7 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	46 lb. (21 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	


1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



Canvas

CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



Light Gray
NH7291A



Dark Gray
NH7292A

BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (2 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	46 lb. (21 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	



Light Gray | NH7291A

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



Modern Stripe



Vanilla
NH3981A



Midnight Blue
NH3985A



Charcoal
NH39810A



BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (3 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	46 lb. (21 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	



CERACLAD®
Triple Coated
Rainscreen Siding

Color Coating
 Ceramic Coating
 Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.

2. Colors and textures are subject to change.

3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying




Pearl
FH4895U



Cream
FH4896U



Charcoal
FH4898U



BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Vertical or Horizontal
Coating Options	Triple Coated (3 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	55 lb. (25 kg)

The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.

Please visit our website for additional **CERACLAD** product information including:

- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



Snow
NH4331U



Maroon
NH4333U



Onyx
NH4334U

BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Horizontal
Coating Options	Triple Coated (3 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	46 lb. (21 kg)

The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.

Please visit our website for additional **CERACLAD** product information including:

- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS



CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



CERACLAD® Color Coating
Triple Coated Ceramic Coating
Rainscreen Siding Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



Fresh Cream
NH7031A



Chocolate
NH7034A



Puff Pastry
NH7033A

BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Horizontal
Coating Options	Triple Coated (3 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	49 lb. (22 kg)

The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.

Please visit our website for additional **CERACLAD** product information including:

- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.

Gridline



Gray
FH7141A



Yellow
FH7142A



Red
FH7143A



Dark Brown
FH7144A



CERACLAD®
Triple Coated
Rainscreen Siding | Color Coating
Ceramic Coating
Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying

BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Horizontal
Coating Options	Triple Coated (4 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	60 lb. (27 kg)

The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.

Please visit our website for additional **CERACLAD** product information including:


- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



White
FH7131U



Gray
FH7132U



Blue
FH7133U



Black
FH7134U



BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Horizontal or vertical
Coating Options	Triple Coated (4 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	53 lb. (24 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	

Please visit our website for additional **CERACLAD** product information including:

- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.

Modern Brick



Gray
FH7151A



Orange
FH7152A



Brown
FH7153A



Red
FH7154A



BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Horizontal
Coating Options	Triple Coated (4 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	55 lb. (25 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none">• Product samples• Custom color samples• Specifications• CAD details• Product performance and approval documents• MSDS	



CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



CERACLAD® | Color Coating
Triple Coated | Ceramic Coating
Rainscreen Siding | Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying



White
FH4925U



Orange
FH4927U



Red
FH4928U

BASIC SPECIFICATIONS

Panel Type	Extruded
Application Method	Horizontal
Coating Options	Triple Coated (3 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	53 lb. (24 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	

Please visit our website for additional **CERACLAD** product information including:

- Product samples
- Custom color samples
- Specifications
- CAD details
- Product performance and approval documents
- MSDS

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.

Granite



White
FH7251A



Brown
FH7252A



Gray
FH7253A



BASIC SPECIFICATIONS	
Panel Type	Extruded
Application Method	Horizontal
Coating Options	Triple Coated (3 colors)
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	58 lb. (26 kg)
The Triple Coating is super weather resistant, low maintenance, and backed by a 20-year limited warranty.	
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	



CERACLAD®
Triple Coated
Rainscreen Siding

Color Coating
Ceramic Coating
Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. Colors and textures are subject to change.
3. Damage caused by any product installation, repair, or replacement that is not in accordance with KMEW's technical manual, as well as damage caused by product installation on inappropriate buildings/structures, is specifically excluded from warranty coverage. Please review KMEW's technical manual and website for this product.



Naturally beautiful, simply sustainable.

CERACLAD SOLIDO interior panels are uncoated, cement-based panels. Made with recycled coffee cups and used coffee beans, they create a beautiful and naturally uneven color pattern.



Fire Rated



Interior

Fire Rating	Class A
Panel Type	Filtrated

BASIC SPECIFICATIONS	
Panel Type	Filtrated
Application Method	Vertical or Horizontal
Coating Options	Uncoated
Dimensions	W: 18" (455 mm) L: 10' (3030 mm) T: 5/8" (16 mm)
Coverage	15 ft ² (1.38 m ²)
Weight	62 lb. (28 kg)
Please visit our website for additional CERACLAD product information including: <ul style="list-style-type: none"> • Product samples • Custom color samples • Specifications • CAD details • Product performance and approval documents • MSDS 	



CERACLAD SOLIDO panels are made with 60% recycled materials, including fiber from paper cups and coffee beans, fly ash, and cement from recycled panels. The varied surface patterns create warm and natural interiors.

Like all other **CERACLAD** panels, SOLIDO can be cut on-site with common tools, and installed easily using our patented hidden fastener system.

Please note that our SOLIDO interior panels come with a different warranty than our exterior panels. Visit our website for more information.



EA6511K

1. The product color tones on this sheet may appear slightly different from the actual products. Final color selection should be made from product samples.
2. SOLIDO panels are not covered by our standard warranty. Please visit our website for the SOLIDO warranty.



CERACLAD

Triple-Coated Rainscreen Siding Systems



CERACLAD®
Triple Coated
Rainscreen Siding

Color Coating
Ceramic Coating
Photocatalytic Coating

20-Year Fade Limited Warranty • 365 Days Self-Cleaning • Air Purifying

Please visit our website for additional **CERACLAD** product information including:

- ✓ Product samples
- ✓ Custom color samples
- ✓ REVIT downloads
- ✓ CAD details
- ✓ Specifications
- ✓ Product performance and approval documents
- ✓ MSDS

MANUFACTURED BY:
KMEW Co., Ltd.
13F, Crystal Tower Bldg.
1-2-27 Shiromi, Chuo-Ku,
Osaka 540-6013
Japan

REPRESENTED BY:
KMEW USA | CERACLAD
15333 NE 90th Street, Suite 170
Redmond, WA 98052
USA

www.ceraclad.com