

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) Issue date: 5/30/2025 Version: 1.0

SECTION 1: Identification

1.1. Identification

Restrictions on use

Trade name : CRC® Heavy Duty Degreaser, 19 Wt Oz

Product code : 1003364 Part number : 03095

1.2. Recommended use and restrictions on use

Recommended use : General purpose degreaser

: After December 8, 2026, this product cannot be distributed in commerce to retailers for any use. After March 8, 2027, chemical substances/products can only be distributed in commerce or processed with a concentration of PCE equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant/intermediate; (2) Processing into formulation, mixture or reaction product; (3) Processing by repackaging; (4) Recycling; (5) Industrial and commercial use as solvent in open-top batch vapor degreasing; (6) Industrial and commercial use as solvent in closed-loop batch vapor degreasing; (7) Industrial and commercial use in maskant for chemical milling; (8) Industrial and commercial use as a processing aid in catalyst regeneration in petrochemical manufacturing; (9) Industrial and commercial use as a processing aid in sectors other than petrochemical manufacturing; (10) Industrial and commercial use as solvent for cold cleaning of tanker vessels; (11) Industrial and commercial use as energized electrical cleaner; (12) Industrial and commercial use in laboratory chemicals; (13) Industrial and commercial use in solvent-based adhesives and sealants; (14) Industrial and commercial use in dry cleaning in 3rd generation machines until December 20, 2027; (15) Industrial and commercial use in all dry cleaning and related spot cleaning until December 19, 2034; (16) Export; and (17) Disposal.

1.3. Supplier

CRC Industries, Inc. 885 Louis Dr. Warminster, PA 18974 United States T 1-800-556-5074 crcindustries.com

1.4. Emergency telephone number

Emergency number : 1-800-424-9300 24-Hour Emergency

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Aerosol, Category 3 Skin corrosion/irritation, Category 2

Serious eye damage/eye irritation, Category 2B

Skin sensitization, Category 1B Carcinogenicity, Category 1B

Specific target organ toxicity – Single exposure, Category 3, Narcosis Hazardous to the aquatic environment — Acute Hazard, Category 2

Hazardous to the aquatic environment — Chronic Hazard, Category 2

Pressurized container: may burst if heated.

Causes skin irritation. Causes eye irritation.

May cause an allergic skin reaction. May cause cancer (Inhalation). May cause drowsiness or dizziness.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : Pressurized container: may burst if heated

Causes skin irritation Causes eye irritation

May cause an allergic skin reaction May cause drowsiness or dizziness May cause cancer (Inhalation)

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not pierce or burn, even after use. Avoid breathing mist, vapors, spray.

Wear protective gloves, protective clothing, eye and face protection.

Wash hands thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center or doctor if you feel unwell. If on skin: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice or attention. If exposed or concerned: Get medical advice/attention.

Store locked up.

Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 122 °F (50 °C).

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification

: When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen fluoride, hydrogen chloride, and possibly phosgene.

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
tetrachloroethylene	Perchloroethylene (PCE)	CAS-No.: 127-18-4	80 – 100
Ethene, 1,2-dichloro-, (1E)-	trans-dichloroethylene	CAS-No.: 156-60-5	5 – 10
Carbon dioxide	Carbon dioxide	CAS-No.: 124-38-9	1 – 5

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Name	Chemical name / Synonyms	Product identifier	%
Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)-	HFE-347PCF2	CAS-No.: 406-78-0	< 0.1

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

No additional information available

5.2. Specific hazards arising from the chemical

Fire hazard : The product is not flammable.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal

corrosive gases such as hydrogen chloride and possibly phosgene.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. In case of fire: Stop leak if safe to do so.

Move containers from fire area if it can be done without personal risk. Use water spray or fog for

cooling exposed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate unnecessary personnel. Stop leak if safe to do so. Absorb spillage to prevent material-damage. Notify authorities if product enters sewers or public waters.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground

level.

5/30/2025 (Issue date) US - en 3/13

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak, if possible without risk. Absorb spilled material with sand or earth. Contain any spills

with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Clean

surface thoroughly to remove residual contamination.

Additional Regulatory Information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Avoid breathing mist, vapors, spray. Use only outdoors or in a well-ventilated area. Maintain ventilation during use and until all vapors are gone. Open doors and windows or use other means to ensure a fresh air supply during use. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid contact with skin and eyes. Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Exposure to high temperature may cause can to burst. Do not use if spray button is missing or defective. Floors, walls and other surfaces in the hazard area must be cleaned regularly. For product usage instructions, see the product label.

Hygiene measures

Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Level 1 Aerosol. Store locked up. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C/ 122 °F.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Carbon dioxide (124-38-9)

USA - ACGIH - Occupational Exposure Limits

Local name Carbon dioxide

5/30/2025 (Issue date) US - en 4/13

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Carbon dioxide (124-38-9)			
ACGIH OEL TWA	9000 mg/m³		
	5000 ppm		
ACGIH OEL STEL	54000 mg/m³		
	30000 ppm		
Remark (ACGIH)	TLV® Basis: Asphyxia		
Regulatory reference	ACGIH 2025		
USA - OSHA - Occupational Exposure Limits			
Local name	Carbon dioxide		
OSHA PEL TWA	9000 mg/m³		
	5000 ppm		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		
USA - NIOSH - Occupational Exposure Limits			
Local name	Carbon dioxide		
NIOSH REL 10h TWA	5000 ppm		
NIOSH REL STEL	30000 ppm		
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))		
tetrachloroethylene (127-18-4)			
USA - ACGIH - Occupational Exposure Limits			
Local name	Tetrachloroethylene		
ACGIH OEL TWA	170 mg/m³		
	25 ppm		
ACGIH OEL STEL	685 mg/m ³		
	100 ppm		
Remark (ACGIH)	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI		
Regulatory reference	ACGIH 2025		
USA - ACGIH - Biological Exposure Indices			
Local name	Tetrachloroethylene		
BEI	3 ppm Parameter: Tetrachloroethylene - Medium: end-exhaled air - Sampling time: Prior to shift 0.5 mg/l Parameter: Tetrachloroethylene - Medium: blood - Sampling time: Prior to shift		
Regulatory reference	ACGIH 2025		
USA - OSHA - Occupational Exposure Limits			
Local name	Perchloroethylene (Tetrachloroethylene)		
OSHA PEL TWA	100 ppm		
OSHA PEL C	200 ppm		
Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift	300 ppm 5 mins. in any 3 hrs.		

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

tetrachloroethylene (127-18-4)		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-2	
USA - NIOSH - Occupational Exposure Limits		
Local name	Perchloroethylene (Tetrachloroethylene)	
Remark (NIOSH)	Ca = Potential occupational carcinogens	
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-2 (NIOSH Pocket Guide to Chemical Hazards (NPG))	
Ethene, 1,2-dichloro-, (1E)- (156-60-5)		
USA - OSHA - Occupational Exposure Limits		
OSHA PEL TWA	790 mg/m³	
	200 ppm	

Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)- (406-78-0)		
Occupational Exposure Limit 50 ppm (8-hour TWA) - Manufacturer Recommended Exposure Limit		
Occupational Exposure Limit	150 ppm (Ceiling Exposure Limit) - US EPA (Non-emergency)	

8.2. Appropriate engineering controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear protective gloves such as: Nitrile, Polyvinylalcohol (PVA), Butyl rubber. Nitrile. Polyvinylalcohol (PVA)

Eye protection:

Wear safety glasses with side shields (or goggles).

Skin and body protection:

Wear appropriate chemical resistant clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Colorless
Odor : Ethereal

Odor threshold : No data available

Melting point : -58 °F (-50 °C estimated)
Freezing point : -58 °F (-50 °C estimated)
Boiling point : 118.4 °F (48 °C estimated)

Flammability (solid, gas) : No data available

Explosion limits : Lower explosion limit: 6.7 % estimated Upper explosion limit: 18 % estimated

Flash point : None (Setaflash)

Auto-ignition temperature : 860 °F (460 °C estimated)

Decomposition temperature : No data available

5/30/2025 (Issue date) US - en 6/13

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

pH : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Solubility : Water: slight
Partition coefficient n-octanol/water (Log Pow) : No data available
Vapor pressure : No data available

Evaporation rate : Fast

Density and/or relative density

Density : 13 lb/gal estimated
Relative density : 1.56 estimated
Relative vapor density at 20°C : 5.7 (air=1) estimated
Particle characteristics : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Additional Regulatory Information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

May react violently with finely divided metals. When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen chloride and possibly phosgene.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong acids. Strong bases. Finely divided metals (Al, Mg, Zn).

10.6. Hazardous decomposition products

Halogenated compounds. Carbonyl haildes. Hydrogen chloride. Phosgene.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

tetrachloroethylene (127-18-4)		
LD50 oral rat 3005 mg/kg		
LD50 dermal rabbit	> 10000 mg/kg Source: ECHA	
LC50 Inhalation - Rat [ppm]	3786 ppm	

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Ethene, 1,2-dichloro-, (1E)- (156-60-5)	
LD50 oral rat	1235 mg/kg Source: HSDB
LD50 dermal rabbit	> 5000 mg/kg Source: ECHA
Skin corrosion/irritation	: Causes skin irritation.
Carbon dioxide (124-38-9)	
рН	3.2 Source: HSDB
Serious eye damage/irritation	: Causes eye irritation.
Carbon dioxide (124-38-9)	
рН	3.2 Source: HSDB
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	May cause an allergic skin reaction.Not classified (Based on available data, the classification criteria are not met)May cause cancer (Inhalation).
tetrachloroethylene (127-18-4)	
IARC group	2A - Probably carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
Reproductive toxicity STOT-single exposure	Not classified (Based on available data, the classification criteria are not met)May cause drowsiness or dizziness.
Ethene, 1,2-dichloro-, (1E)- (156-60-5)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
tetrachloroethylene (127-18-4)	
LOAEL (oral,rat,90 days)	390 mg/kg bw/day
Aspiration hazard Viscosity, kinematic	Not classified (Based on available data, the classification criteria are not met)No data available
tetrachloroethylene (127-18-4)	
Viscosity, kinematic	0.524 mm ² /s

SECTION 12: Ecological information

12.1. Toxicity

Carbon dioxide (124-38-9)		
LC50 - Fish [1]	35 mg/l Source: HSDB	
tetrachloroethylene (127-18-4)		
LC50 - Fish [1]	5 mg/l	
EC50 - Crustacea [1]	8.5 mg/l	
LC50 - Fish [2]	5 mg/l Test organisms (species): Limanda limanda	
EC50 72h - Algae [1]	3.64 mg/l Source: ECHA	
ErC50 algae	3.64 mg/l	
NOEC chronic fish	2.34 mg/l	

5/30/2025 (Issue date) US - en 8/13

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

tetrachloroethylene (127-18-4)		
NOEC chronic crustacea	0.51 mg/l	
Ethene, 1,2-dichloro-, (1E)- (156-60-5)		
LC50 - Fish [1]	135 mg/l Source: ECHA	
EC50 - Crustacea [1]	220 mg/l Source: ECHA	
EC50 72h - Algae [1]	36.36 mg/l Source: ECHA	
Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)- (406-78-0)		
LC50 - Fish [1] > 76 mg/l Test organisms (species): Cyprinus carpio		
EC50 72h - Algae [1]	> 24 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	> 213 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	

12.2. Persistence and degradability

CRC® Heavy Duty Degreaser, 19 Wt Oz	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

Carbon dioxide (124-38-9)		
Partition coefficient n-octanol/water (Log Pow)	0.83 Source: ISCS	
tetrachloroethylene (127-18-4)		
Partition coefficient n-octanol/water (Log Pow) 2.53		
Ethene, 1,2-dichloro-, (1E)- (156-60-5)		
Partition coefficient n-octanol/water (Log Pow)	2.09 Source: ChemIDplus	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Hazardous waste code : Possible RCRA waste code includes:

D039: Tetrachloroethylene

F001: Waste Tetrachloroethylene - Spent halogenated solvent used in degreasing

F002: Waste Tetrachloroethylene - Spent halogenated solvent

However, it is the generator's responsibility to determine the proper classification and disposal

method at the time of disposal.

Additional information : Empty containers retain product residue and can be hazardous.

5/30/2025 (Issue date) US - en 9/13

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		·
UN1950	1950	1950
14.2. Proper Shipping Name		
Aerosols (Limited quantity)	AEROSOLS	Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III
14.3. Transport hazard class(es)		
LTD QTY	2.2 (6.1)	2.2 (6.1)
	2 6	3 6
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Marine Pollutant Exception		

14.6. Special precautions for user

DOT

Class (DOT) : 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115

Subsidiary risk (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132

UN-No. (DOT) : UN1950
DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Quantity Limitations Passenger aircraft/rail (49 : Forbidden

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: Forbidden

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

IMDG

Class (IMDG) : 2 - Gases

Subsidiary hazard (IMDG) : 6.1 - Toxic substances

Special provision (IMDG) : 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) : SP277
Excepted quantities (IMDG) : E0
Packing instructions (IMDG) : P207, L

Packing instructions (IMDG) : P207, LP200 Packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES

EmS-No. (Spillage) : S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)

Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

IATA

Class (IATA) : 2 - Gases

Subsidiary hazards (IATA) : 6.1 - Toxic Substances

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provision (IATA) : A145, A167, A802

ERG code (IATA) : 2P

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Toxic Substances Control Act (TSCA)

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances
Control Act (TSCA) inventory

Name	CAS-No.	Commercial status	Flags
Carbon dioxide	124-38-9	Active	
tetrachloroethylene	127-18-4	Active	
Ethene, 1,2-dichloro-, (1E)-	156-60-5	Active	Т
Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)-	406-78-0	Active	PMN;S

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

Ethene, 1,2-dichloro-, (1E)-	CAS-No. 156-60-5	5 – 10%
Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)-	CAS-No. 406-78-0	< 0.1%

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

tetrachloroethylene (127-18-4)	Listed on EPA Hazardous Air Pollutant (HAPS)

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substance

Not listed

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

CERCLA RQ	
tetrachloroethylene (127-18-4)	100 lb
Ethene, 1,2-dichloro-, (1E)- (156-60-5)	1000 lb

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 302 Extremely Hazardous Substance

Not listed

Section 304 Emergency Release Notification

Not listed

Sections 311/312 Hazard Classification

Not listed

Section 313 (TRI Reporting)

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

achloroethylene	CAS-No.127-18-4	80 – 100%	
-----------------	-----------------	-----------	--

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65



This product can expose you to Tetrachloroethylene (Perchloroethylene), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

.S California - Proposition 65 - Carcinogens List	
Tetrachloroethylene (Perchloroethylene)(127-18-4)	XLISTED
Carbon tetrachloride(56-23-5)	XLISTED

State Regulations

Component	State Regulations
Carbon dioxide(124-38-9)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List; U.S Rhode Island - Hazardous Substance List
tetrachloroethylene(127-18-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List; U.S Rhode Island - Hazardous Substance List

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Component	State Regulations
Ethene, 1,2-dichloro-, (1E)-(156-60-5)	U.S Massachusetts - Right To Know List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

15.4 Other Regulatory Information

Volatile organic compound (VOC) regulation

EPA

VOC content (40 CFR 51.100(s)) 7.8 %

Consumer products (40 CFR 59, Subpt. C))

Not regulated.

State

Consumer products

This product is regulated as a General Purpose Degreaser (aerosol). This product is

not compliant to be sold for use in California, Connecticut, Delaware, the District of Columbia, Illinois, Indiana, Maine, Maryland, Massachusetts, Michigan, New Jersey,

New York, and Rhode Island. This product is compliant in all other states.

 VOC Content (CA)
 7.8 %

 VOC Content (OTC)
 7.8 %

SECTION 16: Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) Author : Angelina Cibulskis Other information : CRC # 1753505.

Safety Data Sheet (SDS), USA, CRC

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries Inc.