

KETTLEMEN™ Coverall



Specs

Trade Names Kettlemen™, Kettlemen Comfort +™

Sizes SM - 6-XL

Stock Colors



Fabric / Material OPF Blend Twill

Compliance

Arc Rating 9 cal/cm²

CAT Level CAT 2

Standards

- NFPA 70E
- ASTM F1506
- CSA Z462
- OSHA 1910.269
- Anti-Static per EN 1149-5
- EN ISO 11611 A1, Class 2; A2, Class 2; 6.8 impact of spatter, Class 2; 6.9 heat transfer (radiation), Class 1

Features

Features

- Exceptional tensile and tear strength
- Moisture wicking and fast drying
- Excellent comfort and durable protection
- Two chest pockets with flaps and snap closure
- Action back for increased movement
- Inset elastic waistband
- Covered FR zip front closure with additional snaps
- FR fabric will not melt, drip, or ignite
- Inherently flame resistant, FR protection will not wash/wear out
- Anti-static fabric meets requirements for shielding factor and half decay time
- Made in the USA

Product Care













Product Care

- READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use bleach, chlorine, or hydrogen peroxide. DO NOT use fabric softeners.
- Turn garment inside out prior to laundering Machine wash cold with like colors (Max. 105°F / 41°C) Tumble dry low (Max. 140°F / 60°C).
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

SIZING CHART – KETTLEMEN SUITS							
HUB SKU				Chest	Waist	Sleeve Length	Inseam
Size	Suit/no striping	Kettlemen w/striping	Kettlemen Comfort +				
S	068-001-496	068-001-587	068-021-171	44"	36"	34.5"	28"
M	068-001-290	068-001-437	068-021-172	48"	40"	35.5"	29"
L	068-001-291	068-001-429	068-021-173	52"	44"	36.5"	30"
XL	068-001-292	068-001-430	068-021-174	56"	48"	37.5"	31"
2-XL	068-001-293	068-001-431	068-021-175	60"	52"	38.5"	32"
3-XL	068-001-416	068-001-432	068-021-176	64"	56"	39.5"	33"
4-XL	068-001-417	068-001-433	068-021-177	68"	60"	40.5"	34"
5-XL	068-001-418	068-001-438	068-021-178	72"	64"	41.5"	35"
6-XL	068-001-419	068-001-439		76"	68"	42.5"	36"

COMPARISON OF KETTLEMEN™ TO KETTLEMEN COMFORT+ COVERALLS

	Kettlemen™ Suit	Kettlemen™ Comfort + Coveralls
 Flame resistance is intrinsic to the fiber of the garment - it cannot be laundered out	✓	✓
 Molten Zinc harmlessly peels away after cooling, leaving only a faint stain behind.	✓	✓
 Breathable weave is more comfortable than other products.	✓	✓
 Designed to meet HRC 2 single layer protection.	✓	✓
 Compatible with Kettlemen™ Detachable Apron	✓	—
 Reinforced with ripstop material in front high-wear area for enhanced resistance to kettle abrasion.	—	✓
 2nd back pocket	—	✓
 Exclusive fabric coating for increased garment life.	—	✓
 1 chest pocket w/ flap	—	✓
 Front zipper breakaway feature allows emergency exit if needed.	—	✓
 Exclusive back vent for air flow.	—	✓
 Microphone clip on the right-hand chest	—	✓