Floor squeegee w/Replacement Cassette, 23.6", Yellow





Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77745 or 77749 for replacement blades).

## **Technical Data**

Item Number	77546
Connection	Threaded
Material	Polypropylene Cellular rubber
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with FDA RegulationI CFR 21 <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materials	No
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Pat. Pending/Patent No.	EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	280 Pcs.
Quantity Per Layer (Pallet)	40 Pcs.
Box Length/Depth	24 "
Box Width	11.4 "
Box Height	7.9 "
Product Length/Depth	23.6 "
Product Width	3.3 "
Product Height	4.5 "
Net Weight	0.6393 lbs
Weight bag (Recycling Symbol "4") LDPE	0.02 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.07 lbs
Total Tare Weight	0.09 lbs
Gross Weight	0.7275 lbs
Cubic Feet	0.2072 ft3
Max. cleaning temperature (Dishwasher)	176 °F
Max usage temperature (non food contact)	176 °F
Min. usage temperature	-4 °F
Max. drying temperature	158 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020775468
GTIN-14 Number (Box quantity)	15705020775465
Customs Tariff Number	96039099

Country of Origin Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.