

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 07-Nov-2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: AIRLIFT LEMON SCENT (BULK CONCENTRATE)

Product Number: 3020

Recommended Use: Air freshener

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

CHEMTREC 800-424-9300 Transportation/Spill/Leak:

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation: Category 2 Serious Eye Damage/Eye Irritation: Category 1 Skin Sensitization: Category 1A Flammable Liquids Category 3

GHS Label Elements

Signal Word: Danger

Symbols:



Hazard Statements: Causes skin irritation.

Causes serious eye damage May cause an allergic skin reaction Flammable liquid and vapor.

Precautionary Statements:

Prevention: Avoid breathing dust/fume/gas/mist/vapors/spray

> Wear protective gloves Wear eye / face protection

Wash hands and any exposed skin thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground container and receiving equipment. Use explosion-proof electrical equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Response:

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR

Revision Date: 07-Nov-2019

PHYSICIAN.

-Skin IF ON SKIN (or hair): Wash with plenty of soap and water Take off contaminated clothing

and wash before reuse If skin irritation or rash occurs: Get medical attention.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Fire: Water spray, fog or alcohol-resistant foam, Carbon dioxide, for extinction

Storage: Store in a well-ventilated place. Keep cool

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information: • May be harmful if swallowed.

• Inhalation of vapors or mist may cause respiratory irritation.

· Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
C9-11 Pareth-6	68439-46-3	1-5
Isopropyl Alcohol	67-63-0	1-5
Fragrance	PROPRIETARY	1-5
Citrus Terpenes	68608-34-4	1-5
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride	68424-85-1	1-5
Orange Terpenes	68647-72-3	0.1-1
Terpineol	98-55-5	0.1-1
A-Terpinyl Acetate	80-26-2	0.1-1
Terpineol Acetate	8007-35-0	0.1-1
Limonene	138-86-3	<0.1
Citronellol	106-22-9	<0.1
Citronellal	106-23-0	<0.1
Geraniol	106-24-1	<0.1
Methyl Anthranilate	134-20-3	<0.1
Isobornyl Acetate	125-12-2	<0.1
Isoamyl Acetate	123-92-2	<0.1
Eugenol	97-53-0	<0.1
Citral	5392-40-5	<0.1
Linalool	78-70-6	<0.1
Benzyl Benzoate	120-51-4	<0.1
Cymbopogon Nardus Oil	8000-29-1	<0.1
Coumarin	91-64-5	<0.1
Acid Yellow 36	587-98-4	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash with plenty of soap and water Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical attention.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

-Skin Contact:

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray (fog), Alcohol resistant foam, Carbon dioxide, Move containers from fire area if

you can do it without risk

Specific Hazards Arising from the

Chemical:

Vapors may travel to areas away from work site before igniting/flashing back to vapor

Revision Date: 07-Nov-2019

source.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Remove all sources of ignition. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required.

Environmental Precautions: Methods for Clean-Up:

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Suggested Shelf Life: Minimum of 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	
Isoamyl Acetate	Isoamyl Acetate STEL: 100 ppm		IDLH: 1000 ppm
123-92-2	TWA: 50 ppm	TWA: 525 mg/m ³	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 525 mg/m ³
		(vacated) TWA: 525 mg/m ³	_
Citral	Citral TWA: 5 ppm inhalable fraction		-
5392-40-5	and vapor		
	S* .		

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection: Respiratory Protection:

Wear rubber or other chemical-resistant gloves.

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

Revision Date: 07-Nov-2019

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Yellow
Odor:	Lemon
pH:	6.0-8.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	> 48 °C / 118 °F
Flash Point:	48 °C / 118 °F Pensky-Martens Closed Cup (PMCC)
Evaporation Rate:	< 1 (BuAc = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.00
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Heat, flames and sparks.

Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products:

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Pain, redness and cracking of the skin.
 -Inhalation: Nasal discomfort and coughing.
 -Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 16570 mg/kg
ATEmix (dermal): 18991 mg/kg
ATEmix (inhalation-dust/mist): 27.6 mg/l
ATEmix (inhalation-vapor): 708 mg/l

Component Acute Toxicity Information

Component Addition Toxionly information				
	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
	Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
	C9-11 Pareth-6 68439-46-3	= 1400 mg/kg (Rat)	Not Available	Not Available

Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³ (Rat) 4 h
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride 68424-85-1	= 426 mg/kg(Rat)	Not Available	Not Available
Terpineol 98-55-5	= 5170 mg/kg (Rat)	Not Available	Not Available
A-Terpinyl Acetate 80-26-2	= 5075 mg/kg (Rat)	Not Available	Not Available
Limonene 138-86-3	= 5300 mg/kg (Rat)	Not Available	Not Available
Citronellol 106-22-9	= 3450 mg/kg (Rat)	= 2650 mg/kg (Rabbit)	Not Available
Citronellal 106-23-0	= 2420 mg/kg (Rat)	Not Available	Not Available
Geraniol 106-24-1	= 3600 mg/kg (Rat)	> 5 g/kg(Rabbit)	Not Available
Methyl Anthranilate 134-20-3	= 2910 mg/kg (Rat)	Not Available	Not Available
Isobornyl Acetate 125-12-2	= 9050 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	Not Available
Eugenol 97-53-0	= 1930 mg/kg (Rat)	Not Available	Not Available
Citral 5392-40-5	= 4960 mg/kg (Rat)	= 2250 mg/kg (Rabbit)	Not Available
Linalool 78-70-6	= 2790 mg/kg (Rat)	Not Available	Not Available
Benzyl Benzoate 120-51-4	= 500 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	Not Available
Cymbopogon Nardus Oil 8000-29-1	= 7200 mg/kg (Rat)	Not Available	Not Available
Coumarin 91-64-5	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	Not Available
Acid Yellow 36 587-98-4	= 5000 mg/kg (Rat)	Not Available	Not Available

Revision Date: 07-Nov-2019

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA. The table below indicates whether each agency has listed any ingredient as a carcinogen.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50
Isobornyl Acetate 125-12-2	Not Available	10.0 - 18.0: 96 h Brachydanio rerio mg/L LC50 static	Not Available	Not Available
Citral 5392-40-5	16: 72 h Desmodesmus subspicatus mg/L EC50 19: 96 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	7: 48 h Daphnia magna mg/L EC50
Linalool 78-70-6	88.3: 96 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	20: 48 h Daphnia magna mg/L EC50

<u>Persistence and Degradability:</u> No information available. <u>Bioaccumulation:</u> No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging:
Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1993

Proper Shipping Name: Flammable liquids, n.o.s., (contains Isopropyl Alcohol)

Hazard Class: 3
Packing Group: III

Special Provisions: Class 3, Packing Group III materials meet the exception requirements of section 49 CFR

173.150 when individual containers of not more than 1.3 gallons are packed in a strong outer packaging and ground transportation is utilized. Such containers may be reclassified

Revision Date: 07-Nov-2019

as "Limited Quantity".

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

UN/ID No: UN1993

Proper Shipping Name: Flammable liquids, n.o.s., (contains Isopropyl Alcohol)

Hazard Class: 3
Packing Group: |||

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

SARA 311/312 Hazard Categories

Acute Health Hazard:

Chronic Health Hazard:

No
Fire Hazard:

Sudden release of pressure hazard:

No
Reactive Hazard:

No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA Health Hazards: 2 Flammability: 2 Instability: 0 Special: N/A

Health Hazards: 2* Flammability: 2 Physical Hazards: 0

Revision Date: 07-Nov-2019

Reasons for Revision: Section, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 15, and, 16

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet