# **Safety Data Sheet**

Issue Date 03-Oct-2011

# Revision/Review Date: 04-Sep-2019

Version 1.1

# **1. IDENTIFICATION**

Product	<b>Identifier</b>
Product	Name

Victoria Bay Rust Remover

Other Means of Identification Product Code

L01185/ L01187/ L01186

# Recommended use of the Chemical and Restrictions on Use

Recommended Use Mild acid rust remover. For industrial use.

# Details of the Supplier of the Safety Data Sheet Victoria Bay Products

255 Route 1 & 9 Jersey City, NJ 07306

# Emergency Telephone Number

Company Phone Number Emergency Telephone (24 hr) Phone: 1-800-226-3233 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Colorless

Physical State Liquid

Odor None

# **Classification**

Acute toxicity - Oral	Category 5
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to Metals	Category 1

### <u>Signal Word</u> Danger

### **Hazard Statements**

May be harmful if swallowed. Causes severe skin burns and eye damage. May be corrosive to metals.

### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep only in original container.

# Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

Specific Measures: Remove from exposure and apply calcium gluconate gel 2.5%.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. IN CASE OF SPILL: Absorb spillage to prevent material damage.



# **Precautionary Statements - Storage**

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### **Other Hazards**

None known.

# **Unknown Acute Toxicity**

None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Ammonium Bifluoride	1341-49-7	3-7
Oxalic Acid	6153-56-6	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret\*\*

# **4. FIRST-AID MEASURES**

### **First Aid Measures**

General Advice	If exposed or concerned: Get medical advice/attention. When seeking medical attention, emphasize exposure to ammonium bifluoride.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove and discard contact lenses. Get immediate medical advice/attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. Get medical attention immediately.
Inhalation	Remove to fresh air. Get medical attention immediately.
Ingestion	Rinse mouth. Drink plenty of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention immediately.
Most Important Symptoms and Effe	ects
Symptoms	Irritation and corrosive burns to mouth, throat, and stomach. Corrosive to eyes. Prolonged contact may even cause severe skin irritation or mild burn. May cause hypocalcemia. Can also cause bone and joint changes in humans (Fluorosis).
Indication of any Immediate Medica	al Attention and Special Treatment Needed
Notos to Physician	This product contains ammonium hifluorida

### Notes to Physician

This product contains ammonium bifluoride.

# **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

### Unsuitable Extinguishing Media

Not determined.

<u>Specific Hazards Arising from the Chemical</u> Contents are corrosive and all personal contact must be avoided.

# Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures		
Personal Precautions	nal Precautions Use personal protective equipment as required.	
Environmental Precautions	vironmental Precautions Avoid release to the environment.	
Methods and Material for Containment and Cleaning Up		
Methods for Containment Prevent further leakage or spillage if safe to do so.		
Methods for Clean-Up Collect spillage. Collect in a clean, dry waste container for disposal. Dilute with water and clean up.		

# 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only in well-ventilated areas.

### Conditions for Safe Storage, including any Incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and<br/>out of reach of children. Keep only in original container. Keep from freezing.

# Incompatible Materials Acids. Bases. Oxidizing agents. Uncontrolled contact with water.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ammonium Bifluoride 71341-49-7	TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	-
Oxalic Acid 6153-56-6	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>

### **Appropriate Engineering Controls**

**Engineering Controls** Ventilation systems. Eyewash stations. Showers.

# Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Splash goggles or safety glasses.	
Skin and Body Protection	Rubber, Nitrile, PVC, or other chemically resistant skin protection to prevent contact.	
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on Basic Physical and Chemical Properties

Physical State Appearance Color	Liquid Clear Colorless	Odor Odor Threshold	None Not determined
Property_	Values	Remarks • Method	
рН	4.5-5.0		
Melting Point/Freezing Point	Not known		
Boiling Point/Boiling Range	100 °C / 212 °F		
Flash Point	Not applicable		
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	n/a-liquid		
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	Not determined		
Vapor Density	Not determined		
Specific Gravity	1.03		
Water Solubility	Completely soluble	@ 25 °C (77 °F)	
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

# **10. STABILITY AND REACTIVITY**

### **Reactivity**

Not reactive under normal conditions.

### **Chemical Stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### Conditions to Avoid

Keep out of reach of children. Keep from freezing.

### **Incompatible Materials**

Acids. Bases. Oxidizing agents. Uncontrolled contact with water.

# Hazardous Decomposition Products

Thermal decomposition may release toxic ammonia fumes. It may generate toxic fluorides and hydrogen fluorides. Decomposition by reaction with certain metals releases flammable and explosive hydrogen gas.

# **11. TOXICOLOGICAL INFORMATION**

### Information on Likely Routes of Exposure

# Product InformationEye ContactCauses severe eye damage.Skin ContactCauses severe skin burns.InhalationDo not inhale.IngestionMay be harmful if swallowed.

# Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium Bifluoride 1341-49-7	= 31 mg/kg (Rat) (Intraperitoneal)	-	= 1276 ppm (Rat) 1 h
Oxalic Acid 6153-56-6	= 7500 mg/kg (Rat)	-	-

### Information on Physical, Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity

Not a human carcinogen.

### <u>Numerical Measures of Toxicity</u> Not determined

not determined

Unknown Acute Toxicity None known.

# **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ammonium Bifluoride 1341-49-7	-	> 100 mg/L (96hr)	-	-
Oxalic Acid 6153-56-6	-	= 325 mg/L	-	-

# Persistence/Degradability

Not determined

# **Bioaccumulation**

Not determined

### <u>Mobility</u>

Not determined.

# Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

Waste Treatment Methods			
Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
	14. TRANSPORT INFORMATION		
Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.			
<u>DOT</u>	UN3264, Corrosive Liquid, Acidic, Inorganic, NOS (Containing Ammonium Hydrogen Fluoride and Oxalic Acid), 8, PG II		

# IMDG

# Marine Pollutant

This material may meet the definition of a marine pollutant

# **15. REGULATORY INFORMATION**

# International Inventories

Canada – Domestic Substances List (DSL) TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. All ingredients are listed or exempt.

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium Bifluoride 1341-49-7	1000lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

# SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Reactive Hazard	Yes

# <u>SARA 313</u>

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ammonium Bifluoride	1341-49-7	3-7	1.0

### CWA (Clean Water Act)

None listed.

### US State Regulations

### U.S. State Right-to-Know Regulations

Chemical Name	State List
Ammonium Bifluoride 1341-49-7	MA, NJ, PA

AZ - Arizona Ambient Air Quality Guidelines

CT - Connecticut Hazardous Air Pollutants

CA - California Director's List of Hazardous Substances

CAP65 – California Prop 65

FL – Florida Substances List

ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate

MA – Massachusetts Right to Know List

MN – Minnesota Hazardous Substances List

NJ – New Jersey Right to Know List

PA – Pennsylvania Right to Know List

RI - Rhode Island Hazardous Substances List

# **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards	Flammability Not determined Flammability 0	Instability Not determined Physical Hazards 0	Special Hazards Not determined Personal Protection Not determined
	3	0	0	Not determined

Issue Date	03-Oct-2011
Revision/Review Date:	04-Sep-2019
Revision Note	Version 1.1 Updated Section 1

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

\*Denotes changes from last version.

End of Safety Data Sheet