



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Printing date 09/10/2013

Reviewed on 09/10/2013

www.janicoinc.com

Page 1/8

1 Product and Company Identification

· Product identifier

- · Trade name: Non-Para Urinal Screens and Blocks
- · Article number: 7001, 7003, 7004, 7008, 7010
- · Relevant identified uses of the substance or mixture and uses advised against
- · Product description Non-Para Urinal Screens and Blocks
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Janico, Inc.
 687 Prospect St.
 Unit 480
 Lakewood, NJ 08701
 Phone: (732) 370-2223
 Fax: (732) 370-2230
- · Emergency telephone number: Infotrac: 1-800-535-5053, 1-352-326-2510

2 Hazard(s) identification

· Classification of the substance or mixture



H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

- · Label elements
- GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

Hazard-determining components of labeling: Sodium lauryl sulfate

Hazard statements

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.





Page 2/8

Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Printing date 09/10/2013

Reviewed on 09/10/2013

Trade name: Non-Para Urinal Screens and Blocks

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P321 Specific treatment (see on this label).
- P362 Take off contaminated clothing and wash before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE1Fire = 1REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- *vPvB:* Not applicable.

3 Composition/information on ingredients		
7757-82-6	sodium sulphate	40-60%
68140-00-1	Amides, coco, N-(hydroxyethyl) CMEA	5-20%
900-11-7	Carboxymethyl cellulose CMC	3-5%

• Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
151-21-3 Sodium lauryl sulfate	🚸 H302; H315; H319; H317; H335	6-25%		
4 First-aid measures				

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.





OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Printing date 09/10/2013

Reviewed on 09/10/2013

(Contd. of page 2)

Trade name: Non-Para Urinal Screens and Blocks

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · *Precautions for safe handling* No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

Page 3/8





OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Printing date 09/10/2013

Reviewed on 09/10/2013

Trade name: Non-Para Urinal Screens and Blocks

(Contd. of page 3)

Page 4/8

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

chemical properties	
Solid Blue (Content of CAS No.15782-05-5: 0%)3844-4 Red (Content of CAS No. 3844-45-9: 0%)	5-9
Characteristic Not determined.	
Not applicable.	
Not determined. 252 °C (486 °F)	
200 °C (392 °F)	
Not determined.	
Not determined.	
Product is not selfigniting.	
Product does not present an explosion hazard.	
Not determined. Not determined.	
Not applicable.	
Not determined. Not determined. Not applicable.	(Contd. on page 5)
	 Blue (Content of CAS No.15782-05-5: 0%)3844-4 Red (Content of CAS No. 3844-45-9: 0%) Characteristic Not determined. Not applicable. Not determined. 252 °C (486 °F) 200 °C (392 °F) Not determined. Not determined. Product is not selfigniting. Product does not present an explosion hazard. Not determined.





OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Printing date 09/10/2013

Reviewed on 09/10/2013

Trade name: Non-Para Urinal Screens and Blocks

· Evaporation rate Not applicable. Solubility in / Miscibility with Soluble. Water: · Partition coefficient (n-octanol/water): Not determined. · Viscositv: **Dynamic:** Not applicable. Kinematic: Not applicable. · Solvent content: 0.0 % Organic solvents: Solids content: 34.0 % Other information No further relevant information available.

tability and reactiv

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Toxicological information

Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

3844-45-9 FD&C Blue No.1

NTP (National Toxicology Program)

None of the ingredients is listed.

2 Ecological information

- · Toxicitv
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

Page 5/8

(Contd. of page 4)

3





OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Printing date 09/10/2013

Trade name: Non-Para Urinal Screens and Blocks

(Contd. of page 5) · Additional ecological information: · General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. • Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. · Other adverse effects No further relevant information available. 3 Disposal considerations · Waste treatment methods · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. · Uncleaned packagings: · **Recommendation:** Disposal must be made according to official regulations. • **Recommended cleansing agent:** Water, if necessary with cleansing agents. 4 Transport information · UN-Number · DOT, ADR, ADN, IATA Non-Regulated Material ·IMDG Non-Regulated Material Not Regulated · UN proper shipping name DOT, ADR, ADN, IMDG, IATA Non-Regulated Material • Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class Non-Regulated Material · Packing group · DOT, ADR, IMDG, IATA Non-Regulated Material · Environmental hazards: · Marine pollutant: No • Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. **UN "Model Regulation":** 5 Regulatory information

 $^\circ$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^\circ$ Sara

· Section 355 (extremely hazardous substances):		
None of the	None of the ingredients is listed.	
· Section 31	3 (Specific toxic chemical listings):	
None of the	ingredients is listed.	
· TSCA (Tox	ic Substances Control Act):	
7757-82-6	sodium sulphate	
151-21-3	Sodium lauryl sulfate	

(Contd. on page 7)

Page 6/8

Reviewed on 09/10/2013





Page 7/8

Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Printing date 09/10/2013

Reviewed on 09/10/2013

Trade name: Non-Para Urinal Screens and Blocks

aue name. No	
	(Contd. of page 6)
68140-00-1	Amides, coco, N-(hydroxyethyl) CMEA
3844-45-9	FD&C Blue No.1
	2-Naphthalenecarboxylic acid, 4-[(5-chloro-4-methyl-2-sulfophenyl)azo]-3-hydroxy-,strontium salt (1:1)
• Proposition	65
· Chemicals k	nown to cause cancer:
None of the i	ngredients is listed.
· Chemicals k	nown to cause reproductive toxicity for females:
None of the i	ngredients is listed.
· Chemicals k	nown to cause reproductive toxicity for males:
None of the i	ngredients is listed.
· Chemicals k	nown to cause developmental toxicity:
None of the i	ngredients is listed.
· Carcinogeni	c categories
· EPA (Enviro	nmental Protection Agency)
None of the i	ngredients is listed.
· TLV (Thresh	old Limit Value established by ACGIH)
None of the i	ngredients is listed.
· NIOSH-Ca (I	National Institute for Occupational Safety and Health)
None of the i	ngredients is listed.
· OSHA-Ca (C	ccupational Safety & Health Administration)
Corrosive to	eyes
· GHS label e	lamonts

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Warning

Hazard-determining components of labeling:

Sodium lauryl sulfate

Hazard statements

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.





OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Printing date 09/10/2013

Reviewed on 09/10/2013

Trade name: Non-Para Urinal Screens and Blocks

(Contd. of page 7)

Page 8/8

P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P362	Take off contaminated clothing and wash before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international

regulations.

National regulations: The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· State Right to Know		
7757-82-6	sodium sulphate	25-50%
151-21-3	Sodium lauryl sulfate	15-35%
	🚸 H302; H315; H319; H317; H335	1
68140-00-1	Amides, coco, N-(hydroxyethyl) CMEA	15-35%
900-11-7	Carboxymethyl cellulose CMC	2-12%
3844-45-9	FD&C Blue No.1	≤2.5%
15782-05-5	2-Naphthalenecarboxylic acid, 4-[(5-chloro-4-methyl-2-sulfophenyl)azo]-3-hydroxy, strontium salt (1:1)	≤ 2.5%

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

* Data compared to the previous version altered.

SDS / MSDS Created by MSDS Authoring Services (www.MSDSAuthoring.com)