

29595

# Aluminum Handle, Ø1", 57.5", White



This handle with colour-coded grip can be used with any product in the Vikan range.

# Technical Data

Item Number	29595
Connection	Threaded
Material	Anodised Aluminium Polypropylene
Recycling Symbol "7", Miscellaneous Plastics	No
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	500 Pcs.
Quantity Per Layer (Pallet)	50 Pcs.
Box Length/Depth	58.3 "
Box Width	6.3 "
Box Height	2.4 "
Product diameter	1 "
Product Length/Depth	57.5 "
Product Width	1 "
Product Height	1 "
Net Weight	0.7275 lbs
Weight bag (Recycling Symbol "4") LDPE	0.01 lbs
Total Tare Weight	0.01 lbs
Gross Weight	0.7399 lbs
Cubic Feet	0.0323 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (food contact)	212 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
GTIN-13 Number	5705020295959

<b>GTIN-14 Number (Box quantity)</b>	15705020295956
<b>Customs Tariff Number</b>	76169990
<b>UNSPSC Code</b>	47131609
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.