according to Hazard Communication Standard; 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER CLEANER & DEGREASER- end-use dilution

Version 1.0 Print Date 08/05/2020

Revision Date 01/11/2019 SDS Number 350000036104 GEN SOF Number 64950

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Product name : SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER

CLEANER & DEGREASER- end-use dilution

**Recommended use** : This product is intended to be diluted prior to use.

**Restrictions on use** : Use only as directed on label

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

**Telephone** : +1-800-558-5252

Emergency telephone

number

: 24 Hour Medical Emergency Phone: (866)231-5406

24 Hour Transport Emergency Phone: (800)424-9300

### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

### Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

**Precautionary statements** 

Other hazards : None identified

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER CLEANER & DEGREASER- end-use dilution

Version 1.0 Print Date 08/05/2020

Revision Date 01/11/2019 SDS Number 350000036104 GEN SOF Number 64950

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain hazardous chemicals at or above a reportable level as defined by OSHA 29 CFR 1910.1200

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

#### 4. FIRST AID MEASURES

### Description of first aid measures

**Eye contact** : No special requirements

**Skin contact** : No special requirements

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

### Most important symptoms and effects, both acute and delayed

Eyes : No adverse effects expected when used as directed.

Skin effect : No adverse effects expected when used as directed.

Inhalation : May cause respiratory tract irritation.

Ingestion : No adverse effects expected when used as directed.

### Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

### **5. FIREFIGHTING MEASURES**

Suitable extinguishing : Use water spray, alcohol-resistant foam, dry chemical or

according to Hazard Communication Standard; 29 CFR 1910.1200



### SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER CLEANER & **DEGREASER- end-use dilution**

Version 1.0 Print Date 08/05/2020

Revision Date 01/11/2019 SDS Number 350000036104 GEN SOF Number 64950

media carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

**Further information** : Fight fire with normal precautions from a reasonable distance.

> Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions : Wash thoroughly after handling.

**Environmental** precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

### 7. HANDLING AND STORAGE

Handling

**Precautions for safe** 

handling

: Avoid contact with skin, eyes and clothing. For personal protection see section 8.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

areas and containers

**Requirements for storage**: Keep container closed when not in use.

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER CLEANER & DEGREASER- end-use dilution

Version 1.0 Print Date 08/05/2020

Revision Date 01/11/2019 SDS Number 350000036104 GEN\_SOF Number 64950

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Occupational Exposure Limits**

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

**Respiratory protection** : No special requirements.

**Hand protection** : No special requirements.

**Eye protection** : No special requirements.

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : colourless

Odour : Fruity Floral

Odour Threshold : Test not applicable for this product type

**pH** : 11.3

at (25 °C)

Melting point/freezing point : 32 °F

Initial boiling point and

boiling range

: 100 °C

according to Hazard Communication Standard; 29 CFR 1910.1200



### SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER CLEANER & **DEGREASER- end-use dilution**

Version 1.0 Print Date 08/05/2020

Revision Date 01/11/2019 SDS Number 350000036104 GEN\_SOF Number 64950

: > 93.3 °C Flash point

> 199.94 °F

**Evaporation rate** : Test not applicable for this product type

Flammability (solid, gas) : Test not applicable for this product type

explosive limits

Upper/lower flammability or : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 1.00 g/cm3

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : Test not applicable for this product type

**Decomposition temperature**: Test not applicable for this product type

Viscosity, dynamic : < 5 mPa.s

at 25 °C

Viscosity, kinematic : Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



### SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER CLEANER & **DEGREASER- end-use dilution**

Version 1.0 Print Date 08/05/2020

Revision Date 01/11/2019 SDS Number 350000036104 GEN SOF Number 64950

Oxidizing properties : Test not applicable for this product type

Volatile Organic : 0.4 % - additional exemptions may apply \*as defined by US Federal and State Consumer Product Compounds

Total VOC (wt. %)\* Regulations

Other information : None identified

### 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

Incompatible materials : Do not mix with bleach or any other household cleaners.

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5000 mg/kgAcute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER CLEANER & DEGREASER- end-use dilution

Version 1.0 Print Date 08/05/2020

Revision Date 01/11/2019

SDS Number 350000036104 GEN\_SOF Number 64950

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition

: None known.

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER CLEANER & DEGREASER- end-use dilution

Version 1.0 Print Date 08/05/2020

Revision Date 01/11/2019 SDS Number 350000036104

GEN\_SOF Number 64950

### 12. ECOLOGICAL INFORMATION

**Product:** The product itself has not been tested.

### **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

No environmental data required.

Other adverse effects : None known.

### 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

### Land transport

Not classified as dangerous in the meaning of transport regulations.

### Sea transport

Not classified as dangerous in the meaning of transport regulations.

### Air transport

Not classified as dangerous in the meaning of transport regulations.

### 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER CLEANER & DEGREASER- end-use dilution

Version 1.0 Print Date 08/05/2020

Revision Date 01/11/2019 SDS Number 350000036104 GEN\_SOF Number 64950

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

State Right To Know

<u> </u>				
No components are subject to the Massachusetts Right to Know Act.				
No components are subject to the Minnesota "Right To Know" Act				
No components are subject to the New Jersey "Right To Know" Act				
Pennsylvania RTKL	Water	7732-18-5		

### **16. OTHER INFORMATION**

### **HMIS Ratings**

Timio Ratings	
Health	0
Flammability	0
Reactivity	0

### NFPA Ratings

NFPA Katings		
Health	0	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

#### **Further information**

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL ® Trushot 2.0 POWER CLEANER & DEGREASER- end-use dilution

Version 1.0 Print Date 08/05/2020

Revision Date 01/11/2019

SDS Number 350000036104 GEN SOF Number 64950

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN\_SOF Number 64304

1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Product name : SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER

CLEANER & DEGREASER- CONCENTRATE

**Recommended use** : This product is intended to be diluted prior to use.

**Restrictions on use** : Use only as directed on label

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

**Telephone** : +1-800-558-5252

Emergency telephone

number

: 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour Transport Emergency Phone: (800)424-9300

### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Acute toxicity	Category 4	Harmful if swallowed.
Skin corrosion	Category 1	Causes severe skin burns and eye damage.
Serious eye damage Category 1 Causes se		Causes serious eye damage.

### Labelling

**Hazard symbols** 

Corrosion

**Exclamation mark** 

Signal word

Danger

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019

SDS Number 350000035900 GEN SOF Number 64304

#### **Hazard statements**

Harmful if swallowed.

Causes severe skin burns and eye damage.

### **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Immediately call a POISON CENTER/doctor.

Specific treatment (see supplemental first aid instructions on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/ container to an approved incineration plant.

Wear protective gloves.

Do not breathe dust or mist.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Other hazards : None identified

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Phenoxyethanol	122-99-6	10.00 - 30.00
Ethoxylated Isotridecyl Alcohol	9043-30-5	10.00 - 30.00
Isopropanolamine	78-96-6	10.00 - 30.00
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	1643-20-5	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN SOF Number 64304

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

#### 4. FIRST AID MEASURES

### **Description of first aid measures**

**Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get

medical attention immediately.

Skin contact : IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. Wash contaminated

clothing before reuse. Immediately call a POISON

CENTER/doctor.

Inhalation : IF INHALED: If breathing is difficult, remove victim to fresh air

and keep at rest in a position comfortable for breathing.

Ingestion : IF SWALLOWED: Call a POISON CENTER/doctor if you feel

unwell. IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting. Rinse mouth.

### Most important symptoms and effects, both acute and delayed

Eyes : Causes serious eye damage.

Skin effect : Causes severe skin burns.

No adverse effects expected when used as directed.

Inhalation : May cause respiratory tract irritation.

Ingestion : Harmful if swallowed.

Causes digestive tract burns.

No adverse effects expected when used as directed.

### Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN SOF Number 64304

**5. FIREFIGHTING MEASURES** 

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

Further information : Wear full protective clothing and positive pressure self-

contained breathing apparatus. In case of fire and/or explosion

do not breathe fumes.

**6. ACCIDENTAL RELEASE MEASURES** 

**Personal precautions** : Wear personal protective equipment.

Wash thoroughly after handling.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

Dike large spills.

Clean residue from spill site.

### 7. HANDLING AND STORAGE

Handling

**Precautions for safe** 

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Avoid breathing vapours, mist or gas.

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

according to Hazard Communication Standard; 29 CFR 1910.1200



### SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & **DEGREASER- CONCENTRATE**

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN SOF Number 64304

Storage

Requirements for storage : Keep container closed when not in use.

areas and containers

Store locked up.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Occupational Exposure Limits**

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Substantial amounts of mist/vapors can be controlled with Respiratory protection

local exhaust ventilation or respiratory protection.

Hand protection : Rubber gloves

Eye protection Wear splash-resistant Chemical goggles.

Skin and body protection : Protective footwear.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color colourless

Odour : Fruity Floral

**Odour Threshold** : Test not applicable for this product type

pН : 14

at (25 °C)

according to Hazard Communication Standard; 29 CFR 1910.1200



### SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & **DEGREASER- CONCENTRATE**

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN\_SOF Number 64304

**Melting point/freezing point**: Test not applicable for this product type

Initial boiling point and

boiling range

: 100 °C

Flash point : > 93.3 °C

> 199.94 °F

**Evaporation rate** : Test not applicable for this product type

Flammability (solid, gas) : Test not applicable for this product type

explosive limits

**Upper/lower flammability or** : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 1.0311 g/cm3 at 25 °C

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : Test not applicable for this product type

**Decomposition temperature**: Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



### SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900

GEN\_SOF Number 64304

Viscosity, dynamic : 23.6 mPa.s

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds Total VOC (wt. %)\*

14.9 % - additional exemptions may apply
\*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified

### 10. STABILITY AND REACTIVITY

**Reactivity**: No dangerous reaction known under conditions of normal use.

**Chemical stability** : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

**Incompatible materials** : Do not mix with bleach or any other household cleaners.

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN\_SOF Number 64304

### 11. TOXICOLOGICAL INFORMATION

Acute dermal toxicity : LD50 3167 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	Category 4	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion	Category 1	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN\_SOF Number 64304

exposure		
Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

: None known.

### 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

### **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### Toxicity to fish

Components	End point	Species	Value	Exposure time
Phenoxyethanol	flow- through test LC50	Pimephales promelas (fathead minnow)	344 mg/l	96 h
	flow- through test NOEC	Pimephales promelas (fathead minnow)	23 mg/l	34 d
Ethoxylated Isotridecyl Alcohol	LC50 OECD Test Guideline 203	Danio rerio (zebra fish)	1 - 10 mg/l	96 h
Isopropanolamine	static test LC50	Leuciscus idus (Golden orfe)	215 mg/l	96 h
Amines, C12-14 (even numbered)-alkyldimethyl, N- oxides	LC50	Fish	0.6 - 32 mg/l	96 h

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN\_SOF Number 64304

flow- through test NOEC Read- across	Pimephales promelas (fathead minnow)	0.42 mg/l	302 d	
(Analogy	v)			
( ····································	′			

### **Toxicity to aquatic invertebrates**

End point	Species	Value	Exposure time
EC50	Daphnia magna (Water flea)	> 500 mg/l	48 h
semi- static test NOEC	Daphnia magna	9.43 mg/l	21 d
EC50 OECD Test Guideline 202	Daphnia (water flea)	7.07 mg/l	48 h
static test EC50	Daphnia magna (Water flea)	108.82 mg/l	48 h
EC50		0.5 - 10.8	48 h
	semi- static test NOEC  EC50 OECD Test Guideline 202  static test EC50	EC50 Daphnia magna (Water flea)  semistatic test NOEC Daphnia (water flea)  EC50 OECD Test Guideline 202  static test EC50 Daphnia magna (Water flea)	EC50 Daphnia magna (Water semi-static test NOEC Daphnia (water flea) 7.07 mg/l  EC50 Daphnia (water flea) 7.07 mg/l  Static test Guideline 202 Daphnia magna (Water flea) 108.82 mg/l  EC50 EC50 CECD Test Guideline 202 Daphnia magna (Water flea) 108.82 mg/l

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN\_SOF Number 64304

flow- through test NOEC Read- across (Analogy)	Daphnia magna (Water flea)	0.7 mg/l	21 d
OECD Guideline 211			
(Daphnia			
magna			
Reproduct ion Test)			

### Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Phenoxyethanol	EbC50	Desmodesmus subspicatus (green algae)	500 mg/l	72 h
Ethoxylated Isotridecyl Alcohol	EC50	Desmodesmus subspicatus (green algae)	> 10 mg/l	72 h
Isopropanolamine	static test EC50	Desmodesmus subspicatus (green algae)	32.7 mg/l	72 h
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	ErC50	Algae	0.075 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Phenoxyethanol	90 %	28 d	Readily biodegradable.
Ethoxylated Isotridecyl Alcohol	79 %	28 d	Readily biodegradable.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN\_SOF Number 64304

Isopropanolamine	>= 78 %	28 d	Readily biodegradable.
Amines, C12-14 (even numbered)-alkyldimethyl, Noxides	96 %	19 d	

### **Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Phenoxyethanol	1.86 estimated	1.13
Ethoxylated Isotridecyl Alcohol	No data available	3.59
Isopropanolamine	0.11 estimated	-0.94
Amines, C12-14 (even numbered)-alkyldimethyl, Noxides	> 87	< 2.7

### **Mobility**

Component	End point	Value
Phenoxyethanol	Кос	40.74
Ethoxylated Isotridecyl Alcohol	No data available	
Isopropanolamine	Koc	1.8 estimated
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Koc	> 2113 Calculated

### PBT and vPvB assessment

Component	Results
Phenoxyethanol	Not fulfilling PBT and vPvB criteria
Ethoxylated Isotridecyl Alcohol	Not fulfilling PBT and vPvB criteria
Isopropanolamine	Fulfilling PBT and vPvB criteria
Amines, C12-14 (even numbered)-alkyldimethyl, N-	Not fulfilling PBT and vPvB criteria

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900

GEN\_SOF Number 64304

oxides

Other adverse effects : None known.

### 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number	3267	3267	3267
UN proper shipping name	UN 3267 Corrosive	UN 3267 Corrosive	UN 3267 Corrosive
	Liquid, Basic, Organic, N.O.S. (Isopropanolamine), 8, III	Liquid, Basic, Organic, N.O.S. (Isopropanolamine), 8, III	Liquid, Basic, Organic, N.O.S. (Isopropanolamine), 8, III
Transport hazard class(es)	8	8	8
Packing group	III	III	III
Environmental hazards	-	-	-
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport documents.	transport documents.
Transport in	Product not	Product not	Product not transported
bulk according	transported as bulk.	transported as bulk.	as bulk.
to Annex II of			
MARPOL 73/78			
and the IBC			
Code			

### 15. REGULATORY INFORMATION

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019 SDS Number 350000035900 GEN\_SOF Number 64304

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

State Right To Know

Massachusetts RTK	Isopropanolamine	78-96-6
No components are subje	ct to the Minnesota "Right To Know" Act	
New Jersey HRTK	Isopropanolamine	78-96-6
Pennsylvania RTKL	Water	7732-18-5
	Phenoxyethanol	122-99-6
	Ethoxylated Isotridecyl Alcohol	9043-30-5
	Isopropanolamine	78-96-6
	Amines, C12-14 (even numbered)-	1643-20-5
	alkyldimethyl, N-oxides	
_	Sodium hydroxide	1310-73-2
	Hydrogen Peroxide	7722-84-1

#### **16. OTHER INFORMATION**

**HMIS Ratings** 

Health	3	
Flammability	0	
Reactivity	0	

NFPA Ratings

NEFA Kalliys		
Health	3	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

according to Hazard Communication Standard; 29 CFR 1910.1200



## SC JOHNSON PROFESSIONAL® TruShot 2.0 POWER CLEANER & DEGREASER- CONCENTRATE

Version 1.1 Print Date 08/04/2020

Revision Date 01/07/2019

SDS Number 350000035900 GEN\_SOF Number 64304

### **Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)