

# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

## 1. Identification

**Product identifier:** GOODBYE GRAFFITI

**Other means of identification**

**SDS number:** RE1000036969

**Recommended restrictions**

**Recommended use:** Cleaner

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

**Company Name:** VICTORIA BAY PRODUCTS  
**Address:** 255 ROUTE 1 & 9  
JERSEY CITY, NJ 07306  
US  
**Telephone:** 800-226-3233

**Emergency telephone number:** 1-866-836-8855

## 2. Hazard(s) identification

### Hazard Classification

**Physical Hazards**

Flammable aerosol Category 1

**Health Hazards**

Skin Corrosion/Irritation Category 2  
Serious Eye Damage/Eye Irritation Category 2A  
Toxic to reproduction Category 2  
Specific Target Organ Toxicity -  
Single Exposure Category 3  
(Narcotic effect.)  
Specific Target Organ Toxicity -  
Repeated Exposure Category 2  
Aspiration Hazard Category 1

**Environmental Hazards**

Acute hazards to the aquatic  
environment Category 3

### Label Elements

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** Extremely flammable aerosol.  
Causes skin irritation.  
Causes serious eye irritation.  
Suspected of damaging fertility or the unborn child.  
May cause drowsiness or dizziness.  
May cause damage to organs through prolonged or repeated exposure.  
May be fatal if swallowed and enters airways.  
Harmful to aquatic life.

**Precautionary Statements**

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Benzene, methyl-	108-88-3	10 - <25%
Propane	74-98-6	5 - <10%
2-Propanone	67-64-1	5 - <10%
Butane	106-97-8	5 - <10%
Ethanol, 2-butoxy-	111-76-2	1 - <5%
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	1 - <5%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

### 4. First-aid measures

#### Description of necessary first-aid measures

**Inhalation:** Move to fresh air.

<b>Skin Contact:</b>	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention.
<b>Eye contact:</b>	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
<b>Ingestion:</b>	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
<b>Personal Protection for First-aid Responders:</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### **Most important symptoms/effects, acute and delayed**

<b>Symptoms:</b>	No data available.
<b>Hazards:</b>	No data available.

#### **Indication of immediate medical attention and special treatment needed**

<b>Treatment:</b>	Get medical attention if symptoms occur.
-------------------	--

### **5. Fire-fighting measures**

<b>General Fire Hazards:</b>	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
------------------------------	---

#### **Suitable (and unsuitable) extinguishing media**

<b>Suitable extinguishing media:</b>	Use fire-extinguishing media appropriate for surrounding materials.
<b>Unsuitable extinguishing media:</b>	Do not use water jet as an extinguisher, as this will spread the fire.

<b>Specific hazards arising from the chemical:</b>	Vapors may travel considerable distance to a source of ignition and flash back.
--	---

#### **Special protective equipment and precautions for firefighters**

<b>Special fire fighting procedures:</b>	No data available.
<b>Special protective equipment for fire-fighters:</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

### **6. Accidental release measures**

<b>Personal precautions, protective equipment and emergency procedures:</b>	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
<b>Accidental release measures:</b>	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Methods and material for containment and cleaning up:**

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

**Environmental Precautions:**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer.

## 7. Handling and storage

### Handling

**Technical measures (e.g. Local and general ventilation):**

No data available.

**Safe handling advice:**

Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with skin.

**Contact avoidance measures:**

No data available.

### Storage

**Safe storage conditions:**

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 2

**Safe packaging materials:**

No data available.

**Storage Temperature:**

No data available.

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values		Source
Benzene, methyl-	STEL	150 ppm	560 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	100 ppm	375 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	100 ppm	375 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceiling	300 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	200 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	MAX. CONC	500 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
Propane	STEL	150 ppm	560 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
2-Propanone	STEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	250 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	750 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	500 ppm		US. ACGIH Threshold Limit Values, as amended

	REL	250 ppm	590 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Ethanol, 2-butoxy-	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	REL	5 ppm	24 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	50 ppm	240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	25 ppm	120 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Ethanol, 2-(2-butoxyethoxy)- - Inhalable fraction and vapor.	TWA	10 ppm		US. ACGIH Threshold Limit Values, as amended
Sodium hydroxide (Na(OH))	Ceil_ Time		2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL		2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	Ceiling		2 mg/m3	US. ACGIH Threshold Limit Values, as amended
	Ceiling		2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Morpholine	REL	20 ppm	70 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	30 ppm	105 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	20 ppm	70 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	20 ppm	70 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	30 ppm	105 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Crystalline Silica - Respirable dust.	REL		0.05 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Crystalline Silica - Respirable.	TWA		2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
	TWA		0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Crystalline Silica - Respirable fraction.	TWA		0.025 mg/m3	US. ACGIH Threshold Limit Values, as amended
Crystalline Silica - Respirable dust.	TWA		0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Crystalline Silica - Respirable dust.	TWA		0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
Crystalline Silica - Respirable dust.	PEL		0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Crystalline Silica - Respirable dust.	OSHA _ACT		0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended

## Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Benzene, methyl- (toluene: Sampling time: End of shift.)	0.03 mg/l (Urine)	ACGIH BEL
Benzene, methyl- (o-Cresol, with hydrolysis: Sampling time: End of shift.)	0.3 mg/g (Creatinine in urine)	ACGIH BEL
Benzene, methyl- (toluene: Sampling time: Prior to last shift of work week.)	0.02 mg/l (Blood)	ACGIH BEL
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling time: End of shift.)	200 mg/g (Creatinine in urine)	ACGIH BEL

## Exposure guidelines

Morpholine	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
------------	--	-----------------------------------

## Appropriate Engineering Controls

No data available.

## Individual protection measures, such as personal protective equipment

### Eye/face protection:

Wear safety glasses with side shields (or goggles).

**Skin Protection**

**Hand Protection:** No data available.

**Skin and Body Protection:** Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

**Hygiene measures:** Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Avoid contact with skin. Wash hands before breaks and immediately after handling the product.

**9. Physical and chemical properties****Appearance**

<b>Physical state:</b>	liquid
<b>Form:</b>	Spray Aerosol
<b>Color:</b>	No data available.
<b>Odor:</b>	No data available.
<b>Odor Threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Freezing point:</b>	No data available.
<b>Boiling Point:</b>	No data available.
<b>Flash Point:</b>	-104 °C
<b>Evaporation Rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Explosive limit - upper (%):</b>	Estimated 9.5 %(V)
<b>Explosive limit - lower (%):</b>	Estimated 1.9 %(V)
<b>Vapor pressure:</b>	3,102 - 4,481 hPa (20 °C) 6,550 - 7,928 hPa (54 °C)
<b>Vapor density (air=1):</b>	No data available.
<b>Density:</b>	No data available.
<b>Relative density:</b>	No data available.
<b>Solubility in Water:</b>	No data available.
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Self Ignition Temperature:</b>	No data available.
<b>Decomposition Temperature:</b>	No data available.
<b>Kinematic viscosity:</b>	No data available.
<b>Dynamic viscosity:</b>	No data available.
<b>Explosive properties:</b>	No data available.
<b>Oxidizing properties:</b>	No data available.

**10. Stability and reactivity**

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

**Possibility of hazardous reactions:** No data available.

<b>Conditions to avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	No data available.
<b>Hazardous Decomposition Products:</b>	No data available.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

<b>Oral Product:</b>	ATEmix: 22,503.78 mg/kg
<b>Dermal Product:</b>	ATEmix: 17,029.26 mg/kg
<b>Inhalation Product:</b>	ATEmix: 273.29 mg/l Vapour ATEmix : 63.22 mg/l Dusts, mists and fumes

#### Repeated dose toxicity

<b>Product:</b>	No data available.
-----------------	--------------------

#### Components:

Benzene, methyl-	LOAEL (Rat(Female, Male), Oral, 13 Weeks): 1,250 mg/kg (Target Organ(s): Liver, Kidney) Oral Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation): 625 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation - vapor): 2,355 mg/l Inhalation Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
2-Propanone	NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study
Butane	LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study

Ethanol, 2-butoxy-	NOAEL (Rat(Female), Inhalation, 2 yr): < 31 ppm(m) Inhalation Experimental result, Key study
	NOAEL (Rat(Female), Oral, 90 d): < 82 mg/kg Oral Experimental result, Key study
	NOAEL (Rabbit(Female, Male), Dermal, 90 d): > 150 mg/kg Dermal Experimental result, Key study
Ethanol, 2-(2-butoxyethoxy)-	NOAEL (Rat(Female, Male), Inhalation, 90 - 120 d): 14 ppm(m) Inhalation Experimental result, Key study
	NOAEL (Rat(Female, Male), Oral, 90 d): 250 mg/kg Oral Experimental result, Key study
	NOAEL (Rat(Female, Male), Dermal, 13 Weeks): > 2,000 mg/kg Dermal Experimental result, Key study

#### Skin Corrosion/Irritation

**Product:** No data available.

##### Components:

Benzene, methyl-	in vivo (Rabbit): Irritating
2-Propanone	in vivo (Rabbit): Not irritant
Ethanol, 2-butoxy-	in vivo (Rabbit): Irritating
Ethanol, 2-(2-butoxyethoxy)-	in vivo (Rabbit): Not irritant

#### Serious Eye Damage/Eye Irritation

**Product:** No data available.

##### Components:

Benzene, methyl-	Rabbit, 24 - 72 hrs: Not irritating
2-Propanone	Irritating. Rabbit, 24 hrs: Minimum grade of severe eye irritant
Ethanol, 2-butoxy-	Rabbit, 24 - 72 hrs: Irritating
Ethanol, 2-(2-butoxyethoxy)-	Rabbit, 24 - 72 hrs: Highly irritating

#### Respiratory or Skin Sensitization

**Product:** No data available.

##### Components:

Benzene, methyl-	Skin sensitization:, in vivo (Guinea pig): Non sensitising
2-Propanone	Skin sensitization:, in vivo (Guinea pig): Non sensitising
Ethanol, 2-butoxy-	Skin sensitization:, in vivo (Guinea pig): Non sensitising
Ethanol, 2-(2-butoxyethoxy)-	Skin sensitization:, in vivo (Guinea pig): Non sensitising

#### Carcinogenicity

**Product:** No data available.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

#### US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

#### Germ Cell Mutagenicity

##### In vitro

**Product:** No data available.

##### In vivo

**Product:** No data available.



## Reproductive toxicity

**Product:** No data available.

### Components:

Benzene, methyl- Suspected of damaging fertility or the unborn child.

## Specific Target Organ Toxicity - Single Exposure

**Product:** Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

## Specific Target Organ Toxicity - Repeated Exposure

**Product:** Category 2

### Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

## Aspiration Hazard

**Product:** No data available.

### Components:

Benzene, methyl- May be fatal if swallowed and enters airways.

**Other effects:** No data available.

## 12. Ecological information

### Ecotoxicity:

#### Acute hazards to the aquatic environment:

#### Fish

**Product:** No data available.

#### Components:

Benzene, methyl- LC 50 (Oncorhynchus kisutch, 96 h): 5.5 mg/l Experimental result, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

2-Propanone LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Ethanol, 2-butoxy- LC 50 (Oncorhynchus mykiss, 96 h): 1,474 mg/l Experimental result, Key study

Ethanol, 2-(2-butoxyethoxy)- LC 50 (Pimephales promelas, 96 h): 2,400 mg/l Experimental result, Supporting study

#### Aquatic Invertebrates

**Product:** No data available.

#### Components:

Benzene, methyl- LC 50 (Water flea (Daphnia magna), 48 h): 54.6 - 174.7 mg/l Mortality  
LC 50 (Ceriodaphnia dubia, 2 d): 3.78 mg/l Experimental result, Key study

2-Propanone LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Ethanol, 2-butoxy- EC 50 (Daphnia magna, 48 h): 1,550 mg/l Experimental result, Key study

Ethanol, 2-(2-butoxyethoxy)- LC 50 (Daphnia magna, 48 h): +/- 1,743 mg/l QSAR QSAR, Supporting study

## Chronic hazards to the aquatic environment:

### Fish

**Product:** No data available.

### Components:

Benzene, methyl- NOAEL (Oncorhynchus kisutch): 1.39 mg/l Experimental result, Key study  
LOAEL (Oncorhynchus kisutch): 2.77 mg/l Experimental result, Key study

Ethanol, 2-butoxy- NOAEL (Danio rerio): > 100 mg/l Experimental result, Key study

### Aquatic Invertebrates

**Product:** No data available.

### Components:

Benzene, methyl- LOAEL (Ceriodaphnia dubia): 2.76 mg/l Experimental result, Key study  
NOAEL (Ceriodaphnia dubia): 0.74 mg/l Experimental result, Key study

2-Propanone LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study  
NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

Ethanol, 2-butoxy- EC 10 (Daphnia magna): 134 mg/l Experimental result, Key study  
EC 50 (Daphnia magna): 297 mg/l Experimental result, Key study

### Toxicity to Aquatic Plants

**Product:** No data available.

## Persistence and Degradability

### Biodegradation

**Product:** No data available.

### Components:

Benzene, methyl- 100 % (14 d) Detected in water. Experimental result, Weight of Evidence study  
86 % Detected in water. Experimental result, Weight of Evidence study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study  
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

2-Propanone 90.9 % (28 d) Detected in water. Experimental result, Key study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Ethanol, 2-butoxy- 90.4 % Detected in water. Experimental result, Key study

Ethanol, 2-(2-butoxyethoxy)- 85 % (28 d) Detected in water. Experimental result, Key study

### BOD/COD Ratio

**Product:** No data available.

## Bioaccumulative potential

### Bioconcentration Factor (BCF)

**Product:** No data available.

### Components:

Benzene, methyl- Leuciscus idus, Bioconcentration Factor (BCF): 90 Aquatic sediment  
Experimental result, Key study

2-Propanone Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment  
Experimental result, Not specified

## Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** No data available.

### Components:

Benzene, methyl-	No data available.
Propane	No data available.
2-Propanone	No data available.
Butane	No data available.
Ethanol, 2-butoxy-	No data available.
Ethanol, 2-(2-butoxyethoxy)-	No data available.

**Other adverse effects:** Harmful to aquatic organisms.

## 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:** No data available.

## 14. Transport information

### DOT

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	—
EmS No.:	—
Packing Group:	—
Special precautions for user:	None known.

### IATA

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	—
Packing Group:	—
Special precautions for user:	None known.
Other information	
Passenger and cargo aircraft:	Allowed. 203
Cargo aircraft only:	Allowed. 203

### IMDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	—
EmS No.:	F-D, S-U
Packing Group:	—
Special precautions for user:	None known.

The classification shown in this section may be eligible for use of an exception, such as "Limited Quantity", per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

## 15. Regulatory information

### US Federal Regulations

**Restrictions on use:** Not known.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended**

<u>Chemical Identity</u>	<u>OSHA hazard(s)</u>
Crystalline Silica	lung effects immune system effects Cancer kidney effects

### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity  
BENZENE, METHYL-  
ACETONE  
UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY  
RCRA HAZARDOUS WASTE NO. D001  
GLYCOL ETHERS  
SODIUM HYDROXIDE

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Flammable (gases, aerosols, liquids, or solids), Skin Corrosion or Irritation, Serious eye damage or eye irritation, Reproductive toxicity, Specific target organ toxicity (single or repeated exposure), Aspiration Hazard

**US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances**

None present or none present in regulated quantities.

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required**

<u>Chemical Identity</u>	<u>% by weight</u>
Benzene, methyl-	1.0%
Ethanol, 2-butoxy-	1.0%
Ethanol, 2-(2-butoxyethoxy)-	1.0%

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

### US State Regulations

#### US. California Proposition 65



**WARNING:** This product can expose you to chemicals including, Benzene, methyl- which is [are] known to the State of California to cause birth defects or other reproductive harm.

This product can expose you to chemicals including, Crystalline Silica which is [are] known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**US. New Jersey Worker and Community Right-to-Know Act**

**Chemical Identity**

Benzene, methyl-  
Propane  
2-Propanone  
Butane  
Ethanol, 2-butoxy-  
Ethanol, 2-(2-butoxyethoxy)-

**US. Massachusetts RTK - Substance List**

**Chemical Identity**

Crystalline Silica

**US. Pennsylvania RTK - Hazardous Substances**

**Chemical Identity**

Benzene, methyl-  
Propane  
2-Propanone  
Butane  
Ethanol, 2-butoxy-  
Ethanol, 2-(2-butoxyethoxy)-  
9-Octadecenoic acid (9Z)-

**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**International regulations**

**Montreal protocol**

2-Propanone

**Stockholm convention**

2-Propanone

**Rotterdam convention**

2-Propanone

**Kyoto protocol**

**Inventory Status:**

Australia AICS	On or in compliance with the inventory
Canada DSL Inventory List	On or in compliance with the inventory
EINECS, ELINCS or NLP	Not in compliance with the inventory.
Japan (ENCS) List	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI)	Not in compliance with the inventory.
Canada NDSL Inventory	Not in compliance with the inventory.
Philippines PICCS	Not in compliance with the inventory.
US TSCA Inventory	On or in compliance with the inventory
New Zealand Inventory of Chemicals	On or in compliance with the inventory
Japan ISHL Listing	Not in compliance with the inventory.
Japan Pharmacopoeia Listing	Not in compliance with the inventory.
Ontario Inventory	On or in compliance with the inventory
Taiwan Chemical Substance Inventory	On or in compliance with the inventory
China Inv. Existing Chemical Substances	On or in compliance with the inventory
Mexico INSQ	On or in compliance with the inventory

**16. Other information, including date of preparation or last revision**

**Issue Date:** 12/16/2021

**Revision Information:** No data available.

**Version #:** 1.1

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.