

SECTION - 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Rowdy

ITEM 100

PRODUCT USE Cleaner Degreaser

COMPANY NAME Abernathy Company

3800 Abernathy Drive

Texarkana AR 71854

Office (800) 962-7498

Fax (870) 772-2908

Web www.abernathycompany.com

EMERGENCY TELEPHONE NUMBER

INFOTRAC (800) 535-5053

SECTION - 2 HAZARDS INFORMATION

Physical Hazards None

Health Hazards EYES-Category 1; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3



Irritant (skin and eye)
Respiratory Tract Irritant



Eye Damage

DANGER Causes serious eye damage, Causes skin irritation, May cause respiratory irritation
May be harmful if swallowed, Do not get in eyes, on skin, or clothing, and avoid inhalation of mist, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION - 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
2-butoxyethanol	Ethylene Glycol Monobutyl Ether	111-76-2		5 - 10%
Potassium Hydroxide	KOH, Caustic Potash	1310-58-3		1 - 5%
Nonylphenol Ethoxylate	Polyoxyethylene Nonyl Phenyl Ether	127087-87-0	Poly(ethylene oxide) < 3%, Dinonylphenyl polyoxyethylene < 2%	1 - 5%

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain medical attention, preferably from an ophthalmologist

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation is present or occurs obtain medical attention

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Aspiration Hazard Not considered to be an aspiration hazard

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, or possible corneal injury

Skin Can cause skin irritation, redness, drying or cracking

Inhalation Mist can cause irritation, to respiratory tract

Ingestion Harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus, and may affect target organs, Slight acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, corneal injury, or possible eye damage

Skin Causes skin irritation, redness, burning, drying or cracking

Inhalation Mist can cause irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion Harmful if swallowed, Causes irritation, of the mouth, throat, and esophagus, Can affect target organs, Moderate acute toxicity if swallowed

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media	Not flammable: Use extinguishing media for surrounding fire
Hazardous Decomposition	Burning or thermal decomposition can produce, aldehydes, carbon monoxide, carbon dioxide, silicon oxides, ketones, and other toxic fumes
Reactive With	Incompatible with, strong oxidizing agents, strong acids
Explosion Hazards	Not applicable
Static Discharge	Not applicable
Mechanical Impact	Not applicable
Protective Equipment	Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Warn personnel of spill
Personal Precautions	Ventilate area, Avoid slipping on spilled product
Protective Equipment	Safety Glasses, Chemical Gloves and Rubber Boots
Containment	Use absorbent socks or pads to prevent spill from spreading
Clean Up Procedures	Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water Large Spills: Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container Vacuum or sweep up material and place in a disposal container
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Use appropriate safety equipment, and adequate ventilation, Avoid eye and skin contact, Avoid inhalation of mist, May cause respiratory irritation, Harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment
Storage	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong acids

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
Nonylphenol Ethoxylate	None Established				
Potassium Hydroxide	2 mg/m ³		2 mg/m ³		
2-butoxyethanol	20 ppm		50 ppm (240 mg/m ³)		SA

PERSONAL PROTECTIVE EQUIPMENT

Chemical Safety Glasses, Goggles or Face Shield



Impervious Chemical Gloves



Eye Wash and Safety Shower (Recommended)

**Ventilation**

General Ventilation

If exposure limits listed above are exceeded, or irritation is experienced, use a MSHA / NIOSH approved respirator

HMIS HAZARD RATINGS

Health	2
Flammability	0
Reactivity	0
Personal Protection	B

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	ND	Specific Gravity / Density	1.04
Flammable Limits	ND	pH (± 0.3)	12.3
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	29°F to 32°F (-1.67°C to 0.0°C)
Appearance	Clear Yellow	Boiling Point	212°F to 220°F (100°C to 104°C)
Odor	Sweetish	Vapor Density	ND
Odor Threshold	ND	Vapor Pressure	ND
Solubility	100%	Evaporation Rate	ND
Volatiles	< 90%	Partition Coefficient	ND
VOC	<15%	Molecular Weight (g/mol)	ND
LVP-VOC	ND	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable when stored below 49°C (120°F)
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong acids
Thermal Decomposition	Burning or thermal decomposition can produce, aldehydes, carbon monoxide, carbon dioxide, silicon oxides, ketones, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes	Causes serious eye irritation, redness, tearing, pain, or possible corneal injury
Skin	Can cause skin irritation, redness, drying or cracking
Inhalation	Mist can cause irritation, to respiratory tract
Ingestion	Harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus, and may affect target organs, Slight acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes	Causes serious eye irritation, redness, tearing, pain, corneal injury, or possible eye damage
Skin	Causes skin irritation, redness, burning, drying or cracking
Inhalation	Mist can cause irritation, to nose, throat, mucus membranes or respiratory tract
Ingestion	Harmful if swallowed, Causes irritation, of the mouth, throat, and esophagus, Can affect target organs, Moderate acute toxicity if swallowed

Acute Tox Calculated	Oral:	4,038 mg/kg	Dermal:	11,009 mg/kg	Inhaled:	27.0 mg/L
----------------------	-------	-------------	---------	--------------	----------	-----------

Acute Tox Category	Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled >5 mg/L) Dust or Mist					
--------------------	---	--	--	--	--	--

Additional Info

Target Organs	Blood, Kidneys, Liver, Respiratory Tract, Skin
Medical Conditions	Preexisting, eye, skin, blood, respiratory, disorders may be aggravated by exposure to this product
Notes to Physician	In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

COMPONENTS ACUTE TOXICITY

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Potassium Hydroxide	LD50	Oral	Rat	607 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	1,260 mg/kg		4 (>1000, ≤2000 mg/kg)
2-butoxyethanol	LD50	Oral	Rat	530 mg/kg		4 (>300, ≤2000 mg/kg)
	LC50	Inhaled	Rat	2.17 mg/L	4 Hours (Mist)	4 (>1.0, ≤5 mg/L)
Nonylphenol Ethoxylate	LD50	Dermal	Guinea Pig	1650 mg/kg		4 (>1000, ≤2000 mg/kg)
	LD50	Oral	Rat	960 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Inhaled	Rat	1.15 mg/L	4 Hours (Mist)	4 (>1.0, ≤5 mg/L)
	LD50	Dermal	Rabbit	2,001 mg/kg		(>2000 mg/kg)

SECTION – 12 ECOLOGICAL INFORMATION

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Potassium Hydroxide	LC50	Mosquito Fish	(Gambusia affinis)	80 mg/L	24 Hours	3 (>10, ≤100 mg/L)
2-butoxyethanol	EC50	Water Flea	(Daphnia magna)	1,815 mg/L	24 Hours	4 (>100 mg/L)
	LC50	Bluegill	(Lepomis macrochirus)	220 mg/L	96 Hours	4 (>100 mg/L)
Nonylphenol Ethoxylate	LC50	Fathead Minnow	(Pimephales promelas)	3.8 mg/L	96 Hours	2 (>1, ≤10 mg/L)
	LC50	Water Flea	(Daphnia magna)	9.3 mg/L	48 Hours	2 (>1, ≤10 mg/L)
Presistence And Degradability	This product is inherently biodegradable according to the OECD definition					
Bioaccumulative Potential	No data available					
Mobility In Soil	This product is water soluble and will move readily in soil and water					
Other Adverse Effects	May be harmful to aquatic organisms due to pH shift					

SECTION – 13 DISPOSAL CONSIDERATIONS**DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER****Dispose of any waste in accordance with all State and Federal Guidelines and Regulations****ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate.

SECTION – 14 TRANSPORT INFORMATION**D.O.T. CLASSIFICATION**

<u>UN Number</u>	<u>Proper Shipping Name</u>	<u>n.o.s. (Chemicals) or "Limits"</u>			
Not Regulated	Non Hazardous – Compounds Cleaning Liquid				
<u>Hazard Class</u>	<u>Packing Group</u>	<u>Label Codes</u>	<u>Reportable Quantity (lbs)</u>	<u>Response Code</u>	<u>Marine Pollutant</u>
None	None	None	None	154	No

SECTION – 15 REGULATORY INFORMATION**TSCA**

<u>CHEMICAL NAME</u>	<u>Sec 8(b) Inventory</u>	<u>Sec 8(d) Health And Safety</u>	<u>Sec 4(a) Chemical Test Rules</u>	<u>Sec 12(b) Export Notification</u>
Potassium Hydroxide	Yes	Yes		
2-butoxyethanol	Yes	Yes		

REPORTABLE QUANTITIES

<u>CHEMICAL NAME</u>	<u>Extremely Hazardous</u>	<u>Reportable Quantity</u>	<u>Emission Reporting</u>	<u>RCRA Code</u>	<u>RMP TQ Sec 112r</u>
<u>CHEMICAL NAME</u>	<u>EPCRA TPQ Sec 302</u>	<u>EPCRA RQ Sec 304</u>	<u>CERCLA RQ Sec 103</u>	<u>TRI Sec 313</u>	
Glycol Ethers				Yes	
Potassium Hydroxide			1000		

SARA

<u>CHEMICAL NAME</u>	<u>Section 311</u>	<u>Section 311 / 312 Hazards</u>	<u>Pressure</u>	<u>Reactive</u>
<u>CHEMICAL NAME</u>	<u>Hazardous Chemical</u>	<u>Acute</u>	<u>Chronic</u>	<u>Flammable</u>
Nonylphenol Ethoxylate	Yes	Yes		
Potassium Hydroxide	Yes	Yes	Yes	
2-butoxyethanol	Yes	Yes	Yes	Yes

RIGHT TO KNOW

<u>CHEMICAL NAME</u>	<u>STATE</u>												
<u>CHEMICAL NAME</u>	<u>CA</u>	<u>CT</u>	<u>FL</u>	<u>IL</u>	<u>LA</u>	<u>NJ</u>	<u>NY</u>	<u>PA</u>	<u>MI</u>	<u>MN</u>	<u>MA</u>	<u>RI</u>	<u>WI</u>
Nonylphenol Ethoxylate						Yes		Yes					
Potassium Hydroxide	Yes		Yes			Yes	Yes	Yes		Yes	Yes		
2-butoxyethanol						Yes		Yes			Yes		

CALIFORNIA

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>WARNING! This product contains chemicals known to the state of California to cause:</u>										
<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>Birth Defects</u>	<u>Reproductive Harm</u>	<u>Carcinogen</u>	<u>Developmental</u>							
None Listed												

CLEAN AIR WATER ACTS

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>Clean Air Acts</u>	<u>Clean Water Acts</u>				
<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>HAP</u>	<u>Ozone Class 1</u>	<u>Ozone Class 2</u>	<u>HS</u>	<u>PP</u>	<u>TP</u>
None Listed							

INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:

<u>CHEMICAL NAME</u>	<u>Australia</u>	<u>Canada</u>	<u>Europe (EINECS)</u>	<u>Japan</u>	<u>Korea</u>	<u>UK</u>
2-butoxyethanol	Yes	Yes	Yes	Yes	Yes	Yes

WHMIS Classification

<u>CHEMICAL NAME</u>	<u>DSL</u>	<u>Class</u>	<u>Description</u>
Potassium Hydroxide	Yes	D-1B	Materials Causing Immediate and Serious Toxic Effects; Toxic Material
2-butoxyethanol	Yes	D-2B	Materials Causing Other Toxic Effects; Toxic Material

SECTION – 16 OTHER INFORMATION**SDS LEGEND DESCRIPTION**

ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Air concentration that is lethal to 50% of a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Abernathy Company has compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 8/20/2015

Supersedes Safety Data Sheet Dated 8/20/2015