

XTREME CLEAN CARGO® SUPER STRENGTH PRESSURE WASHER CONCENTRATE

PRODUCT DESCRIPTION:

XTREME CLEAN CARGO is a super strength concentrate designed for use with high pressure cleaning equipment. XTREME CLEAN CARGO is formulated to remove road film, grease, and other hard to remove soils from all metal, painted, and Fiberglas® surfaces. XTREME CLEAN CARGO is a rose red liquid concentrate with a pH ranging from 11.5 to 12.0.

THE XTREME CLEAN CARGO ADVANTAGE:

Cleans Without Agitation:

The unique formulation of XTREME CLEAN CARGO, with a heavy concentration of wetting agents and builders, provides quick penetration and removal of road film, grease, and grime. XTREME CLEAN CARGO is powerful enough to remove heavy soils without manual agitation such as brushing; yet will not harm painted surfaces, letters or decals, or etched glass.

Efficient and Versatile Vehicle Wash:

XTREME CLEAN CARGO's super detergency breaks through tough traffic film that can accumulate on a vehicle's surface, but rinses away easily leaving the vehicle surface water-spot, film and streak free. XTREME CLEAN CARGO is the ideal heavy-duty pressure washer cleaner to tackle a variety of tough cleaning jobs such as: vehicles of all types, tractors/farm equipment, trailers, recreational watercraft, cargo carriers and railroad cars, aluminum and vinyl siding, concrete/stone/brick, and many more.

Cold Water Economy and Hot Water Option:

XTREME CLEAN CARGO is extremely effective no matter what water temperature is used. XTREME CLEAN CARGO was formulated to clean using cold water, which will assist in controlling rising energy costs while maintaining effective cleaning power. When hot water is needed for cleaning applications, XTREME CLEAN CARGO's high heat stability formulation ensures effective dirt removal at elevated temperatures.

XTREME CLEAN CARGO may be used at the following dilutions:

Recommended dilution ratios for one gallon of water

Soil Load	Dilution Ratio	oz./Gal.
Light Duty	1:128 – 1:256	1 oz. – 0.5oz.
Medium Duty	1:40 – 1:64	3 oz. – 2 oz.
Heavy Duty	1:20 – 1:32	6 oz. – 4 oz.

DIRECTIONS FOR USE:

1. When washing with XTREME CLEAN CARGO, pour XTREME CLEAN CARGO into the detergent compartment of the pressure washer.
2. Set the mixture to the desired dilution ratio.
3. Select the proper spray nozzle depending on the condition of the surface to be cleaned. For example, use a 15° nozzle for extremely dirty surfaces and a wide-angle nozzle for general maintenance cleaning.
4. After selecting the proper nozzle for washing, hold the pressure washer wand 12” to 14” from the surface being cleaned. Apply the XTREME CLEAN CARGO solution to the surface, working from the bottom to the top.
5. Allow the XTREME CLEAN CARGO solution to penetrate the surface dirt and grease for a minimum of 30 seconds. Do not allow XTREME CLEAN CARGO to dry on the surface being cleaned.
6. Once the XTREME CLEAN CARGO solution has loosened the dirt and grease from the surface, switch the pressure washer over to the rinse cycle and rinse the surface from the top down. When a stronger solution of XTREME CLEAN CARGO is used to clean heavily soiled surfaces, a second rinse may be required. When this is the case, first rinse from the bottom up and then from the top down.

SPECIFICATION DATA:

Specific Gravity – 1.06

Density – 8.82 lbs./gal.

Viscosity – Water thin

pH – 11.5 – 12.0

Solvents – None

Flash Point – None

Stability –

- a. Shelf – One year minimum @ 24°C/75°F
- b. Accelerated – 60 days minimum @ 49°C/120°F
- c. Freeze/Thaw – Freezes and thaws with clarity

Miscibility – Completely

Non-flammable

Contains biodegradable surfactants.

Formerly authorized for use by the USDA: A1

PACKAGING:

XTREME CLEAN CARGO is packaged in 330-gallon reusable totes; HDPE (High Density Polyethylene) 55, 30, 15-gallon drums; 5-gallon pails; and gallons, four per case. Label copy is provided in English and Spanish. Secondary labels are also available.

Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of this or any Spartan product. If questions remain, consult your employer or a physician. Material Safety Data Sheets for all Spartan products are available from your authorized Spartan distributor or by visiting www.spartanchemical.com.

GUARANTEE:

Spartan's modern manufacturing and laboratory control insure uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within one year of the date of manufacture.