



Revision Date: 28-Feb-2025

Safety Data Sheet

Spartan Chemical Company, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name: PROFECT HP
Product Code: 1008
Recommended Use: Disinfectant
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone

Numbers:
Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation: Category 2B

Label elements

Signal word: **Warning**

Symbols:
Hazard statements: Causes eye irritation

Precautionary Statements - Prevention: Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Precautionary Statements - Storage: Not applicable.

Precautionary Statements - Disposal: Not applicable

Hazards not otherwise classified (HNOC): Not applicable

Other hazards:

- May be harmful if swallowed
- May cause skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Water	7732-18-5	80-100
Benzyl Alcohol	100-51-6	1-5
Phosphoric Acid	7664-38-2	0.1-1
Decylamine Oxide	2605-79-0	0.1-1
Capryleth-9 Carboxylic Acid	53563-70-5	0.1-1
Hydrogen Peroxide	7722-84-1	0.1-1
Caprylyl/Capryl Glucoside	68515-73-1	0.1-1
Etidronic Acid	2809-21-4	0.1-1
Salicylic Acid	69-72-7	<0.1
Sodium Hydroxide	1310-73-2	<0.1
Benzophenone-4	4065-45-6	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Eye contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Skin contact:	Wash with soap and water. If skin irritation occurs: Get medical attention.
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or physician if you feel unwell.
Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
Note to physicians:	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire.
Specific Hazards Arising from the Chemical:	Dried product is capable of burning. Combustion products are toxic.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for cleaning up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on safe handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep from freezing.
Incompatible materials	Sodium hypochlorite (or other hypochlorites). Strong bases.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Phosphoric Acid 7664-38-2	TWA: 1 mg/m ³ STEL: 3 mg/m ³	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ (vacated) STEL: 3 mg/m ³	IDLH: 1000 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³
Hydrogen Peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m ³	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Engineering Controls: Provide good general ventilation.
If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear splash goggles.
Skin and body protection: Not required with expected use.
Respiratory protection: Not required with expected use.
 If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

General hygiene considerations: Wash hands and any exposed skin thoroughly after handling.
See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Liquid
Color: Colorless
Odor: Mild
Odor Threshold: No information available

Property	Values	Remarks • Method
pH:	1.8-2.2	
Melting Point / Freezing Point:	No data available	
Boiling Point / Boiling Range:	> 35 °C / 95 °F	
Flash Point:	> 94 °C / 201 °F	ASTM D56
Evaporation Rate:	< 1.0	(BuAc = 1)
Flammability (solid, gas):	No data available	No information available
Flammability Limits in Air:		No information available
Upper Flammability Limit:	No data available	
Lower Flammability Limit:	No data available	
Vapor Pressure:	No data available	No information available
Vapor Density:	No data available	No information available
Relative Density:	1.014	
Solubility(ies):	Miscible in water	
Partition Coefficient:	No data available	No information available
Autoignition Temperature:	Not applicable	
Decomposition Temperature:	Not applicable	
Kinematic Viscosity:	No information available	No information available
Particle characteristics:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.
Chemical stability: Stable under normal conditions.
Possibility of hazardous reactions: Not expected to occur with normal handling and storage.
Conditions to Avoid: Extremes of temperature and direct sunlight
Incompatible materials: Strong oxidizing agents. Strong acids.

Hazardous decomposition products: May include carbon monoxide, carbon dioxide (CO₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:
Eye contact: Pain, redness and swelling of the conjunctiva.
Skin contact: Drying of the skin.
Inhalation: Nasal discomfort and coughing.
Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Acute toxicity

Numerical measures of toxicity:

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 37,272.70 mg/kg
 ATEmix (dermal) 60,606.10 mg/kg
 ATEmix (inhalation-dust/mist) 126.60 mg/l

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Benzyl Alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	> 4178 mg/m ³ (Rat) 4 h
Phosphoric Acid 7664-38-2	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	= 3846 mg/m ³ (Rat) 1 h
Decylamine Oxide 2605-79-0	-	> 2000 mg/kg (Rat)	-
Hydrogen Peroxide 7722-84-1	= 1518 mg/kg (Rat)	= 9200 mg/kg (Rabbit)	= 2000 mg/m ³ (Rat) 4 h
Caprylyl/Capryl Glucoside 68515-73-1	-	> 2000 mg/kg (Rabbit)	-
Etidronic Acid 2809-21-4	= 3130 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-
Salicylic Acid 69-72-7	= 891 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 0.9 mg/L (Rat) 1 h
Sodium Hydroxide 1310-73-2	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Benzophenone-4 4065-45-6	= 3530 mg/kg (Rat)	-	-

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl Alcohol 100-51-6	-	LC50: =460mg/L (96h, Pimephales promelas) LC50: =10mg/L (96h, Lepomis macrochirus)	-	EC50: =23mg/L (48h, water flea)
Hydrogen Peroxide 7722-84-1	-	LC50: =16.4mg/L (96h, Pimephales promelas) LC50: 18 - 56mg/L (96h, Lepomis macrochirus) LC50: 10.0 - 32.0mg/L	-	EC50: 18 - 32mg/L (48h, Daphnia magna)

		(96h, Oncorhynchus mykiss)		
Caprylyl/Capryl Glucoside 68515-73-1	-	LC50: =170mg/L (96h, Danio rerio)	-	-
Etidronic Acid 2809-21-4	-	LC50: =868mg/L (96h, Lepomis macrochirus) LC50: =360mg/L (96h, Oncorhynchus mykiss)	-	EC50: =527mg/L (48h, Daphnia magna)
Salicylic Acid 69-72-7	-	-	-	EC50: =870mg/L (48h, Daphnia magna)
Sodium Hydroxide 1310-73-2	-	LC50: =45.4mg/L (96h, Oncorhynchus mykiss)	-	-

Persistence and Degradability: No information available.
Bioaccumulation: No information available.
Mobility in Soil: No information available
Other adverse effects: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products: Dispose of in accordance with federal, state and local regulations.
Contaminated packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated
Proper Shipping Name: Non-Hazardous Product
Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.
IMDG: Not Regulated
Proper Shipping Name: Non-Hazardous Product

15. REGULATORY INFORMATION

TSCA (Toxic Substance Control Act Section 8(b) Inventory)
 All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313
 This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute health hazard:	Yes
Chronic Health Hazard:	No
Fire hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65
 This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 5741-33
EPA Statement:
 This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the

pesticide label:

EPA Pesticide Label:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear appropriate protective eyewear, if applicable. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards: 1	Flammability: 0	Instability: 0	Special hazards: -
<u>HMIS</u>	Health hazards: 1	Flammability: 0	Physical hazards: 0	

Revision Date: 28-Feb-2025
Revision Note: Section, 2, 3, 7, 9, 11, 12

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet