# Safety Data Sheet

Issue Date 03-Oct-2011	Revision Date: 24-Feb-2014	Version 1.0	
1. IDENTIFICATION			
Product Identifier Product Name	Victoria Bay Foaming Oven and Grill Cleaner		
Other Means of Identification Product Code	K00095 / K00096 / K00086		
Recommended use of the Chemi	cal and Restrictions on Use		
Recommended Use	Degreaser carbon remover. For industrial use.		
Details of the Supplier of the Safe Dade Paper Company 9601 NW 112 <sup>th</sup> Avenue Miami, Florida 33178	ety Data Sheet		
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	Phone: 1-800-226-3233 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)		
	2. HAZARDS IDENTIFICATION		
Appearance Brown	Physical State Liquid	Odor Citru	

## **Classification**

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

## Signal Word

Danger

#### Hazard Statements

Causes severe skin burns and eye damage.

## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

## Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

## Precautionary Statements - Storage

Store locked up.

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**



Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Potassium Hydroxide	1310-58-3	7-13
Ethylene Glycol n-Butyl Ether	111-76-2	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret\*\*

## 4. FIRST-AID MEASURES

## **First Aid Measures**

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a physician immediately.

## Most Important Symptoms and Effects

Symptoms Causes severe skin burns and eye damage. Prolonged or repeated exposure can remove natural skin oils and may produce irritation. Chronic exposure may cause liver, kidney and/or blood disorders.

#### Indication of any Immediate Medical Attention and Special Treatment Needed

**Notes to Physician** Treat symptomatically. May aggravate pre-existing skin disorders and pulmonary diseases.

## **5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Water. Foam.

## Unsuitable Extinguishing Media

Not determined.

## Specific Hazards Arising from the Chemical

None known.

## Hazardous Combustion Products

Normal products of combustion.

## Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal Precautions. Protective Equipment and Emergency Procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional information. See Section 12 for additional Ecological Information.

## Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
Methods for Clean-Up	Contain and collect with an inert absorbent and place into an appropriate container for disposal. Dilute remaining residue with water and neutralize with dilute acetic acid (vinegar).

## 7. HANDLING AND STORAGE

#### Precautions for Safe Handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. For industrial and commercial use only. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly
	after handling. Take off all contaminated clothing and wash before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.

## Conditions for Safe Storage, including any Incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect from freezing. Keep out of the reach of children. Store locked up.

**Incompatible Materials** 

Acids. Oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Ethylene Glycol n-Butyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>

## **Appropriate Engineering Controls**

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Ensure
	adequate ventilation, especially in confined areas. Good general room ventilation
	(equivalent to outdoors) should be adequate under normal conditions. Eyewash
	stations. Showers.

#### Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Use chemical splash goggles or glasses as necessary to prevent contact.	
Skin and Body Protection	Protective chemical impervious gloves of butyl rubber, nitrile rubber or PVC, chemical resistant suit and boots.	
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.	
General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse.		

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on Basic Physical and Chemical Properties

Physical	State
Appeara	nce
Color	

Liquid Clear to Hazy Brown

Odor Odor Threshold Citrus Not determined

Values $13.5-14.0$ ~ 0 °C / ~32 °F~ 100 °C / ~212 °FNot applicableNot determinedLiquid-not applicableNot applicableNot applicableNot determinedNot determined

Remarks · Method

@ 25 °C (77 °F)

## **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

## Hazardous Polymerization

Hazardous polymerization does not occur.

## **Conditions to Avoid**

Keep out of reach of children. Keep from freezing.

## **Incompatible Materials**

Acids. Oxidizing agents.

## Hazardous Decomposition Products

Normal products of combustion.

## **11. TOXICOLOGICAL INFORMATION**

## Information on Likely Routes of Exposure

Product Information	
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not taste or swallow.

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	-

#### Victoria Bay Foaming Oven and Grill Cleaner

#### Information on Physical. Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol n-Butyl Ether 111-76-2	AЗ	Group 3		

 ACGIH (American Conference of Governmental Industrial Hygienists)

 A3 - Animal Carcinogen

 IARC (International Agency for Research on Cancer)

 Group 3 IARC components are "not classifiable as human carcinogens"

 Chronic Toxicity
 Chronic exposure may cause liver, kidney and/or blood disorders.

#### Numerical Measures of Toxicity

Not determined

## **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## Component Information

Chemical Name	Algae/aquatic plants	FISN	Toxicity to microorganisms	Crustacea
Potassium Hydroxide 1310-58-3	-	80: 96 h Gambusia affinis mg/L LC50 static	-	-
Ethylene Glycol n-Butyl Ether 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	-	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

## Persistence/Degradability

Not determined

## **Bioaccumulation**

Not determined

## <u>Mobility</u>

Chemical Name	Partition Coefficient
Potassium Hydroxide 1310-58-3	0.83
Ethylene Glycol n-Butyl Ether 111-76-2	0.81

#### Other Adverse Effects

Not determined

## **13. DISPOSAL CONSIDERATIONS**

## Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and

regulations.

## California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium Hydroxide	Toxic
1310-58-3	Corrosive

## **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.
<u>DOT</u>	Gallon Containers or Larger: UN 3266, Corrosive Liquid, Basic, Inorganic, NOS(Containing Potassium Hydroxide), 8, PG II
	Quart Bottles or Smaller: Consumer Commodity ORM-D or Limited Quantity

IMDG

## **15. REGULATORY INFORMATION**

## International Inventories

Not determined

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## US Federal Regulations

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide	1000 lb		RQ 1000 lb final RQ
1310-58-3	al 0001		RQ 454 kg final RQ

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	Yes

## <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol n-Butyl Ether	111-76-2	1-5	1.0

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb			Х

## US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	State List
Potassium Hydroxide 1310-58-3	MA, NJ, PA
Ethylene Glycol n-Butyl Ether 111-76-2	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines CT – Connecticut Hazardous Air Pollutants CA – California Director's List of Hazardous Substances

CAP65 – California Prop 65

FL – Florida Substances List

ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL - Illinois Toxic Air Contaminate- Carcinogenic

- MA Massachusetts Right to Know List
- MN Minnesota Hazardous Substances List
- NJ New Jersey Right to Know List
- PA Pennsylvania Right to Know List
- RI Rhode Island Hazardous Substances List

## **16. OTHER INFORMATION**

<u>NFPA</u> <u>HMIS</u>	Health Hazards Not determined Health Hazards 3	Flammability Not determined Flammability 0	<b>Instability</b> Not determined <b>Physical Hazards</b> 0	Special Hazards Not determined Personal Protection Not determined

Issue Date03-Oct-2011Revision Date:24-Feb-2014Revision NoteNew format Version 1.0

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

\*Denotes changes from last version.

End of Safety Data Sheet