Safety Data Sheet

Issue Date 24-Mar-2017 Revision Date: 30-Aug-2019 Version 1.0

1. IDENTIFICATION

Product Identifier

Product Name Klor-Foam NP

Other Means of Identification

Product Code D02036/ D02037

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Chlorinated alkaline cleaner. For industrial use.

Details of the Supplier of the Safety Data Sheet

Victoria Bay Products 255 Route 1 & 9 Jersey City, NJ 07306

Emergency Telephone Number

Company Phone Number Phone: 1-800-226-3233

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Yellow Physical State Liquid Odor Characteristic

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage.

May be corrosive to metals.

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep only in original container.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

IN CASE OF SPILL: Absorb spillage to prevent material damage.

SPECIFIC TREATMENT: Remove from exposure and treat symptoms.

Precautionary Statements - Storage

Store locked up.

Store in corrosive container with a resistant inner liner.



Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other Hazards

Very toxic to aquatic life with long lasting effects.

Very toxic to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Sodium Hydroxide	1310-73-2	7-13
Sodium Hypochlorite	7681-52-9	1-5
Lauramine Oxide	1643-20-5	1-5
Sodium Xylene Sulfonate	1300-72-7	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Immediately call a POISON CENTER or doctor/physician.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician. Contact lenses should be discarded.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a physician or poison control center immediately.

Ingestion IF SWALLOWED: call a poison control center or physician immediately. Never give

anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. Do not

induce vomiting.

Most Important Symptoms and Effects

Symptoms Causes severe skin burns and eye damage.

Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician May aggravate pre-existing skin disorders. Any lung condition may be aggravated.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Hazardous Combustion Products

Normal products of combustion.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional

information.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. For large spills, dike far ahead of liquid

spill for later disposal.

Methods for Clean-Up Contain and collect with an inert absorbent and place into an appropriate container for

disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin and eyes. Use personal protection recommended in Section 8. Wash face, hands, and

any exposed skin thoroughly after handling. Do not breathe

dust/fume/gas/mist/vapors/spray. For Industrial or professional use only.

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Keep from freezing. Protect from excessive heat. Keep out of the reach of children.

Incompatible Materials Acids. Oxidizing agents. Iron. Rust. Copper. Cobalt. Nickel. Nitrogen compounds. Urea.

Organic materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2	Celling. 2 mg/m	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate Engineering Controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Wear goggles or chemical safety glasses. For Industrial or professional use only.

Skin and Body ProtectionWear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of

exposure.

Respiratory Protection No respiratory protection is necessary during normal use conditions. In the case of

insufficient ventilation or if exposure limits are exceeded, use a suitable NIOSH/MSHA

respiratory device.

General Hygiene Considerations Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid **Appearance** Clear

Odor Characteristic Color Yellow **Odor Threshold** Not determined

Property Values Remarks • Method

>12.0 pН . Melting Point/Freezing Point ~ 0 °C / 32 °F **Boiling Point/Boiling Range** ~ 100 °C / 212 °F

Flash Point Tag Closed Cup None

Evaporation Rate Not determined Flammability (Solid, Gas) Liquid-not applicable **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined Vapor Density Not determined

Specific Gravity 1.16

Water Solubility Completely soluble @ 25 °C (77 °F)

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** None known **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Elevated temperatures. Keep from freezing. Reacts with incompatible materials.

Incompatible Materials

Acids. Oxidizing agents. Iron. Rust. Copper. Cobalt. Nickel. Nitrogen compounds. Urea. Organic materials.

Hazardous Decomposition Products

Oxygen when exposed to copper, nickel, cobalt, iron or iron compounds. Chlorine gas when exposed to acid.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydroxide 1310-73-2	= 300 - 500 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Sodium Hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-
Lauramine Oxide 1643-20-5	> 600 mg/kg (Rat) (14days)	> 2000 mg/kg (Rabbit) (14days)	-
Sodium Xylene Sulfonate 1300-72-7	= 7200 mg/kg (Rat)	-	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium Hypochlorite 7681-52-9		Group 3		

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Chronic Toxicity Chronic exposure may cause liver, kidney and/or blood disorders.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-
Sodium Hypochlorite 7681-52-9	0.095: 24 h Skeletonema costatum mg/L EC50	0.06 - 0.11: 96 h Pimephales promelas mg/L LC50 flow-through 4.5 - 7.6: 96 h Pimephales promelas mg/L LC50 static 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 0.28 - 1: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.05 - 0.771: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static	-	2.1: 96 h Daphnia magna mg/L EC50 0.033 - 0.044: 48 h Daphnia magna mg/L EC50 Statio
Lauramine Oxide 1643-20-5	0.19 mg/L (72hr)	2.67 mg/L (96hr)	-	3.1 mg/L (48hr)

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not Determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium Hydroxide	Toxic
1310-73-2	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT
UN3266, Corrosive Liquid, Basic, Inorganic, NOS(Containing Sodium Hydroxide), 8 PG II

IATA

IMDG

15. REGULATORY INFORMATION

International Inventories

Canada – Domestic Substances List (DSL)
TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt. All ingredients are listed or exempt.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2	1000 lb		RQ 454 kg final RQ
Sodium Hypochlorite	100 lb		RQ 100 lb final RQ
7681-52-9	100 lb		RQ 45.4 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Reactive Hazard Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb			X
Sodium Hypochlorite 7681-52-9	100 lb			X

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Hydroxide 1310-73-2		NJ, MA, PA, RI	
Sodium Hypochlorite 7681-52-9		NJ, MA, PA	

AZ – Arizona Ambient Air Quality Guidelines

CT - Connecticut Hazardous Air Pollutants

CA - California Director's List of Hazardous Substances

CAP65 – California Prop 65 FL – Florida Substances List

ID - Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate- Carcinogenic

MA - Massachusetts Right to Know List

MN - Minnesota Hazardous Substances List

NJ – New Jersey Right to Know List

PA – Pennsylvania Right to Know List

RI - Rhode Island Hazardous Substances List

16. OTHER INFORMATION

NFPAHealth Hazards
Not determinedFlammability
Not determinedInstability
Not determinedSpecial Hazards
Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection
Not determined301Not determined

 Issue Date
 24-Mar-2017

 Revision Date:
 30-Aug-2019

 Revision Note
 Version 1.0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet