

i-mop[®] XL Plus & i-mop[®] XXL Plus Scrubber

Maneuverability of a Mop with the Cleaning Performance of Scrubber

Clean in tight spaces and underneath obstacles. Work with the freedom of movement and great ease of use. With the highly maneuverable design and intuitive controls, the i-mop XL Plus / i-mop XXL Plus isn't just designed for cleaning, it is designed for the cleaner.

Included Technologies



Lithium-Ion Battery Technology



Floating Ball System

A floating ball has been inserted in the filtration element which pops-up, or engages, when the recovery tank is full. This will close the tank and prevent water from overflowing to help protect the vacuum motor.



Store & Transport With Ease

Battery safe guard ensures the i-mop stays off when in storage mode preventing the battery from draining. Wheels make transporting easy between different areas, levels and buildings.



Protect Against Water Damage

Electronic switch shuts down the engine automatically when held below a 32-degree angle helping to protect the motor from water damage.

Inside the i-mop XL Plus & i-mop XXL Plus

1. Simple intuitive controls

make it easy to operate and train.

2. Detachable tanks make it easy to replace or change cleaning solution on the fly or empty recovery water in any sink offering very little down time.

3. Rechargeable modular battery packs for continuous run-time by swapping out and recharging with an extra set of batteries.

4. Heavy-duty hinge for 360° steering, highly maneuverable in small spaces around obstacles and under furniture.

5. Low profile & folding design

fits under furniture and counters and gets into tight spaces. Deck folds for narrow storage.

6. Counter rotating twin brushes

push solution toward the center rather than splashing off to the side of the machine.

7. Powerful 350 RPM motors

offer up to twice the speed of many conventional disk scrubbers.



i-mop XL Plus & i-mop XXL Plus Specifications

FEATURE	SPECIFICATION	
	i-mop XL Plus	i-mop XXL Plus
Cleaning path	18.1 inch / 460 mm	24.4 inch / 620 mm
Productivity (per hour) Theoretical Max	19,375 ft ² / 1,800 m ²	24,750 ft ² / 2,300 m ²
Brush RPM	350	350
Brush/pad pressure	48.4 lbs / 22.5 kg	70.4 lbs / 32 kg
Solution tank capacity	1 gal / 4 L	1.25 gal / 5 L
Recovery tank capacity	1.5 gal / 6 L	2 gal / 8 L
Battery run time (80% charge with one hour charge time)	up to 60 min	up to 60 min
Battery charge time (100% charge) [up to hours*]	5	6
Battery voltage	24.2V (8.8 Ah)	25.2V (14Ah)
Length x width x height	13.8 x 18.9 x 47.2 inch / 350.5 x 480 x 1,199 mm	14.2 x 26.8 x 50 inch / 361 x 680 x 1,270 mm
Weight (with batteries and water)	57 lbs / 25.9 kg	78 lbs / 35.3 kg
Volume box	8.1 cu ft / .23 m ³	9.2 cu ft / .26 m ³

*Specifications subject to change without notice and will vary throughout the operation of the machine; averages are shown.
* Run times are based on Continuous Scrubbing Run Times.*

For a demonstration or additional information,
call **+1.800.553.8033** or email **info@tennantco.com**