

**COMMITMENTS CONCERNING THE USE OR DEVELOPMENT OF REAL ESTATE MADE IN
CONNECTION WITH A ZONE MAP CHANGE (R-3)**

In accordance with I.C. 36-7-4-613 or I.C. 36-7-4-615, Mark C. Allen and Kelly L. Allen, Robert W. Craig and Leanne Craig, Trustees of the Robert W. and Leanne Craig Revocable Trust, DKDS Investments, LLC, and Damon N. Jones Revocable Trust (collectively, "Owner"), owners of the real estate located in the Town of Plainfield, Hendricks County, Indiana (the "Town"), which is described below, makes the following COMMITMENTS ("Commitments") concerning the use and development of the following described parcel of real estate:

LEGAL DESCRIPTION:

Part of the Southwest Quarter of Section 33, Township 15 North, Range 1 East and the Northwest and Southwest Quarters of Section 4, Township 14 North, Range 1 East of the Second Principal Meridian, in Hendricks County, Indiana described as follows:

BEGINNING at the southeast corner of the west half of the southwest quarter of said Section 4; thence South 88 degrees 39 minutes 39 seconds West along the south line of said west half 333.63 feet; thence North 00 degrees 57 minutes 44 seconds West 95.79 feet to the beginning of a tangent curve to the left having a radius of 180.00 feet, subtended by a long chord having a bearing of North 11 degrees 49 minutes 16 seconds West and a length of 67.82 feet, with a central angle of 21 degrees 43 minutes 05 seconds; thence northwesterly along the arc of said curve 68.23 feet; thence North 22 degrees 40 minutes 49 seconds West 348.69 feet; thence North 67 degrees 19 minutes 11 seconds East 53.56 feet to the beginning of a tangent curve to the left having a radius of 250.00 feet, subtended by a long chord having a bearing of North 48 degrees 52 minutes 10 seconds East and a length of 158.24 feet, with a central angle of 36 degrees 54 minutes 02 seconds; thence northeasterly along the arc of said curve 161.01 feet; thence North 30 degrees 25 minutes 09 seconds East 169.16 feet to the beginning of a tangent curve to the left having a radius of 250.00 feet, subtended by a long chord having a bearing of North 14 degrees 40 minutes 12 seconds East and a length of 135.71 feet, with a central angle of 31 degrees 29 minutes 53 seconds; thence northeasterly along the arc of said curve 137.44 feet; thence North 01 degree 04 minutes 44 seconds West 1,180.28 feet to the beginning of a tangent curve to the right having a radius of 125.00 feet, subtended by a long chord having a bearing of North 15 degrees 20 minutes 46 seconds East and a length of 70.69 feet, with a central angle of 32 degrees 51 minutes 00 seconds; thence northeasterly along the arc of said curve 71.67 feet; thence North 31 degrees 46 minutes 16 seconds East 234.35 feet to the beginning of a tangent curve to the left having a radius of 100.00 feet, subtended by a long chord having a bearing of North 15 degrees 20 minutes 46 seconds East and a length of 56.55 feet, with a central angle of 32 degrees 51 minutes 00 seconds; thence northerly along the arc of said curve 57.33 feet; thence North 01 degree 04 minutes 44 seconds West 257.89 feet; thence South 88 degrees 55 minutes 16 seconds West 263.24 feet; thence North 01 degree 04 minutes 57 seconds West 1871.47 feet to the beginning of a tangent curve to the left having a radius of 300.00 feet, subtended by a long chord having a bearing of North 18 degrees 34 minutes 32 seconds West and a length of 180.35 feet, with a central angle of 34 degrees 59 minutes 09 seconds; thence northwesterly along the arc of said curve 183.19 feet; thence North 36 degrees 04 minutes 07 seconds West 19.87 feet; thence North 53 degrees 55 minutes 53 seconds East 104.07 feet to the beginning of a tangent curve to the left having a radius of 210.00 feet, subtended by a long chord having a bearing of North 01 degree 55 minutes 48 seconds East and a

length of 330.97 feet, with a central angle of 104 degrees 00 minutes 11 seconds; thence northwesterly along the arc of said curve 381.19 feet; thence North 50 degrees 04 minutes 18 seconds West 214.73 feet to the beginning of a tangent curve to the left having a radius of 315.00 feet, subtended by a long chord having a bearing of North 65 degrees 29 minutes 54 seconds West and a length of 167.58 feet, with a central angle of 30 degrees 51 minutes 13 seconds; thence northwesterly along the arc of said curve 169.63 feet; thence North 09 degrees 04 minutes 29 seconds East 109.09 feet to the beginning of a tangent curve to the left having a radius of 200.00 feet, subtended by a long chord having a bearing of North 03 degrees 57 minutes 13 seconds East and a length of 35.70 feet, with a central angle of 10 degrees 14 minutes 31 seconds; thence northerly along the arc of said curve 35.75 feet; thence North 01 degree 10 minutes 02 seconds West 380.45 feet to the beginning of a tangent curve to the right having a radius of 200.00 feet, subtended by a long chord having a bearing of North 14 degrees 01 minute 44 seconds East and a length of 104.85 feet, with a central angle of 30 degrees 23 minutes 32 seconds; thence northeasterly along the arc of said curve 106.09 feet; thence North 29 degrees 13 minutes 30 seconds East 138.52 feet to the beginning of a tangent curve to the left having a radius of 200.00 feet, subtended by a long chord having a bearing of North 14 degrees 01 minute 44 seconds East and a length of 104.85 feet, with a central angle of 30 degrees 23 minutes 32 seconds; thence northerly along the arc of said curve 106.09 feet; thence North 01 degree 10 minutes 02 seconds West 100.00 feet to the beginning of a tangent curve to the left having a radius of 200.00 feet, subtended by a long chord having a bearing of North 12 degrees 40 minutes 46 seconds West and a length of 79.83 feet, with a central angle of 23 degrees 01 minute 28 seconds; thence northwesterly along the arc of said curve 80.37 feet; thence North 24 degrees 11 minutes 31 seconds West 202.50 feet to Line "AL" per Indiana State Highway Commission Plans for F.A. Project No. 15 Sec. B (3) (1940); thence North 65 degrees 48 minutes 29 seconds East along said Line "AL" 271.42 feet the centerline of a creek (the following fifty three (53) calls follow along said centerline); 1) thence South 00 degrees 58 minutes 49 seconds East 228.11 feet; 2) thence South 25 degrees 01 minute 06 seconds East 142.98 feet; 3) thence South 19 degrees 50 minutes 15 seconds East 195.51 feet; 4) thence South 38 degrees 03 minutes 23 seconds East 83.08 feet; 5) thence South 12 degrees 39 minutes 27 seconds West 87.17 feet; 6) thence South 54 degrees 26 minutes 15 seconds East 61.54 feet; 7) thence South 20 degrees 54 minutes 04 seconds East 62.30 feet; 8) thence South 41 degrees 15 minutes 18 seconds West 71.67 feet; 9) thence South 71 degrees 45 minutes 26 seconds East 29.48 feet; 10) thence South 14 degrees 40 minutes 59 seconds East 53.04 feet; 11) thence South 46 degrees 14 minutes 18 seconds West 89.44 feet; 12) thence South 27 degrees 43 minutes 32 seconds East 59.39 feet; 13) thence South 19 degrees 45 minutes 20 seconds East 123.27 feet; 14) thence South 43 degrees 01 minute 46 seconds East 40.18 feet; 15) thence South 82 degrees 12 minutes 53 seconds East 75.77 feet; 16) thence South 14 degrees 33 minutes 19 seconds West 59.75 feet; 17) thence South 66 degrees 20 minutes 50 seconds West 27.07 feet; 18) thence South 06 degrees 11 minutes 48 seconds West 70.42 feet; 19) thence South 73 degrees 22 minutes 11 seconds West 33.98 feet; 20) thence North 40 degrees 18 minutes 07 seconds West 58.02 feet; 21) thence South 40 degrees 57 minutes 52 seconds West 58.62 feet; 22) thence South 18 degrees 23 minutes 02 seconds East 40.84 feet; 23) thence South 84 degrees 19 minutes 00 seconds East 23.86 feet; 24) thence South 29 degrees 30 minutes 57 seconds East 37.75 feet; 25) thence South 37 degrees 58 minutes 29 seconds East 149.02 feet; 26) thence North 69 degrees 46 minutes 10 seconds East 54.09 feet; 27) thence South 23 degrees 09 minutes 13 seconds East 106.42 feet; 28) thence North 67 degrees 59 minutes 41 seconds East 31.36 feet; 29) thence South 04 degrees 57 minutes 50 seconds West 64.19 feet; 30) thence North 82 degrees 31 minutes 20 seconds West 96.14 feet; 31) thence South 19 degrees 55 minutes 36 seconds East 66.50 feet; 32) thence South 27 degrees 59 minutes 15 seconds West 45.22 feet; 33) thence South 30 degrees 43 minutes 44 seconds East 40.86 feet; 34) thence North 70 degrees 42 minutes 15 seconds East 66.12 feet; 35) thence South

26 degrees 58 minutes 14 seconds West 35.06 feet; 36) thence South 02 degrees 02 minutes 50 seconds East 44.64 feet; 37) thence South 52 degrees 50 minutes 03 seconds West 48.59 feet; 38) thence South 43 degrees 33 minutes 47 seconds East 62.85 feet; 39) thence South 21 degrees 06 minutes 36 seconds West 70.14 feet; 40) thence South 40 degrees 11 minutes 25 seconds West 55.27 feet; 41) thence South 84 degrees 46 minutes 47 seconds East 147.57 feet; 42) thence South 17 degrees 54 minutes 44 seconds East 65.58 feet; 43) thence South 40 degrees 54 minutes 00 seconds West 65.96 feet; 44) thence South 47 degrees 00 minutes 28 seconds East 83.86 feet; 45) thence South 82 degrees 52 minutes 38 seconds East 71.58 feet; 46) thence South 25 degrees 47 minutes 15 seconds East 62.37 feet; 47) thence South 23 degrees 20 minutes 02 seconds West 105.72 feet; 48) thence South 55 degrees 27 minutes 59 seconds West 79.97 feet; 49) thence South 26 degrees 12 minutes 41 seconds West 58.70 feet; 50) thence South 18 degrees 21 minutes 44 seconds East 57.62 feet; 51) thence South 77 degrees 42 minutes 05 seconds East 120.47 feet; 52) thence South 32 degrees 39 minutes 08 seconds East 56.58 feet; 53) thence South 10 degrees 12 minutes 31 seconds West 39.68 feet to the north line of the north half of the northwest quarter of said Section 4; thence South 88 degrees 55 minutes 09 seconds West along said north line 3.79 feet to the northeast corner of the land of DKDS Investments, LLC recorded as Instrument Number 201923551 in the Office of the Recorder of Hendricks County (the following four (4) calls follow along the east line of said land of DKDS Investments, LLC); 1) thence South 06 degrees 29 minutes 22 seconds East 1,335.06 feet; 2) thence South 88 degrees 44 minutes 40 seconds West 175.36 feet; 3) thence South 00 degrees 11 minutes 46 seconds East 1,308.96 feet; 4) thence South 05 degrees 25 minutes 33 seconds West 1,362.35 feet to the south line of the southwest quarter of said Section 4; thence South 88 degrees 39 minutes 39 seconds West along said south line 139.91 feet to the POINT OF BEGINNING, containing 74.106 acres, more or less.

(the "Property").

STATEMENT OF COMMITMENTS:

1. At such time a secondary plat for the Property, or any part thereof, is recorded, the Subdivider (as defined in the Town of Plainfield Zoning Ordinance ("PZO")) shall dedicate to the Town the right-of-way shown depicted in gray on Exhibit D and which is included in the applicable section or phase comprising the secondary plat for use by the Town of Plainfield if it, in its sole discretion, decides to construct a road and use the dedicated right-of-way for such road. Said right-of-way will be cleared and graded by the developer but need not be further improved by the developer. The developer will post signage at the locations indicated by the red dots on Exhibit D that the right-of-way is intended for future road connections.

2. Homes to be constructed in the subdivision on the Property shall comply with the following standards. Except as modified in these Commitments, Section 2 of the Town of Plainfield's Residential Design Guidelines ("Design Guidelines") shall apply.

a. Exterior Materials

- i. Vinyl siding shall not be permitted. The exterior siding materials shall include products constructed of fiber cement or masonry. The limitations of this Section 2.a.i shall not apply to other exterior materials such as those used in trims or

soffits which specifically may include wood, engineered wood, composite, or PVC. Aluminum may also be used for soffits only.

- ii. All lots shall incorporate a minimum 30” brick or masonry wainscot on the front elevation of the home. Lots where the side or rear elevation of the home abuts a trail or a public street or road shall incorporate a minimum 30” brick or masonry wainscot on all four sides of the home.
- b. Window Trim. Window trim shall be a nominal 1” x 4” on all windows not surrounded by masonry material.
- c. Roofs
 - i. All homes shall have 3-tab fiberglass shingles, except for secondary, accent, and/or other non-primary roof planes which may be standing seam metal.
 - ii. Notwithstanding Section 2.B.2 of the Design Guidelines, the primary/main roof overhang or eaves shall be a minimum of twelve (12) inches on all facades of each Building, as measured prior to the installation of any exterior siding or masonry materials.
- d. Garages.
 - i. All Dwellings shall have a minimum two (2) car attached garage which may include additional storage space.
 - ii. Notwithstanding Section 2.B.1.c. of the Design Guidelines, total garage area (including third garage bays) shall be no less than four hundred eighty-four (484) square feet inside (**inclusive** of garage bump-outs and extensions but exclusive of areas set aside for HVAC, water heaters, and the like).
 - iii. All two-car garage bays shall be side-loaded. Section 2.B.1.a(3) of the Design Guidelines shall be modified as follows: “Side or Rear Loaded Garages – Utilization of a side loaded or rear loaded garage to minimize the impact of the garage doors on the streetscape; provided, however, that if a third garage bay is added, the third garage bay shall be permitted to be front-loading.”
- e. Design Criteria.
 - i. Front Elevations. Section 2.C. of the Design Guidelines shall apply except that Table 2A: Residential Design Features Front Facades shall be modified to provide that the following shall be added as additional Group 2 items: (1) a minimum 30”

brick or masonry wainscot and (2) two items from Group 3 may count as one item from Group 2.

- ii. Section 2.D.1.c shall be modified as follows: “Twenty-eight (28) feet in dimension with a minimum 4-foot mound” shall be substituted for “fifty (50) feet in dimension” in the first sentence.
- iii. Anti-Monotony. Section 2.D.2 of the Design Guidelines shall not apply. Instead, all homes shall conform to the anti-monotony code attached hereto as Exhibit B.
- iv. Side and Rear Elevations. Section 2.D.3 shall apply except that Table 2B shall be modified to provide that a minimum 30” brick or masonry wainscot shall be added as an additional Group 2 item.
- v. Homes may vary from the standards of this Section 3.d while in use as a Model Home. Model Home, as used herein, shall be defined as a residence constructed for the initial purpose of showing the home to potential buyers and may include a sales office. Prior to issuance of a Certificate of Occupancy on any Model Home, the subject Model Home shall be converted to conform to the Design Criteria standards in this Section 2.e.
- f. Lot Landscaping. All homes shall have fully sodded front yards installed by the builder, and the rear and side yards shall be seeded with a straw matting by the builder. On corner lots, the side of the home adjacent to the public street shall also be sodded.
- g. Street Trees. To the extent that they do not interfere with utility or drainage installations, street trees shall be planted along all streets, parallel to the street, and said Street Trees shall be a minimum two (2) inch caliper at the time of planting and shall be located as determined by good engineering practices. Typical spacing of street trees shall be fifty (50) feet apart, with at least 1 per Lot. Street trees shall not be required where they may conflict with utility or drainage installations and facilities.
- h. Lot Lighting. Each home within the subdivision shall have dusk-to-dawn garage coach lighting.
- i. Walk connection from sidewalk to front door/porch. There shall be a connecting walk of a minimum width of three (3) feet from the front door/porch to the public walk. This shall be in addition to the driveway.
- j. Street lighting. Maintenance, upkeep, and operational costs for streetlights shall be the responsibility of the homeowners’ association.

k. Cluster mailboxes. The community shall have cluster mailboxes similar in style to those attached as Exhibit C; provided, however, that these mailboxes need not all be located in a single location and may be distributed in several locations within the community.

3. Prohibited Structures. Above-ground pools and sheds, mini-barns, or other detached storage buildings are prohibited.

4. Noise. Construction activity which is likely to generate noise impacting existing adjacent residential properties must not commence earlier than 7:00 a.m. nor continue past 7:00 p.m.

These COMMITMENTS shall run with the land, be binding on the Owner of the above-described real estate, subsequent owners of the above-described real estate and other persons acquiring an interest therein. These COMMITMENTS may be modified or terminated by a decision of the Town Plan Commission made at a public hearing after proper notice has been given.

COMMITMENTS contained in this instrument shall be effective upon the approval of petition # _____ pursuant to the Town of Plainfield Zoning Ordinance and shall continue in effect until modified or terminated by the Town of Plainfield Plan Commission.

These COMMITMENTS may be enforced jointly or severally by:

1. The Town of Plainfield Plan Commission; and

2. Owners of all parcels of ground adjoining the real estate to a depth of two (2) ownerships, but not exceeding six hundred (600) feet from the perimeter of the real estate, and all owners of real estate within the area included in the petition who were not petitioners for approval, however.

The undersigned hereby authorizes the Secretary of the town Plan Commission to record this Commitment in the Office of the Recorder of Hendricks County, Indiana, upon final approval of petition # _____.

IN WITNESS WHEREOF, Owner has executed this instrument this _____ day of _____, 2025.

Mark C. Allen

STATE OF INDIANA)
)SS:
COUNTY OF HENDRICKS)

Before me, a Notary Public in and for said County and State, personally appeared Mark C. Allen, who acknowledged execution of the foregoing as his voluntary act and deed.

Witness my hand and Notarial Seal this _____ day of _____, 2025.

Notary Public

My Commission Expires: _____
My County of Residence: _____

Kelly L. Allen

STATE OF INDIANA)
)SS:
COUNTY OF HENDRICKS)

Before me, a Notary Public in and for said County and State, personally appeared Kelly L. Allen, who acknowledged execution of the foregoing as her voluntary act and deed.

Witness my hand and Notarial Seal this _____ day of _____, 2025.

Notary Public

My Commission Expires: _____
My County of Residence: _____

Robert W. Craig, Trustee of the Robert W. and Leanne Craig Revocable Trust

STATE OF INDIANA)
)SS:
COUNTY OF HENDRICKS)

Before me, a Notary Public in and for said County and State, personally appeared Robert W. Craig, Trustee of the Robert W. and Leanne Craig Revocable Trust, who acknowledged execution of the foregoing as his voluntary act and deed.

Witness my hand and Notarial Seal this _____ day of _____, 2025.

Notary Public

My Commission Expires: _____
My County of Residence: _____

Leanne Craig, Trustee of the Robert W. and Leanne Craig Revocable Trust

STATE OF INDIANA)
)SS:
COUNTY OF HENDRICKS)

Before me, a Notary Public in and for said County and State, personally appeared Leanne Craig, Trustee of the Robert W. and Leanne Craig Revocable Trust, who acknowledged execution of the foregoing as her voluntary act and deed.

Witness my hand and Notarial Seal this _____ day of _____, 2025.

Notary Public

My Commission Expires: _____
My County of Residence: _____

Kevin J. Jones, Co-Trustee of the Damon N. Jones Revocable Trust

STATE OF INDIANA)
)SS:
COUNTY OF HENDRICKS)

Before me, a Notary Public in and for said County and State, personally appeared Kevin J. Jones, Co-Trustee of the Damon N. Jones Revocable Trust, who acknowledged execution of the foregoing as his voluntary act and deed.

Witness my hand and Notarial Seal this _____ day of _____, 2025.

Notary Public

My Commission Expires: _____
My County of Residence: _____

Sheryl Lyn Fischer, Co-Trustee of the Damon N. Jones Revocable Trust

STATE OF INDIANA)
)SS:
COUNTY OF HENDRICKS)

Before me, a Notary Public in and for said County and State, personally appeared Sheryl Lyn Fischer, Co-Trustee of the Damon N. Jones Revocable Trust, who acknowledged execution of the foregoing as her voluntary act and deed.

Witness my hand and Notarial Seal this _____ day of _____, 2025.

Notary Public

My Commission Expires: _____
My County of Residence: _____

Deborah A. Green, Co-Trustee of the Damon N. Jones Revocable Trust

STATE OF INDIANA)
)SS:
COUNTY OF HENDRICKS)

Before me, a Notary Public in and for said County and State, personally appeared Deborah A. Green, Co-Trustee of the Damon N. Jones Revocable Trust, who acknowledged execution of the foregoing as her voluntary act and deed.

Witness my hand and Notarial Seal this _____ day of _____, 2025.

Notary Public

My Commission Expires: _____
My County of Residence: _____

Kevin J. Jones, Managing Member, DKDS Investments, LLC

STATE OF INDIANA)
)SS:
COUNTY OF HENDRICKS)

Before me, a Notary Public in and for said County and State, personally appeared Kevin J. Jones, Managing Member, DKDS Investments, LLC, who acknowledged execution of the foregoing as his voluntary act and deed.

Witness my hand and Notarial Seal this _____ day of _____, 2025.

Notary Public

My Commission Expires: _____
My County of Residence: _____

I affirm, under the penalty of perjury, that I have taken reasonable care to redact each Social Security number in this document: Melissa R. Garrard


This instrument prepared by: Melissa R. Garrard, Pulte Homes of Indiana, LLC, 11595 N. Meridian Street, Suite 700, Carmel, Indiana 46032, Tel. (317) 593-4534

Exhibit A
Preliminary Concept Plan



Exhibit B

Anti-Monotony Code



1

Home cannot be of the same elevation of the same plan as the Subject home. Must be a different color package. Home cannot be mirrored or flipped elevation.

2

Home cannot be of the same elevation of the same plan as the Subject home. Cannot be the identical color package as the Subject home but may have the same brick. Home cannot be mirrored or flipped elevation

3

Home may be of the same plan and elevation as the Subject home, but must be a different color package.

4

May be identical to Subject home.

Exhibit C
Cluster Mailbox Examples



Exhibit D Right-of-Way

