


GREENFIELD

4-7 Bedrooms | 2.5-5 Bathrooms | 3,021+ sq. ft.
Walk-In Bedroom Closets | Pulte Planning Center® | Loft/Game Room



Greenfield Home Exteriors





AVAILABLE OPTIONS


Speak with a sales consultant to review all options available for this home design at your community. Interactive floorplans are available on Pulte.com.



FLOORPLAN NOTES

GENERAL SPECIFICATIONS

- ALL ANGLED WALLS (OTHER THAN THOSE AT 90°) SHALL BE CONSIDERED TO BE AT 45° UNLESS NOTED OTHERWISE.
- ALL STUDS AT EXTERIOR AND INTERIOR WALLS SHALL BE 2x4 UNLESS OTHERWISE NOTED.
- ALL STUDS AT EXTERIOR WALLS AND INTERIOR BEARING WALLS TO BE FRAMED AT 16" O.C. UNLESS NOTED OTHERWISE.
- ALL NON-BEARING WALLS, OTHER THAN IN THE KITCHEN AND PLANNING CENTERS, TO BE 2x4 STUDS AT 24" O.C. UNLESS OTHERWISE NOTED OR RESTRICTED BY LOCAL CODES OR ORDINANCES. KITCHEN AND PLANNING CENTER WALLS WHERE WALL CABINETS ARE TO BE HUNG SHALL BE FRAMED AT 16" O.C.
- PROVIDE DOUBLE 2x TOP PLATES AT ALL LOAD BEARING WALLS.
- PROVIDE SINGLE TOP PLATE AT ALL INTERIOR NON-LOADING BEARING WALLS.
- PROVIDE A 1-3/8" OR LARGER SOLID CORE WOOD DOOR, SOLID CORE STEEL DOOR OR HONEYCOMB CORE STEEL DOOR, OR 20 MINUTE FIRE-RATED DOOR EQUIPPED WITH A SELF-CLOSING DEVICE BETWEEN GARAGE AND LIVING SPACE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE FIRE SEPARATION BETWEEN DWELLING AND GARAGE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE 1/2" DRYWALL AT WALLS, CEILING AND UNDERSIDE OF STAIR ASSEMBLY ACCESSIBLE SPACE UNDER STAIRS IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- ALL GLAZING INSTALLED IN HAZARDOUS LOCATIONS AS DEFINED BY THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE SHALL HAVE A PERMANENT DESIGNATION OR LABEL AFFIXED TO EACH PANE OF GLAZING BEARING THE MANUFACTURER'S LABEL SHOWING THE TYPE AND THICKNESS OF GLASS. FOR OTHER THAN TEMPERED GLASS, LABELS MAY BE OMITTED PROVIDED THE BUILDING OFFICIAL APPROVES THE USE OF A CERTIFICATE, AFFIDAVIT OR OTHER EVIDENCE CONFIRMING COMPLIANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- ALL BATHUB AND SHOWER FLOORS AND WALLS ABOVE BATHTUBS WITH INSTALLED SHOWER HEADS AND IN SHOWER COMPARTMENTS SHALL BE FINISHED WITH A NON-ABSORBENT SURFACE. SUCH WALL SURFACES SHALL EXTEND TO A HEIGHT NOT LESS THAN 72" ABOVE THE FLOOR PER THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE THERMO-PLY SHEATHING AND BATT INSULATION FILLING ALL CAVITIES AT EXTERIOR WALLS SURROUNDING TUBS AND SHOWERS.
- ALL REQUIRED GUARDRAILS AND GUARDWALLS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. GUARDS SHALL NOT BE LESS THAN 36" HIGH MEASURED VERTICALLY ABOVE THE ADJACENT WALKING SURFACE AND NOT LESS THAN 34" HIGH MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS.
- ALL REQUIRED HANDRAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. HANDRAILS SHALL BE PROVIDED ON AT LEAST ONE SIDE OF EACH CONTINUOUS RUN OF TREADS OR FLIGHT WITH 4 OR MORE RISERS. HANDRAIL HEIGHT SHALL NOT BE LESS THAN 34" OR MORE THAN 38" AS MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS AND SHALL BE CONTINUOUS FOR THE FULL LENGTH OF THE FLIGHT. HANDRAILS ADJACENT TO A WALL SHALL HAVE A SPACE NOT LESS THAN 1-1/2" BETWEEN THE WALL AND THE HANDRAIL.
- BASEMENTS, HABITABLE ATTICS AND EVERY SLEEPING ROOM MUST HAVE AT LEAST ONE EMERGENCY ESCAPE OR RESCUE OPENING IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. WHERE THE BASEMENT CONTAINS 1 OR MORE SLEEPING ROOMS, EMERGENCY ESCAPE OR RESCUE OPENINGS SHALL BE REQUIRED IN EACH SLEEPING ROOM. THE EMERGENCY ESCAPE OR RESCUE OPENING SHALL HAVE A CLEAR 5.7 SQUARE FEET OF OPEN AREA WITH A SILL HEIGHT OF NO MORE THAN 44" ABOVE THE FLOOR OR 5.0 SQUARE FEET OF OPEN AREA FOR GRADE-FLOOR WINDOWS. THE CLEAR OPENING SHALL A MINIMUM OF 24" OF OPENING HEIGHT AND 20" OPENING WIDTH. EMERGENCY ESCAPE AND RESCUE OPENINGS WITH A FINISHED SILL HEIGHT BELOW THE ADJACENT GROUND LEVEL ELEVATION SHALL BE PROVIDED WITH A WINDOW WELL AND LADDER IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES.
- FOR ADDITIONAL INFORMATION SEE STRUCTURAL DRAWINGS AND NOTES.



FIRST FLOOR PLAN - 4" EXTERIOR WALLS

SCALE: 1/4" = 1'-0"

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



First Floor Plan

4" Exterior Walls

PRODUCT MANAGER
Rick Sterky
INITIAL RELEASE
DATE: 01/18/2019

REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	11/27/2019 PCR REVISIONS

GARAGE HANDING
Single Family

SPECIFICATION LEVEL


PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302

SHEET
A1
4-1.1

FLOORPLAN NOTES

GENERAL SPECIFICATIONS


- ALL ANGLED WALLS (OTHER THAN THOSE AT 90°) SHALL BE CONSIDERED TO BE AT 45° UNLESS NOTED OTHERWISE.
- ALL STUDS AT EXTERIOR AND INTERIOR WALLS SHALL BE 2x4 UNLESS OTHERWISE NOTED.
- ALL STUDS AT EXTERIOR WALLS AND INTERIOR BEARING WALLS TO BE FRAMED AT 16" O.C. UNLESS NOTED OTHERWISE.
- ALL NON-BEARING WALLS, OTHER THAN IN THE KITCHEN AND PLANNING CENTERS, TO BE 2x4 STUDS AT 24" O.C. UNLESS OTHERWISE NOTED OR RESTRICTED BY LOCAL CODES OR ORDINANCES. KITCHEN AND PLANNING CENTER WALLS WHERE WALL CABINETS ARE TO BE HUNG SHALL BE FRAMED AT 16" O.C.
- PROVIDE DOUBLE 2x TOP PLATES AT ALL LOAD BEARING WALLS.
- PROVIDE SINGLE TOP PLATE AT ALL INTERIOR NON-LOADING BEARING WALLS.
- PROVIDE A 1-3/8" OR LARGER SOLID CORE WOOD DOOR, SOLID CORE STEEL DOOR OR HONEYCOMB CORE STEEL DOOR, OR 20 MINUTE FIRE-RATED DOOR EQUIPPED WITH A SELF-CLOSING DEVICE BETWEEN GARAGE AND LIVING SPACE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE FIRE SEPARATION BETWEEN DWELLING AND GARAGE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE 1/2" DRYWALL AT WALLS, CEILING AND UNDERSIDE OF STAIR ASSEMBLY ACCESSIBLE SPACE UNDER STAIRS IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- ALL GLAZING INSTALLED IN HAZARDOUS LOCATIONS AS DEFINED BY THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE SHALL HAVE A PERMANENT DESIGNATION OR LABEL AFFIXED TO EACH PANE OF GLAZING BEARING THE MANUFACTURER'S LABEL SHOWING THE TYPE AND THICKNESS OF GLASS. FOR OTHER THAN TEMPERED GLASS, LABELS MAY BE OMITTED PROVIDED THE BUILDING OFFICIAL APPROVES THE USE OF A CERTIFICATE, AFFIDAVIT OR OTHER EVIDENCE CONFIRMING COMPLIANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- ALL BATHTUB AND SHOWER FLOORS AND WALLS ABOVE BATHTUBS WITH INSTALLED SHOWER HEADS AND IN SHOWER COMPARTMENTS SHALL BE FINISHED WITH A NON-ABSORBENT SURFACE. SUCH WALL SURFACES SHALL EXTEND TO A HEIGHT NOT LESS THAN 72" ABOVE THE FLOOR PER THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE THERMO-PLY SHEATHING AND BATT INSULATION FILLING ALL CAVITIES AT EXTERIOR WALLS SURROUNDING TUBS AND SHOWERS.
- ALL REQUIRED GUARDRAILS AND GUARDWALLS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. GUARDS SHALL NOT BE LESS THAN 36" HIGH MEASURED VERTICALLY ABOVE THE ADJACENT WALKING SURFACE AND NOT LESS THAN 34" HIGH MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS.
- ALL REQUIRED HANDRAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. HANDRAILS SHALL BE PROVIDED ON AT LEAST ONE SIDE OF EACH CONTINUOUS RUN OF TREADS OR FLIGHT WITH 4 OR MORE RISERS. HANDRAIL HEIGHT SHALL NOT BE LESS THAN 34" OR MORE THAN 38" AS MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS AND SHALL BE CONTINUOUS FOR THE FULL LENGTH OF THE FLIGHT. HANDRAILS ADJACENT TO A WALL SHALL HAVE A SPACE NOT LESS THAN 1-1/2" BETWEEN THE WALL AND THE HANDRAIL.
- BASEMENTS, HABITABLE ATTICS AND EVERY SLEEPING ROOM MUST HAVE AT LEAST ONE EMERGENCY ESCAPE OR RESCUE OPENING IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. WHERE THE BASEMENT CONTAINS 1 OR MORE SLEEPING ROOMS, EMERGENCY ESCAPE OR RESCUE OPENINGS SHALL BE REQUIRED IN EACH SLEEPING ROOM. THE EMERGENCY ESCAPE OR RESCUE OPENING SHALL HAVE A CLEAR 5.7 SQUARE FEET OF OPEN AREA WITH A SILL HEIGHT OF NO MORE THAN 44" ABOVE THE FLOOR OR 5.0 SQUARE FEET OF OPEN AREA FOR GRADE-FLOOR WINDOWS. THE CLEAR OPENING SHALL A MINIMUM OF 24" OF OPENING HEIGHT AND 20" OPENING WIDTH. EMERGENCY ESCAPE AND RESCUE OPENINGS WITH A FINISHED SILL HEIGHT BELOW THE ADJACENT GROUND LEVEL ELEVATION SHALL BE PROVIDED WITH A WINDOW WELL AND LADDER IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES.
- FOR ADDITIONAL INFORMATION SEE STRUCTURAL DRAWINGS AND NOTES.



SECOND FLOOR PLAN - 4\"/>


SCALE: 1/4\"/>

PRODUCT MANAGER	
Rick Sterkey	
INITIAL RELEASE	
DATE: 01/18/2019	
REV#	DATE/DESCRIPTION
1	01/18/2019
2	PLAN REFRESH
3	11/27/2019
4	PCR REVISIONS



HVAC AT SLAB CONDITION w/ GAME ROOM OPTION

SCALE: 1/4" = 1'-0"



SECOND FLOOR PLAN - 4" EXTERIOR WALLS - GAME ROOM OPTION

SCALE: 1/4" = 1'-0"

Second Floor Plan

Options
 4" Exterior Walls

PRODUCT MANAGER
 Rick Starkey
 INITIAL RELEASE
 DATE: 01/18/2019

REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	11/27/2019 PCR REVISIONS

GARAGE HANDING
Single Family


SPECIFICATION LEVEL

PLAN NAME
Greenfield
 NPC CHILD NUMBER
1850.302

SHEET
A1
 4-2.3



REV	DATE/DESCRIPTION
1	01/18/2019
2	PLAN REFRESH
3	11/27/2019
4	PCR REVISIONS

(c) Copyright 2019 PutteGroup, Inc.




ROOF PLAN
 SCALE: 1/8" = 1'-0"


ATTIC VENT SCHEDULE									
VENTILATION REQUIRED AND SUPPLIED TO BE MET BY THE VENT VALUES AND PERCENT VALUES SHOWN IN TABLE ABOVE. THE USER OF THESE DRAWINGS IS RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION TO MEET CODE REQUIREMENTS. IF SPECIALS HAVE BEEN CALCULATED ASSUMING EAVE VENTILATION AT 80% OF TOTAL AND RIDGE AT 40% OF TOTAL, REQUIRE VENTILATION.									
Craftsman 2G-B									
ROOF AREA "A"	SQ. FT.	1726	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POZ. LARGE BALANCE	POZ. SMALL BALANCE	ROOF VENT (BALANCE)	EAVE VENT (BALANCE)	CONF. VENT (BALANCE)	
HIGH-POZ. VENT ONLY	3.30	2.88	8.72	4	0				
AT EAVE	2.88	2.88	8.36					0	47.00
TOTAL #REQ	5.79	5.79	5.81						
ADDITIONAL POZ. VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE									
HIGH-ROOF VENT	2.30	2.88	12.50	0	0	25.00			
AT EAVE	3.48	2.88	8.28					0	47.00
TOTAL #REQ	5.78	5.78	5.78						
ADDITIONAL POZ. VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE									
ROOF AREA "B"	SQ. FT.	250	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POZ. LARGE BALANCE	POZ. SMALL BALANCE	ROOF VENT (BALANCE)	EAVE VENT (BALANCE)	CONF. VENT (BALANCE)	
HIGH-POZ. VENT ONLY	0.83	0.42	5.04	1	0				
AT EAVE	0.83	0.42	5.04					0	7.00
TOTAL #REQ	0.83	0.83	0.91						
ADDITIONAL POZ. VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE									
HIGH-ROOF VENT	0.83	0.42	5.04	0	0	0.00			
AT EAVE	0.83	0.42	5.04					0	0.00
TOTAL #REQ	0.83	0.83	0.00						
ADDITIONAL POZ. VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE									




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"



RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"



REAR ELEVATION
 SCALE: 1/8" = 1'-0"



LEFT ELEVATION
 SCALE: 1/8" = 1'-0"


PLOTTED: December 2, 2019 / Sean Loherty / A3-CR2G-B 2FB.LDWG

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1272
SECOND FLOOR	1749
TOTAL BASE HEATED	3021
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	616
BASEMENT	1179
TOTAL BASE UNDER ROOF	1888
BASE OPTIONS - HEATED	
SUNROOM	144
REAR 4FT EXTENSION	73
SUNROOM W/ 4FT EXTENSION	216
CAFE BAY	20
CAFE BAY 2	40
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	788
FINISHED BASEMENT BATH	44
FINISHED BASEMENT BEDROOM	141
ADDITIONAL AREA W/ SUNROOM	129
ADDITIONAL AREA W/ 4FT EXTENSION	68
ADD. AREA W/ SUNROOM & 4FT EXT	201
ADDITIONAL AREA W/ CAFE BAY 2	36
ADDITIONAL AREA W/ OTHER	0
MECHANICAL and STORAGE	391
BASE OPTIONS	
BASEMENT / SUNROOM	1308
BASEMENT / 4' EXTENSION	1247
BASEMENT / SUNROOM/4 FT EXTENSION	1380
BASEMENT / CAFE BAY 2	1215
COVERED PORCH	144
SCREENED PORCH	144
2 CAR SIDE ENTRY GARAGE	646
3 CAR FRONT ENTRY GARAGE	616
3 CAR SIDE ENTRY GARAGE	0
2 CAR COURTYARD ENTRY	0
BASEMENT	923
CRAWL	256
WOOD DECK	158
CONCRETE PATIO	144
OTHER	0


ELEVATION CR2G-B	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1272
ADDITIONAL 2ND FLOOR - HEATED	-40
TOTAL 2ND FLOOR	1709
TOTAL ELEV. HEATED	2981
ADDITIONAL GARAGE - 2 CAR FRONT	40
TOTAL GARAGE	656
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1179
FRONT PORCH	98
TOTAL ELEV. FOOTPRINT	2026

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
GAME ROOM	360.17	28.81	14.41	23.40	10.00


** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.



2ND FLOOR PLAN - 4" EXTERIOR WALLS
 SCALE: 1/4" = 1'-0"
 * SEE BASE PLANS FOR INFORMATION NOT SHOWN



1ST FLOOR PLAN - 4" EXTERIOR WALLS
 SCALE: 1/4" = 1'-0"
 * SEE BASE PLANS FOR INFORMATION NOT SHOWN



BASEMENT FOUNDATION PLAN
 SCALE: 1/4" = 1'-0"
 * SEE BASE PLANS FOR INFORMATION NOT SHOWN

PLOTTED: December 2, 2019 / Sean Leheny / A3-CR2G-B_2FB4.2.DWG

© Copyright 2019, PulteGroup, Inc.

Midwest Zone Office
 1900 Golf Road - Suite 300
 Schaumburg, Illinois 60173



Partial Plans and General Notes
 2 Car Front Entry
 Craftsman 2G-B


PRODUCT MANAGER	Rick Sterkey
INITIAL RELEASE	
DATE:	01/18/2019
REV#	DATE/DESCRIPTION
△	01/18/2019 PLAN REFRESH
△	11/27/2019 PCR REVISIONS
△	
△	
△	
△	

GARAGE HANDLING
Single Family

SPECIFICATION LEVEL
 -

PLAN NAME
Greenfield
 NPC CHILD NUMBER
 1850.302


SHEET
A3-CR2G-B
2FB4.2



ROOF PLAN

SCALE: 1/8" = 1'-0"

ATTIC VENT SCHEDULE									
VENTILATION REQUIREMENTS AND TYPICAL VALUES FOR VENT TYPES AND ROOF VENT TYPES SHOWN IN TABLE ABOVE. THE USER OF THESE SCHEDULES IS RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION AS SPECIFIED. THESE VALUES ARE BASED ON A 10% MINIMUM FREE AIR FLOW THROUGH THE VENT. VENTILATION REQUIREMENTS ARE BASED ON A 10% MINIMUM FREE AIR FLOW THROUGH THE VENT. VENTILATION REQUIREMENTS ARE BASED ON A 10% MINIMUM FREE AIR FLOW THROUGH THE VENT.									
Euro Country 2G-B									
ROOF AREA "A"	SQ. FT.	1726	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT. LARGE (SQ. FT.)	POT. SMALL (SQ. FT.)	ROOF VENT (SQ. FT.)	EAVE VENT (SQ. FT.)	CONT. VENT (SQ. FT.)	COMB. VENT (SQ. FT.)
HIGH-ROOF VENT ONLY	3.30	2.88	8.72	4	0				
AT EAVE	3.46	2.88	8.32					0	47.00
TOTAL	6.76	5.76	8.52						
HIGH-ROOF VENT	3.30	2.88	8.72	0	0	0.00			
AT EAVE	3.46	2.88	8.32					0	0.00
TOTAL	6.76	5.76	8.52						
ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE									
ROOF AREA "B"	SQ. FT.	250	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT. LARGE (SQ. FT.)	POT. SMALL (SQ. FT.)	ROOF VENT (SQ. FT.)	EAVE VENT (SQ. FT.)	CONT. VENT (SQ. FT.)	COMB. VENT (SQ. FT.)
HIGH-ROOF VENT ONLY	0.33	0.42	12.73	1	0				
AT EAVE	0.33	0.42	12.73					0	7.00
TOTAL	0.66	0.84	12.73						
HIGH-ROOF VENT	0.33	0.42	12.73	0	0	0.00			
AT EAVE	0.33	0.42	12.73					0	0.00
TOTAL	0.66	0.84	12.73						
ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE									




SIDE AND REAR WINDOWS PER COMMUNITY SPECS

SCALE: 1/4" = 1'-0"




FRONT ELEVATION

SCALE: 1/4" = 1'-0"




RIGHT ELEVATION

SCALE: 1/8" = 1'-0"



REAR ELEVATION

SCALE: 1/8" = 1'-0"



LEFT ELEVATION

SCALE: 1/8" = 1'-0"

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Front, Side and Rear Elevations
2 Car Front Entry
Euro Country 2G-B

PRODUCT MANAGER	Rick Starkey
INITIAL RELEASE	DATE: 01/18/2019
REV#	DATE/DESCRIPTION
1	01/18/2019
2	PLAN REFRESH
3	11/27/2019
4	PCR REVISIONS

GARAGE HANDING
Single Family

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302


SHEET
A3-EC2G-B
2FB.1

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1272
SECOND FLOOR	1749
TOTAL BASE HEATED	3021
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	616
BASEMENT	1179
TOTAL BASE UNDER ROOF	1888
BASE OPTIONS - HEATED	
SUNROOM	144
REAR 4FT EXTENSION	73
SUNROOM W/ 4FT EXTENSION	216
CAFE BAY	20
CAFE BAY 2	40
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	788
FINISHED BASEMENT BATH	44
FINISHED BASEMENT BEDROOM	141
ADDITIONAL AREA W/ SUNROOM	129
ADDITIONAL AREA W/ 4FT EXTENSION	68
ADD. AREA W/ SUNROOM & 4FT EXT	201
ADDITIONAL AREA W/ CAFE BAY 2	36
ADDITIONAL AREA W/ OTHER	0
MECHANICAL and STORAGE	391
BASE OPTIONS	
BASEMENT / SUNROOM	1308
BASEMENT / 4' EXTENSION	1247
BASEMENT / SUNROOM/4 FT EXTENSION	1380
BASEMENT / CAFE BAY 2	1215
COVERED PORCH	144
SCREENED PORCH	144
2 CAR SIDE ENTRY GARAGE	646
3 CAR FRONT ENTRY GARAGE	616
3 CAR SIDE ENTRY GARAGE	0
2 CAR COURTYARD ENTRY	0
BASEMENT	923
CRAWL	256
WOOD DECK	158
CONCRETE PATIO	144
OTHER	0


ELEVATION EC2G-B	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1272
ADDITIONAL 2ND FLOOR - HEATED	-40
TOTAL 2ND FLOOR	1709
TOTAL ELEV. HEATED	2981
ADDITIONAL GARAGE - 2 CAR FRONT	40
TOTAL GARAGE	656
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1179
FRONT PORCH	98
TOTAL ELEV. FOOTPRINT	2026

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
GAME ROOM	360.17	28.81	14.41	23.40 +ARTIF.	10+ MECH.


** REFER TO LIGHT & VENT SCHEDULE ON COVER SHT. FOR INFORMATION NOT SHOWN HERE.



2ND FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



1ST FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



BASEMENT FOUNDATION PLAN
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN

PLOTTED: December 2, 2019 / Sean Leheny / A3-EC2G-B_2FB4.2.DWG

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Euro Country 2G-B

PRODUCT MANAGER	Rick Sterky
INITIAL RELEASE	
DATE:	01/18/2019
REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	11/27/2019 PCR REVISIONS


GARAGE HANDING
Single Family

SPECIFICATION LEVEL

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302


SHEET
A3-EC2G-B
2FB4.2

REV	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	11/27/2019 PCR REVISIONS




ROOF PLAN
 SCALE: 1/8" = 1'-0"


ATTIC VENT SCHEDULE									
VENTILATION REQUIREMENTS AND TYPICAL PERCENT VENT VALUES ARE BASED ON THE VALUES SHOWN IN TABLE ABOVE. THE USER MUST VERIFY THAT THE VENTILATION PROVIDED IS SUFFICIENT TO MEET ALL LOCAL REQUIREMENTS. VENTILATION REQUIREMENTS ARE RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION AS SPECIFIED. THESE VALUES HAVE BEEN CALCULATED ASSUMING 10% OF TOTAL VENTILATION AT 40% OF TOTAL REQUIRED VENTILATION.									
Euro Country 2H-B									
ROOF AREA "A"	SQ. FT. FIG	1726	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POZ LARGE (SQ. FT.)	POZ SMALL (SQ. FT.)	RIDGE VENT (SQ. FT.)	EAVE VENT (SQ. FT.)	CONF. VENT (SQ. FT.)	CONC. VENT (SQ. FT.)
HIGH-POZ VENT ONLY	3.30 2.88	3.30	43.75	4	0				
AT EAVE	3.46 2.88	3.36	66.00					0	47.00
TOTAL REQ	5.75 5.75	5.81	100.00						
HIGH-ROOF VENT	2.30 2.88	2.30	43.37	0	0	25.00			
AT EAVE	3.46 2.88	3.36	66.63					0	47.00
TOTAL REQ	5.75 5.75	5.76	100.00						
ADDITIONAL POZ VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE									
Euro Country 2H-B									
ROOF AREA "B"	SQ. FT. FIG	250	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POZ LARGE (SQ. FT.)	POZ SMALL (SQ. FT.)	RIDGE VENT (SQ. FT.)	EAVE VENT (SQ. FT.)	CONF. VENT (SQ. FT.)	CONC. VENT (SQ. FT.)
HIGH-POZ VENT ONLY	0.33 0.42	0.42	45.84	1	0				
AT EAVE	0.33 0.42	0.49	84.44					0	7.00
TOTAL REQ	0.83 0.83	0.91	100.00						
HIGH-ROOF VENT	0.33 0.42	0.00	0.00	0	0	0.00			
AT EAVE	0.33 0.42	0.00	0.00					0	0.00
TOTAL REQ	0.83 0.83	0.00	0.00						
ADDITIONAL POZ VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE									




SIDE AND REAR WINDOWS PER COMMUNITY SPECS
 SCALE: 1/4" = 1'-0"




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"



RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"



REAR ELEVATION
 SCALE: 1/8" = 1'-0"




LEFT ELEVATION
 SCALE: 1/8" = 1'-0"

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1272
SECOND FLOOR	1749
TOTAL BASE HEATED	3021
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	616
BASEMENT	1179
TOTAL BASE UNDER ROOF	1888
BASE OPTIONS - HEATED	
SUNROOM	144
REAR 4FT EXTENSION	73
SUNROOM W/ 4FT EXTENSION	216
CAFE BAY	20
CAFE BAY 2	40
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	788
FINISHED BASEMENT BATH	44
FINISHED BASEMENT BEDROOM	141
ADDITIONAL AREA W/ SUNROOM	129
ADDITIONAL AREA W/ 4FT EXTENSION	68
ADD. AREA W/ SUNROOM & 4FT EXT	201
ADDITIONAL AREA W/ CAFE BAY 2	36
ADDITIONAL AREA W/ OTHER	0
MECHANICAL and STORAGE	391
BASE OPTIONS	
BASEMENT / SUNROOM	1308
BASEMENT / 4' EXTENSION	1247
BASEMENT / SUNROOM/4 FT EXTENSION	1380
BASEMENT / CAFE BAY 2	1215
COVERED PORCH	144
SCREENED PORCH	144
2 CAR SIDE ENTRY GARAGE	646
3 CAR FRONT ENTRY GARAGE	616
3 CAR SIDE ENTRY GARAGE	0
2 CAR COURTYARD ENTRY	0
BASEMENT	923
CRAWL	256
WOOD DECK	158
CONCRETE PATIO	144
OTHER	0


ELEVATION EC2H-B	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1272
ADDITIONAL 2ND FLOOR - HEATED	-40
TOTAL 2ND FLOOR	1709
TOTAL ELEV. HEATED	2981
ADDITIONAL GARAGE - 2 CAR FRONT	40
TOTAL GARAGE	656
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1179
FRONT PORCH	98
TOTAL ELEV. FOOTPRINT	2026

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
GAME ROOM	360.17	28.81	14.41	23.40	10.00


** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.



2ND FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



1ST FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



BASEMENT FOUNDATION PLAN
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN

PLOTTED: December 2, 2019 / Sean Lohney / A3-EC2H-B_2FB4.2.DWG

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Euro Country 2H-B

PRODUCT MANAGER	Rick Sterkey
INITIAL RELEASE	DATE: 01/18/2019
REV#	DATE/DESCRIPTION
△	01/18/2019 PLAN REFRESH
△	11/27/2019 PCR REVISIONS


GARAGE HANDING
Single Family

SPECIFICATION LEVEL

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302


SHEET
A3-EC2H-B
2FB4.2

© Copyright 2019 PutteGroup, Inc.




ROOF PLAN
SCALE: 1/8" = 1'-0"


ATTIC VENT SCHEDULE									
Heartland 2G-B									
ROOF AREA "A"		SQ. FT. 1766		AT / NEAR RIDGE			AT / NEAR EAVE		
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POZ LARGE (SQ. IN.)	POZ SMALL (SQ. IN.)	ROOF VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONF. VENT (SQ. IN.)	PERCENT OF TOTAL SUPPLIED
HIGH-POZ VENT ONLY	5.38	2.34	5.97	49.28	7	0			
AT EAVE	5.38	2.34	5.96	49.79				0	49.00
TOTAL (SQ. FT.)	5.89	5.89	6.02	100.00					
ADDITIONAL POZ VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE									
ROOF AREA "B"		SQ. FT. 170		AT / NEAR RIDGE			AT / NEAR EAVE		
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POZ LARGE (SQ. IN.)	POZ SMALL (SQ. IN.)	ROOF VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONF. VENT (SQ. IN.)	PERCENT OF TOTAL SUPPLIED
HIGH-POZ VENT ONLY	0.53	0.53	0.42	46.84	1	0			
AT EAVE	0.54	0.53	0.49	49.44				0	7.00
TOTAL (SQ. FT.)	0.57	0.57	0.91	100.00					
ADDITIONAL POZ VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE									



SIDE AND REAR WINDOWS PER COMMUNITY SPECS
SCALE: 1/4" = 1'-0"




FRONT ELEVATION
SCALE: 1/4" = 1'-0"



RIGHT ELEVATION
SCALE: 1/8" = 1'-0"



TYPICAL REAR ELEVATION
SCALE: 1/8" = 1'-0"



LEFT ELEVATION
SCALE: 1/8" = 1'-0"

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Front, Side and Rear Elevations
2 Car Front Entry
Heartland 2G-B

PRODUCT MANAGER
Rick Starkey
INITIAL RELEASE
DATE: 01/18/2019

REV	DATE/DESCRIPTION
1	01/18/2019
2	PLAN REFRESH
3	11/27/2019
4	PCR REVISIONS

GARAGE HANDING
Single Family


SPECIFICATION LEVEL

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302


SHEET
A3-HR2G-B
2FB.1

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1272
SECOND FLOOR	1749
TOTAL BASE HEATED	3021
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	616
BASEMENT	1179
TOTAL BASE UNDER ROOF	1888
BASE OPTIONS - HEATED	
SUNROOM	144
REAR 4FT EXTENSION	73
SUNROOM W/ 4FT EXTENSION	216
CAFE BAY	20
CAFE BAY 2	40
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	788
FINISHED BASEMENT BATH	44
FINISHED BASEMENT BEDROOM	141
ADDITIONAL AREA W/ SUNROOM	129
ADDITIONAL AREA W/ 4FT EXTENSION	68
ADD. AREA W/ SUNROOM & 4FT EXT	201
ADDITIONAL AREA W/ CAFE BAY 2	36
ADDITIONAL AREA W/ OTHER	0
MECHANICAL and STORAGE	391
BASE OPTIONS	
BASEMENT / SUNROOM	1308
BASEMENT / 4' EXTENSION	1247
BASEMENT / SUNROOM/4 FT EXTENSION	1380
BASEMENT / CAFE BAY 2	1215
COVERED PORCH	144
SCREENED PORCH	144
2 CAR SIDE ENTRY GARAGE	646
3 CAR FRONT ENTRY GARAGE	616
3 CAR SIDE ENTRY GARAGE	0
2 CAR COURTYARD ENTRY	0
BASEMENT	923
CRAWL	256
WOOD DECK	158
CONCRETE PATIO	144
OTHER	0


ELEVATION HR2G-B	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1272
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1749
TOTAL ELEV. HEATED	3021
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	616
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1179
FRONT PORCH	146
TOTAL ELEV. FOOTPRINT	2034



2ND FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



1ST FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



BASEMENT FOUNDATION PLAN
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN

PLOTTED: December 2, 2019 / Sean Leheny / A3-HR2G-B_2FB4.2.DWG

© Copyright 2019, PulteGroup, Inc.

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Heartland 2G-B


PRODUCT MANAGER	Rick Sterkey
INITIAL RELEASE	DATE: 01/18/2019
REV#	DATE/DESCRIPTION
△	01/18/2019
△	PLAN REFRESH
△	11/27/2019
△	PCR REVISIONS

GARAGE HANDLING
Single Family

SPECIFICATION LEVEL





PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302

SHEET
A3-HR2G-B
2FB4.2



ROOF PLAN
SCALE: 1/8" = 1'-0"

ATTIC VENT SCHEDULE									
VENTILATION REQUIRED AND SUPPLIED TO BE MET BY THE VENT VALUES AND PERCENT VALUES SHOWN IN TABLE ABOVE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION AS SPECIFIED. THESE VALUES ARE BASED ON ASSUMING 10% OF TOTAL ROOF AREA AT 40% OF TOTAL ROOF AREA. VENTILATION IS REQUIRED AT 1/300 OF TOTAL ROOF AREA.									
Heartland 2H-B									
ROOF AREA "A"	SQ. FT.	1766	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POZ LARGE (SQ. IN.)	POZ SMALL (SQ. IN.)	ROOF VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONF. VENT (SQ. IN.)	
HIGH-POZ VENTS ONLY	5.38	2.34	3.97	49.28	7	0			
AT EAVE	5.38	2.34	3.97	49.28				0	49.28
TOTAL	5.38	5.38	100.00						
ADDITIONAL POZ VENTS MAY BE REQUIRED IF THREE (3) INDEPENDENT ROADS AVAILABLE									
ROOF AREA "B"	SQ. FT.	170	AT / NEAR RIDGE			AT / NEAR EAVE			
HIGH-POZ VENTS ONLY	0.57	0.57	0.42	48.84	1	0			
AT EAVE	0.57	0.57	0.42	48.84				0	48.84
TOTAL	0.57	0.57	100.00						
ADDITIONAL POZ VENTS MAY BE REQUIRED IF THREE (3) INDEPENDENT ROADS AVAILABLE									



Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Front, Side and Rear Elevations
2 Car Front Entry
Heartland 2H-B

PRODUCT MANAGER
Rick Starkey
INITIAL RELEASE
DATE: 01/18/2019

REV	DATE/DESCRIPTION
1	01/18/2019
2	PLAN REFRESH
3	11/27/2019
4	PCR REVISIONS

GARAGE HANDING
Single Family

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302


SHEET
A3-HR2H-B
2FB.1

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1272
SECOND FLOOR	1749
TOTAL BASE HEATED	3021
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	616
BASEMENT	1179
TOTAL BASE UNDER ROOF	1888
BASE OPTIONS - HEATED	
SUNROOM	144
REAR 4FT EXTENSION	73
SUNROOM W/ 4FT EXTENSION	216
CAFE BAY	20
CAFE BAY 2	40
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	788
FINISHED BASEMENT BATH	44
FINISHED BASEMENT BEDROOM	141
ADDITIONAL AREA W/ SUNROOM	129
ADDITIONAL AREA W/ 4FT EXTENSION	68
ADD. AREA W/ SUNROOM & 4FT EXT	201
ADDITIONAL AREA W/ CAFE BAY 2	36
ADDITIONAL AREA W/ OTHER	0
MECHANICAL and STORAGE	391
BASE OPTIONS	
BASEMENT / SUNROOM	1308
BASEMENT / 4' EXTENSION	1247
BASEMENT / SUNROOM/4 FT EXTENSION	1380
BASEMENT / CAFE BAY 2	1215
COVERED PORCH	144
SCREENED PORCH	144
2 CAR SIDE ENTRY GARAGE	646
3 CAR FRONT ENTRY GARAGE	616
3 CAR SIDE ENTRY GARAGE	0
2 CAR COURTYARD ENTRY	0
BASEMENT	923
CRAWL	256
WOOD DECK	158
CONCRETE PATIO	144
OTHER	0


ELEVATION HR2H-B	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1272
ADDITIONAL 2ND FLOOR - HEATED	12
TOTAL 2ND FLOOR	1761
TOTAL ELEV. HEATED	3033
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	616
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1179
FRONT PORCH	113
TOTAL ELEV. FOOTPRINT	2001

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 2	181.87	14.55	7.27	27.40	11.80


** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.



2ND FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



1ST FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



BASEMENT FOUNDATION PLAN
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN

PLOTTED: December 2, 2019 / Sean Leheny / A3-HR2H-B 2FB4.2.DWG

(c) Copyright 2019, PulteGroup, Inc.

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Heartland 2H-B


PRODUCT MANAGER	Rick Sterkey
INITIAL RELEASE	
DATE:	01/18/2019
REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	11/27/2019 PCR REVISIONS

GARAGE HANDING
Single Family

SPECIFICATION LEVEL

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302


SHEET
A3-HR2H-B
2FB4.2



ROOF PLAN

SCALE: 1/8" = 1'-0"

ATTIC VENT SCHEDULE									
VENTILATION REQUIRED AND SUPPLIED BY NET VENT VALUES AND ROSE VENT VALUES SHOWN IN TABLE ABOVE. ALL CONTINUOUS SHINGLING VENTILATION ARE RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION AS SPECIFIED. ALL ROSE VENT VALUES ARE CALCULATED ASSUMING EAVE VENTILATION AT 30% OF TOTAL AND ROSE AT 40% OF TOTAL. ROSE VENTILATION.									
Heartland 2J-B									
ROOF AREA "A"	SQ. FT.	1766	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POZ LARGE (SQ. IN.)	POZ SMALL (SQ. IN.)	ROSE VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONF. VENT (SQ. IN.)	TOTAL
HIGH-ROSE VENT ONLY	5.38	2.34	5.97	48.28	7	0	0	0	41.00
AT EAVE	2.38	2.34	3.26	40.79					41.00
TOTAL	5.89	5.89	6.02	100.00					
ADDITIONAL POZ VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROSE AVAILABLE									
HIGH-ROSE VENT ONLY	2.38	2.34	2.89	48.46	0	0	23.00	0	41.00
AT EAVE	2.38	2.34	3.26	41.82					41.00
TOTAL	5.89	5.89	5.93	100.00					
ADDITIONAL POZ VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROSE AVAILABLE									
ROOF AREA "B"	SQ. FT.	170	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POZ LARGE (SQ. IN.)	POZ SMALL (SQ. IN.)	ROSE VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONF. VENT (SQ. IN.)	TOTAL
HIGH-ROSE VENT ONLY	0.53	0.53	0.42	48.84	1	0	0	0	7.00
AT EAVE	0.34	0.53	0.49	43.44					7.00
TOTAL	0.57	0.57	0.91	100.00					
ADDITIONAL POZ VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROSE AVAILABLE									
HIGH-ROSE VENT ONLY	0.53	0.53	0.00	0.00	0	0	0.00	0	0.00
AT EAVE	0.34	0.53	0.00	0.00					0.00
TOTAL	0.57	0.57	0.00	0.00					
ADDITIONAL POZ VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROSE AVAILABLE									




SIDE AND REAR WINDOWS PER COMMUNITY SPECS

SCALE: 1/4" = 1'-0"



FRONT ELEVATION

SCALE: 1/4" = 1'-0"




RIGHT ELEVATION

SCALE: 1/8" = 1'-0"



REAR ELEVATION

SCALE: 1/8" = 1'-0"



LEFT ELEVATION

SCALE: 1/8" = 1'-0"

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Front, Side and Rear Elevations
2 Car Front Entry
Heartland 2J-B

PRODUCT MANAGER	Rick Starkey
INITIAL RELEASE	
DATE:	01/18/2019
REV#	DATE/DESCRIPTION
1	01/18/2019
2	PLAN REFRESH
3	11/27/2019
4	PCR REVISIONS

GARAGE HANDING
Single Family


SPECIFICATION LEVEL
-

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302


SHEET
A3-HR2J-B
2FB.1

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1272
SECOND FLOOR	1749
TOTAL BASE HEATED	3021
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	616
BASEMENT	1179
TOTAL BASE UNDER ROOF	1888
BASE OPTIONS - HEATED	
SUNROOM	144
REAR 4FT EXTENSION	73
SUNROOM W/ 4FT EXTENSION	216
CAFE BAY	20
CAFE BAY 2	40
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	788
FINISHED BASEMENT BATH	44
FINISHED BASEMENT BEDROOM	141
ADDITIONAL AREA W/ SUNROOM	129
ADDITIONAL AREA W/ 4FT EXTENSION	68
ADD. AREA W/ SUNROOM & 4FT EXT	201
ADDITIONAL AREA W/ CAFE BAY 2	36
ADDITIONAL AREA W/ OTHER	0
MECHANICAL and STORAGE	391
BASE OPTIONS	
BASEMENT / SUNROOM	1308
BASEMENT / 4' EXTENSION	1247
BASEMENT / SUNROOM/4 FT EXTENSION	1380
BASEMENT / CAFE BAY 2	1215
COVERED PORCH	144
SCREENED PORCH	144
2 CAR SIDE ENTRY GARAGE	646
3 CAR FRONT ENTRY GARAGE	616
3 CAR SIDE ENTRY GARAGE	0
2 CAR COURTYARD ENTRY	0
BASEMENT	923
CRAWL	256
WOOD DECK	158
CONCRETE PATIO	144
OTHER	0


ELEVATION HR2J-B	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1272
ADDITIONAL 2ND FLOOR - HEATED	12
TOTAL 2ND FLOOR	1761
TOTAL ELEV. HEATED	3033
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	616
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1179
FRONT PORCH	146
TOTAL ELEV. FOOTPRINT	2034



2ND FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



1ST FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



BASEMENT FOUNDATION PLAN
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Heartland 2J-B


REV#	DATE/DESCRIPTION
01/18/2019	PLAN REFRESH
11/27/2019	PCR REVISIONS

GARAGE HANDING
Single Family

SPECIFICATION LEVEL


PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302

SHEET
A3-HR2J-B
2FB4.2



ROOF PLAN
SCALE: 1/8" = 1'-0"

ATTIC VENT SCHEDULE									
Heartland 3M-B									
ROOF AREA "A"		SQ. FT.		1754		AT / NEAR RIDGE		AT / NEAR EAVE	
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT. LARGE (SQ. IN.)	POT. SMALL (SQ. IN.)	ROOF VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONF. VENT (SQ. IN.)	COMMENTS
HIGH-PITCH VENT ONLY	2.34	2.95	3.97	49.28	7	0			
AT EAVE	2.81	2.95	3.26	40.79				0	41.00
TOTAL (SQ. FT.)	5.85	5.85	6.02	100.00					
ADDITIONAL POT. VENTS MAY BE REQUIRED IF THREE (3) INDEPENDENT RIDGES AVAILABLE									
Heartland 3M-B									
ROOF AREA "B"		SQ. FT.		170		AT / NEAR RIDGE		AT / NEAR EAVE	
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT. LARGE (SQ. IN.)	POT. SMALL (SQ. IN.)	ROOF VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONF. VENT (SQ. IN.)	COMMENTS
HIGH-PITCH VENT ONLY	0.53	0.53	0.42	48.84	1	0			
AT EAVE	0.34	0.53	0.49	53.44				0	7.00
TOTAL (SQ. FT.)	0.57	0.57	0.91	100.00					
ADDITIONAL POT. VENTS MAY BE REQUIRED IF THREE (3) INDEPENDENT RIDGES AVAILABLE									




SIDE AND REAR WINDOWS PER COMMUNITY SPECS
SCALE: 1/4" = 1'-0"



FRONT ELEVATION
SCALE: 1/4" = 1'-0"


NOTE:
"L" FLASHING OVER BRICK SILL - THRU-WALL FLASHING BEHIND BRICK WITH WEEP HOLES AT 24" ON CENTER



RIGHT ELEVATION
SCALE: 1/8" = 1'-0"



REAR ELEVATION
SCALE: 1/8" = 1'-0"



LEFT ELEVATION
SCALE: 1/8" = 1'-0"

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Front, Side and Rear Elevations
2 Car Front Entry
Heartland 3M-B

PRODUCT MANAGER
Rick Starkey
INITIAL RELEASE
DATE: 01/18/2019

REV	DATE/DESCRIPTION
1	01/18/2019
2	PLAN REFRESH
3	11/27/2019
4	PCR REVISIONS

GARAGE HANDING
Single Family

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302


SHEET
A3-HR3M-B
2FB.1

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1272
SECOND FLOOR	1749
TOTAL BASE HEATED	3021
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	616
BASEMENT	1179
TOTAL BASE UNDER ROOF	1888
BASE OPTIONS - HEATED	
SUNROOM	144
REAR 4FT EXTENSION	73
SUNROOM W/ 4FT EXTENSION	216
CAFE BAY	20
CAFE BAY 2	40
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	788
FINISHED BASEMENT BATH	44
FINISHED BASEMENT BEDROOM	141
ADDITIONAL AREA W/ SUNROOM	129
ADDITIONAL AREA W/ 4FT EXTENSION	68
ADD. AREA W/ SUNROOM & 4FT EXT	201
ADDITIONAL AREA W/ CAFE BAY 2	36
ADDITIONAL AREA W/ OTHER	0
MECHANICAL and STORAGE	391
BASE OPTIONS	
BASEMENT / SUNROOM	1308
BASEMENT / 4' EXTENSION	1247
BASEMENT / SUNROOM/4 FT EXTENSION	1380
BASEMENT / CAFE BAY 2	1215
COVERED PORCH	144
SCREENED PORCH	144
2 CAR SIDE ENTRY GARAGE	646
3 CAR FRONT ENTRY GARAGE	616
3 CAR SIDE ENTRY GARAGE	0
2 CAR COURTYARD ENTRY	0
BASEMENT	923
CRAWL	256
WOOD DECK	158
CONCRETE PATIO	144
OTHER	0


LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 2	174.37	13.95	6.97	23.40	10.00

** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.


ELEVATION HR3M-B	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1272
ADDITIONAL 2ND FLOOR - HEATED	12
TOTAL 2ND FLOOR	1761
TOTAL ELEV. HEATED	3033
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	616
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1179
FRONT PORCH	108
TOTAL ELEV. FOOTPRINT	1996



2ND FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



1ST FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



BASEMENT FOUNDATION PLAN
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Heartland 3M-B


PRODUCT MANAGER Rick Sterkey INITIAL RELEASE DATE: 01/18/2019
REV# DATE/DESCRIPTION
1 01/18/2019 PLAN REFRESH
2 11/27/2019 PCR REVISIONS

GARAGE HANDING
Single Family

SPECIFICATION LEVEL


PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302

SHEET
A3-HR3M-B
2FB4.2




ROOF PLAN
SCALE: 1/8" = 1'-0"

ATTIC VENT SCHEDULE									
Heartland 3S-B									
ROOF AREA "A"		SQ. FT. 1754		AT / NEAR RIDGE		AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN.)	POT SMALL (SQ. IN.)	ROOF VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONF. VENT (SQ. IN.)	
HIGH-PITCH VENT ONLY	2.34 - 2.95	2.97	49.28	7	0				
AT EAVE	2.81 - 2.95	0.06	0.34					0	41.00
TOTAL (SQ. IN.)	5.85 - 5.85	5.93	100.00						
ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE									
ROOF AREA "B"		SQ. FT. 170		AT / NEAR RIDGE		AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN.)	POT SMALL (SQ. IN.)	ROOF VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONF. VENT (SQ. IN.)	
HIGH-PITCH VENT ONLY	0.53 - 0.58	0.42	48.84	1	0				
AT EAVE	0.34 - 0.58	0.09	13.44					0	7.00
TOTAL (SQ. IN.)	0.57 - 0.57	0.91	100.00						
ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE									




SIDE AND REAR WINDOWS PER COMMUNITY SPECS
SCALE: 1/4" = 1'-0"




FRONT ELEVATION
SCALE: 1/4" = 1'-0"


NO WINDOW GRIDS OR TRIM ON/AROUND SIDE OR REAR WINDOWS unless noted in community specs.



RIGHT ELEVATION
SCALE: 1/8" = 1'-0"



REAR ELEVATION
SCALE: 1/8" = 1'-0"



LEFT ELEVATION
SCALE: 1/8" = 1'-0"

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Front, Side and Rear Elevations
2 Car Front Entry
Heartland 3S-B

PRODUCT MANAGER	Rick Sterkey
INITIAL RELEASE	DATE: 01/18/2019
REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	11/27/2019 PCR REVISIONS

GARAGE HANDING
Single Family


PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302

SHEET
A3-HR3S-B
2FB.1


SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1272
SECOND FLOOR	1749
TOTAL BASE HEATED	3021
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	616
BASEMENT	1179
TOTAL BASE UNDER ROOF	1888
BASE OPTIONS - HEATED	
SUNROOM	144
REAR 4FT EXTENSION	73
SUNROOM W/ 4FT EXTENSION	216
CAFE BAY	20
CAFE BAY 2	40
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	788
FINISHED BASEMENT BATH	44
FINISHED BASEMENT BEDROOM	141
ADDITIONAL AREA W/ SUNROOM	129
ADDITIONAL AREA W/ 4FT EXTENSION	68
ADD. AREA W/ SUNROOM & 4FT EXT	201
ADDITIONAL AREA W/ CAFE BAY 2	36
ADDITIONAL AREA W/ OTHER	0
MECHANICAL and STORAGE	391
BASE OPTIONS	
BASEMENT / SUNROOM	1308
BASEMENT / 4' EXTENSION	1247
BASEMENT / SUNROOM/4 FT EXTENSION	1380
BASEMENT / CAFE BAY 2	1215
COVERED PORCH	144
SCREENED PORCH	144
2 CAR SIDE ENTRY GARAGE	646
3 CAR FRONT ENTRY GARAGE	616
3 CAR SIDE ENTRY GARAGE	0
2 CAR COURTYARD ENTRY	0
BASEMENT	923
CRAWL	256
WOOD DECK	158
CONCRETE PATIO	144
OTHER	0

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 2	174.37	13.95	6.97	23.40	10.00


** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.



2ND FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



1ST FLOOR PLAN - 4" EXTERIOR WALLS
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



BASEMENT FOUNDATION PLAN
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN

ELEVATION HR3S-B	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1272
ADDITIONAL 2ND FLOOR - HEATED	-12
TOTAL 2ND FLOOR	1737
TOTAL ELEV. HEATED	3009
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	616
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1179
FRONT PORCH	49
TOTAL ELEV. FOOTPRINT	1937

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Heartland 3S-B

PRODUCT MANAGER Rick Sterkey	INITIAL RELEASE DATE: 01/18/2019
REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	11/27/2019 PCR REVISIONS


GARAGE HANDING
Single Family

SPECIFICATION LEVEL

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302



SHEET
A3-HR3S-B
2FB4.2

REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN RELEASE
2	11/27/2019 PCR REVISIONS




ROOF PLAN
 SCALE: 1/8" = 1'-0"


ATTIC VENT SCHEDULE									
VENTILATION REQUIREMENTS AND TOPICS TO BE COVERED BY THE VENT VENTILATION AND ROOF VENT VENTILATION SHOWN IN TABLE ABOVE TO MEET CODE REQUIREMENTS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION AS SPECIFIED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CALCULATING THE REQUIRED VENTILATION AT 30 MPH OF WIND AND RISE AT 40 MPH OF TOTAL WIND SPEED. VENTILATION SHALL BE PROVIDED AT THE EAVE AND AT THE RIDGE.									
Northern Craftsman 2G-B									
ROOF AREA "A"	SQ. FT. FIG	1720	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT. LARGE (SQ. FT.)	POT. SMALL (SQ. FT.)	ROOF VENT (SQ. FT.)	EAVE VENT (SQ. FT.)	CONF. VENT (SQ. FT.)	CONV. VENT (SQ. FT.)
HIGH-RISE VENT ONLY	2.59	2.59	0.15	43.75	4	0	0	0	0
AT EAVE	2.64	2.64	0.15	46.25	0	0	0	0	47.50
TOTAL (SQ. FT.)	5.73	5.73	0.30	100.00					
HIGH-RISE VENT	2.59	2.59	0.00	0.00	0	0	0.00	0	0
AT EAVE	3.44	2.87	0.00	0.00	0	0	0	0	0.00
TOTAL (SQ. FT.)	5.73	5.73	0.00	0.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE				
ROOF AREA "B"	SQ. FT. FIG	250	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT. LARGE (SQ. FT.)	POT. SMALL (SQ. FT.)	ROOF VENT (SQ. FT.)	EAVE VENT (SQ. FT.)	CONF. VENT (SQ. FT.)	CONV. VENT (SQ. FT.)
HIGH-RISE VENT ONLY	0.33	0.42	0.42	48.84	1	0	0	0	7.50
AT EAVE	0.30	0.42	0.42	48.84	0	0	0	0	0.00
TOTAL (SQ. FT.)	0.83	0.83	0.91	100.00					
HIGH-RISE VENT	0.33	0.42	0.00	0.00	0	0	0.00	0	0.00
AT EAVE	0.30	0.42	0.00	0.00	0	0	0	0	0.00
TOTAL (SQ. FT.)	0.83	0.83	0.00	0.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE				




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"



RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"



REAR ELEVATION
 SCALE: 1/8" = 1'-0"






LEFT ELEVATION
 SCALE: 1/8" = 1'-0"

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1272
SECOND FLOOR	1749
TOTAL BASE HEATED	3021
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	616
BASEMENT	1179
TOTAL BASE UNDER ROOF	1888
BASE OPTIONS - HEATED	
SUNROOM	144
REAR 4FT EXTENSION	73
SUNROOM W/ 4FT EXTENSION	216
CAFE BAY	20
CAFE BAY 2	40
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	788
FINISHED BASEMENT BATH	44
FINISHED BASEMENT BEDROOM	141
ADDITIONAL AREA W/ SUNROOM	129
ADDITIONAL AREA W/ 4FT EXTENSION	68
ADD. AREA W/ SUNROOM & 4FT EXT	201
ADDITIONAL AREA W/ CAFE BAY 2	36
ADDITIONAL AREA W/ OTHER	0
MECHANICAL and STORAGE	391
BASE OPTIONS	
BASEMENT / SUNROOM	1308
BASEMENT / 4' EXTENSION	1247
BASEMENT / SUNROOM/4 FT EXTENSION	1380
BASEMENT / CAFE BAY 2	1215
COVERED PORCH	144
SCREENED PORCH	144
2 CAR SIDE ENTRY GARAGE	646
3 CAR FRONT ENTRY GARAGE	616
3 CAR SIDE ENTRY GARAGE	0
2 CAR COURTYARD ENTRY	0
BASEMENT	923
CRAWL	256
WOOD DECK	158
CONCRETE PATIO	144
OTHER	0

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 2	176.70	14.14	7.07	15.70	5.00
GAME ROOM	360.17	28.81	14.41	23.40 +ARTIF.	10 + MECH.

** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.



BASEMENT FOUNDATION PLAN
SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN

ELEVATION NC2G-B	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1272
ADDITIONAL 2ND FLOOR - HEATED	-45
TOTAL 2ND FLOOR	1704
TOTAL ELEV. HEATED	2976
ADDITIONAL GARAGE - 2 CAR FRONT	40
TOTAL GARAGE	656
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1179
FRONT PORCH	128
TOTAL ELEV. FOOTPRINT	2056

PLOTTED: December 2, 2019 / Sean Leheny / A3-NC2G-B_2FB4.2.DWG

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Northern Craftsman 2G-B

PRODUCT MANAGER Rick Sterkey INITIAL RELEASE DATE: 01/18/2019
REV# DATE/DESCRIPTION
1 01/18/2019 PLAN REFRESH
2 11/27/2019 PCR REVISIONS

GARAGE HANDING
Single Family

SPECIFICATION LEVEL

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302

SHEET
A3-NC2G-B
2FB4.2


© Copyright 2019 PutteGroup, Inc.

PRODUCT MANAGER	Rick Starkey
INITIAL RELEASE	
DATE:	01/18/2019
REV#	DATE/DESCRIPTION
1	01/18/2019
2	PLAN REFRESH
3	11/27/2019
4	PCR REVISIONS

GARAGE HANDING
Single Family


PLAN NAME
Greenfield
 NPC CHILD NUMBER
 1850.302

SHEET
A3-PR2M-B
 2FB.1



ROOF PLAN
 SCALE: 1/8" = 1'-0"

ATTIC VENT SCHEDULE									
VENTILATION REQUIRED AND SUPPLIED TO BE MET BY THE VENT VALUES AND ROOF VENT VALUES SHOWN IN TABLE ABOVE. THE CONTRACTOR INSTALLING VENTILATION IS RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION AS SPECIFIED. THESE VALUES ARE CALCULATED ASSUMING EAVE VENTILATION AT 30% OF TOTAL AND RIDGE AT 40% OF TOTAL. SQUARE FOOTAGE IS BASED ON TOTAL AREA OF ROOF.									
Prairie 2M-B									
ROOF AREA "A"	SQ. FT.	1736	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT. LARGE (SQ. FT.)	POT. SMALL (SQ. FT.)	ROOF VENT (SQ. FT.)	EAVE VENT (SQ. FT.)	CONF. VENT (SQ. FT.)	COMB. VENT (SQ. FT.)
HIGH-PITCH VENT ONLY	2.31	2.31	0.13	43.75	4	0			
AT EAVE	2.47	2.31	0.93	66.32				0	67.32
TOTAL	5.79	5.79	0.81	100.00					
HIGH-PITCH VENT ONLY	2.31	2.31	0.00	0.00	0	0	0.00		
AT EAVE	2.47	2.31	0.00	0.00				0	0.00
TOTAL	5.79	5.79	0.00	0.00					
ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE									
ROOF AREA "B"	SQ. FT.	240	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT. LARGE (SQ. FT.)	POT. SMALL (SQ. FT.)	ROOF VENT (SQ. FT.)	EAVE VENT (SQ. FT.)	CONF. VENT (SQ. FT.)	COMB. VENT (SQ. FT.)
HIGH-PITCH VENT ONLY	0.33	0.40	0.42	65.41	1	0			
AT EAVE	0.48	0.40	0.62	49.59				0	6.00
TOTAL	0.80	0.80	0.84	100.00					
HIGH-PITCH VENT ONLY	0.33	0.40	0.00	0.00	0	0	0.00		
AT EAVE	0.48	0.40	0.00	0.00				0	0.00
TOTAL	0.80	0.80	0.00	0.00					
ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE									




SIDE AND REAR WINDOWS PER COMMUNITY SPECS
 SCALE: 1/4" = 1'-0"




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"


NOTE:
 "L" FLASHING OVER BRICK SILL - THRU-WALL FLASHING BEHIND BRICK WITH WEEP HOLES AT 24" ON CENTER



RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"



REAR ELEVATION
 SCALE: 1/8" = 1'-0"




LEFT ELEVATION
 SCALE: 1/8" = 1'-0"

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1272
SECOND FLOOR	1749
TOTAL BASE HEATED	3021
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	616
BASEMENT	1179
TOTAL BASE UNDER ROOF	1888
BASE OPTIONS - HEATED	
SUNROOM	144
REAR 4FT EXTENSION	73
SUNROOM W/ 4FT EXTENSION	216
CAFE BAY	20
CAFE BAY 2	40
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	788
FINISHED BASEMENT BATH	44
FINISHED BASEMENT BEDROOM	141
ADDITIONAL AREA W/ SUNROOM	129
ADDITIONAL AREA W/ 4FT EXTENSION	68
ADD. AREA W/ SUNROOM & 4FT EXT	201
ADDITIONAL AREA W/ CAFE BAY 2	36
ADDITIONAL AREA W/ OTHER	0
MECHANICAL and STORAGE	391
BASE OPTIONS	
BASEMENT / SUNROOM	1308
BASEMENT / 4' EXTENSION	1247
BASEMENT / SUNROOM/4 FT EXTENSION	1380
BASEMENT / CAFE BAY 2	1215
COVERED PORCH	144
SCREENED PORCH	144
2 CAR SIDE ENTRY GARAGE	646
3 CAR FRONT ENTRY GARAGE	616
3 CAR SIDE ENTRY GARAGE	0
2 CAR COURTYARD ENTRY	0
BASEMENT	923
CRAWL	256
WOOD DECK	158
CONCRETE PATIO	144
OTHER	0

ELEVATION PR2M-B	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1272
ADDITIONAL 2ND FLOOR - HEATED	-30
TOTAL 2ND FLOOR	1719
TOTAL ELEV. HEATED	2991
ADDITIONAL GARAGE - 2 CAR FRONT	40
TOTAL GARAGE	656
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1179
FRONT PORCH	108
TOTAL ELEV. FOOTPRINT	2036


LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 3	149.19	11.94	5.97	18.90	5 +MECH.
GAME ROOM	357.00	28.56	14.28	30.60	10 +MECH.

*** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.



2ND FLOOR PLAN - 4" EXTERIOR WALLS

SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN



1ST FLOOR PLAN - 4" EXTERIOR WALLS

SCALE: 1/4" = 1'-0"
* SEE BASE PLANS FOR INFORMATION NOT SHOWN

PLOTTED: December 3, 2019 / Sean Leheny / A3-PR2M-B 2FB4.3.DWG

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Prairie 2M-B

REV#	DATE/DESCRIPTION
01/18/2019	INITIAL RELEASE
11/27/2019	PLAN REFRESH
	PCR REVISIONS

GARAGE HANDING
Single Family

SPECIFICATION LEVEL

PLAN NAME
Greenfield
NPC CHILD NUMBER
1850.302

SHEET
A3-PR2M-B
2FB4.3

© Copyright 2019 PutteGroup, Inc.