

LINWOOD

3-5 Bedrooms | 2-3 Bathrooms | 2,456+ sq. ft.
Unique, Multi-Level Layout | Game Room | Pulte Planning Center®



Linwood Home Exteriors



HR2G



CR2G



HR2H



HR2I



HR2O




NC2G

Garage door in rendering may be different than current community offering. See sales for details.




Elevations and floorplans are artist's conception and are not intended to show specific detailing, and may show features or designs that may not be available on all homes or that may be available for an additional cost. Pulte Homes reserves the right to make changes or modifications to plan specifications, materials, options, features, or floorplans without notice. Square footage and dimensions listed are approximate. Floor plans are the property of PulteGroup, Inc. and its affiliates and are protected by U.S. copyright laws. See a sales consultant for details. This material shall not constitute a valid offer in any state where prior registration is required or if void by law. ©2020 Pulte Homes of Indiana, LLC. All rights reserved. AUG 2020



First Floor


AVAILABLE OPTIONS

Speak with a sales consultant to review all options available for this home design at your community. Interactive floorplans are available on Pulte.com.



FLOORPLAN NOTES

- GENERAL SPECIFICATIONS
- ALL ANGLED WALLS (OTHER THAN THOSE AT 90°) SHALL BE CONSIDERED TO BE AT 45° UNLESS NOTED OTHERWISE.
 - ALL NON-BEARING WALLS TO BE 2x4 STUDS AT 24" O.C. KITCHEN AND PULTE PLANNING CENTER WALLS, WHERE CABINETS ARE TO BE HUNG, SHALL BE FRAMED AT 16" O.C.
 - PROVIDE A 1-3/8" OR LARGER SOLID CORE WOOD DOOR, SOLID CORE STEEL DOOR OR HONEYCOMB CORE STEEL DOOR, OR 20 MINUTE FIRE-RATED DOOR EQUIPPED WITH A SELF-CLOSING DEVICE BETWEEN GARAGE AND LIVING SPACE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
 - PROVIDE FIRE SEPARATION BETWEEN DWELLING AND GARAGE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
 - PROVIDE 1/2" DRYWALL AT WALLS, CEILING AND UNDERSIDE OF STAIR ASSEMBLY ACCESSIBLE SPACE UNDER STAIRS IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
 - ALL GLAZING INSTALLED IN HAZARDOUS LOCATIONS AS DEFINED BY THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE SHALL HAVE A PERMANENT DESIGNATION OR LABEL AFFIXED TO EACH PANE OF GLAZING BEARING THE MANUFACTURER'S LABEL SHOWING THE TYPE AND THICKNESS OF GLASS. FOR OTHER THAN TEMPERED GLASS, LABELS MAY BE OMITTED PROVIDED THE BUILDING OFFICIAL APPROVES THE USE OF A CERTIFICATE, AFFIDAVIT OR OTHER EVIDENCE CONFIRMING COMPLIANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
 - ALL BATHTUB AND SHOWER FLOORS AND WALLS ABOVE BATHTUBS WITH INSTALLED SHOWER HEADS AND IN SHOWER COMPARTMENTS SHALL BE FINISHED WITH A NON-ABSORBENT SURFACE. SUCH WALL SURFACES SHALL EXTEND TO A HEIGHT NOT LESS THAN 72" ABOVE THE FLOOR PER THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
 - PROVIDE 3/8" MAX. SHEATHING WITH TAPED JOINTS AS DRAFT STOP WITH BATT INSULATION FILLING ALL CAVITIES AT EXTERIOR WALLS ADJACENT TO TUBS AND SHOWERS.
 - ALL REQUIRED GUARDRAILS AND GUARDWALLS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. GUARDS SHALL NOT BE LESS THAN 36" HIGH MEASURED VERTICALLY ABOVE THE ADJACENT WALKING SURFACE AND NOT LESS THAN 34" HIGH MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS.
 - ALL REQUIRED HANDRAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. HANDRAILS SHALL BE PROVIDED ON AT LEAST ONE SIDE OF EACH CONTINUOUS RUN OF TREADS OR FLIGHT WITH 4 OR MORE RISERS. HANDRAIL HEIGHT SHALL NOT BE LESS THAN 34" OR MORE THAN 38" AS MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS AND SHALL BE CONTINUOUS FOR THE FULL LENGTH OF THE FLIGHT. HANDRAILS ADJACENT TO A WALL SHALL HAVE A SPACE NOT LESS THAN 1-1/2" BETWEEN THE WALL AND THE HANDRAIL.
 - BASEMENTS, HABITABLE ATTICS AND ALL SLEEPING ROOMS MUST HAVE AT LEAST ONE EMERGENCY ESCAPE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. THE EMERGENCY ESCAPE MUST HAVE A 5.7 SF CLEAR OPENING AND A SILL HEIGHT OF NO MORE THAN 44" ABOVE FINISHED FLOOR. ESCAPE WINDOWS AT GRADE LEVEL MUST HAVE A MIN. OF 5.0 SF OF OPEN AREA. REQUIRED CLEAR OPENINGS SHALL BE A MINIMUM OF 24" HIGH AND 20" WIDE. EMERGENCY ESCAPES WITH A FINISHED SILL HEIGHT BELOW THE ADJACENT GRADE MUST HAVE A WINDOW WELL AND LADDER IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES.
 - FOR ADDITIONAL INFORMATION SEE STRUCTURAL DRAWINGS AND NOTES



SECOND FLOOR PLAN
SCALE: 1/4" = 1'-0"

Midwest Zone Office
1900 E. Golf Road, Suite 300
Schaumburg, Illinois 60173



Second Floor Plan
4th Exterior Walls

PRODUCTION MANAGER
Rick Starkey
INITIAL RELEASE DATE:
02/24/2017
CURRENT RELEASE DATE:
06/28/2019

REV #	DATE / DESCRIPTION
1	10/31/2018 PCR REVISIONS
2	06/28/2019 PLAN UPDATES
3	10/18/2019 PCR REVISIONS

GARAGE HANDING
LEFT

PLAN NAME
Linwood
MPS PLAN NUMBER
2376.300.00 CPM
LAWSON PLAN ID


SHEET
A1
42.1

ATTIC VENT SCHEDULE

VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT VALUES AND RIDGE VENT VALUES SHOWN IN TABLE ABOVE
 ** CONTRACTORS INSTALLING VENTILATION ARE RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION TO MEET CODE REQUIREMENTS
 * SCHEDULE HAS BEEN CALCULATED ASSUMING EAVE VENTILATION AT 85-90% OF TOTAL AND RIDGE AT 40-45% OF TOTAL REQUIRED VENTILATION

Craftsman 2G


ROOF AREA "A"		1800		AT / NEAR RIDGE			AT / NEAR EAVE	
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN. BACK)	POT SMALL (SQ. IN. BACK)	RIDGE VENT (SQ. IN. PER VENT)	EAVE VENT (SQ. IN. BACK)	CONT. VENT (SQ. IN. PER VENT)
HIGH - POT VENTS ONLY	2.40 - 3.00	2.97	49.82	7	0	18.00	28.00	10.00
AT EAVE	3.40 - 3.00	2.99	50.18				0	43.00
TOTAL (MIN)	6.00 - 6.00	5.95	100.00					
HIGH - RIDGE VENT	2.40 - 3.00	2.98	49.05	0	0	23.00		
AT EAVE	3.40 - 3.00	2.99	50.95				0	43.00
TOTAL (MIN)	6.00 - 6.00	5.86	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE				



RIGHT ELEVATION

SCALE: 1/4" = 1'-0"


SEE BASE PLANS FOR INFORMATION NOT SHOWN



ROOF PLAN

SCALE: 1/4" = 1'-0"


SEE BASE PLANS FOR INFORMATION NOT SHOWN



LEFT ELEVATION

SCALE: 1/4" = 1'-0"

SEE BASE PLANS FOR INFORMATION NOT SHOWN



REAR ELEVATION

SCALE: 1/4" = 1'-0"

SEE BASE PLANS FOR INFORMATION NOT SHOWN

Midwest Zone Office
 1900 E. Golf Road, - Suite 300
 Schaumburg, Illinois 60173



Craftsman 2G
 2 Car Front Entry
 Side and Rear Elevation, Roof Plan and Attic Ventilation Schedule

PRODUCTION MANAGER
 Rick Starkey
 INITIAL RELEASE DATE:
 02/24/2017
 CURRENT RELEASE DATE:
 06/28/2019

REV #	DATE / DESCRIPTION
1	10/31/2018 PCR REVISIONS
2	06/28/2019 PLAN UPDATES
3	10/18/2019 PCR REVISIONS
4	
5	
6	
7	
8	
9	
10	

GARAGE HANDING
LEFT

PLAN NAME
Linwood
 MSF PLAN NUMBER
2376.300.00 CPM
 LAWSON PLAN ID


SHEET
A3-CR2G
2FB.4

ATTIC VENT SCHEDULE

VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT VALUES AND RIDGE VENT VALUES SHOWN IN TABLE ABOVE
 ** CONTRACTORS INSTALLING VENTILATION ARE RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION TO MEET CODE REQUIREMENTS
 * SCHEDULE HAS BEEN CALCULATED ASSUMING EAVE VENTILATION AT 85-92% OF TOTAL AND RIDGE AT 40-85% OF TOTAL REQUIRED VENTILATION

Heartland 2G


ROOF AREA "A"		1800		AT / NEAR RIDGE			AT / NEAR EAVE		
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN. EACH)	POT SMALL (SQ. IN. EACH)	RIDGE VENT (SQ. IN. PER FT.)	EAVE VENT (SQ. IN. EACH)	CONT. VENT (SQ. IN. PER FT.)	
HIGH - POT VENTS ONLY	2.40 3.00	2.97	44.53	61.00	40.00	18.00	28.00	10.00	
AT EAVE	3.40 3.00	3.89	55.47				19	0.00	
TOTAL (min)	6.00 6.00	6.66	100.00						
HIGH - RIDGE VENT	2.40 3.00	2.90	40.34	0	0	20.00			
AT EAVE	3.40 3.00	3.89	59.64				19	0.00	
TOTAL (min)	6.00 6.00	6.19	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE					



RIGHT ELEVATION

SCALE: 1/4" = 1'-0"


SEE BASE PLANS FOR INFORMATION NOT SHOWN



ROOF PLAN

SCALE: 1/4" = 1'-0"


SEE BASE PLANS FOR INFORMATION NOT SHOWN



LEFT ELEVATION

SCALE: 1/4" = 1'-0"

SEE BASE PLANS FOR INFORMATION NOT SHOWN



REAR ELEVATION

SCALE: 1/4" = 1'-0"

SEE BASE PLANS FOR INFORMATION NOT SHOWN

Midwest Zone Office
 1900 E. Golf Road, - Suite 300
 Schaumburg, Illinois 60173



Heartland 2G
 2 Car Front Entry
 Side and Rear Elevation, Roof Plan and Attic Ventilation Schedule

PRODUCTION MANAGER
 Rick Starkey
 INITIAL RELEASE DATE:
 02/24/2017
 CURRENT RELEASE DATE:
 06/28/2019

REV #	DATE / DESCRIPTION
1	10/31/2018 PCR REVISIONS
2	06/28/2019 PLAN UPDATES
3	10/18/2019 PCR REVISIONS
4	
5	
6	
7	
8	
9	
10	

GARAGE HANDING
LEFT


PLAN NAME
Linwood
 MFG PLAN NUMBER
2376.300.00 CPM
 LAWSON PLAN ID

SHEET
A3-HR2G
2FB.4

ATTIC VENT SCHEDULE

VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT VALUES AND RIDGE VENT VALUES SHOWN IN TABLE ABOVE
 ** CONTRACTORS INSTALLING VENTILATION ARE RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION TO MEET CODE REQUIREMENTS
 * SCHEDULE HAS BEEN CALCULATED ASSUMING EAVE VENTILATION AT 85-95% OF TOTAL AND RIDGE AT 40-55% OF TOTAL REQUIRED VENTILATION

Heartland 2H									
ROOF AREA "A"		1833		AT / NEAR RIDGE			AT / NEAR EAVE		
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN. EACH)	POT SMALL (SQ. IN. EACH)	RIDGE VENT (SQ. IN. PER FT.)	EAVE VENT (SQ. IN. EACH)	CONT. VENT (SQ. IN. PER FT.)	
HIGH - POT VENTS ONLY	2.44 - 3.04	3.39	49.19	8	0	18.00	28.00	10.00	
AT EAVE	3.67 - 3.04	3.50	50.81				18	0.00	
TOTAL (min)	6.11 - 6.11	6.89	100.00						
HIGH - RIDGE VENT	2.44 - 3.04	2.50	41.67	0	0	20.00			
AT EAVE	3.67 - 3.04	3.50	58.33				18	0.00	
TOTAL (min)	6.11 - 6.11	6.00	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE					




RIGHT ELEVATION

SCALE: 1/4" = 1'-0"

SEE BASE PLANS FOR INFORMATION NOT SHOWN


ROOF AREA: "A"
1833 SQ. FT.



ROOF PLAN

SCALE: 1/4" = 1'-0"


SEE BASE PLANS FOR INFORMATION NOT SHOWN



LEFT ELEVATION

SCALE: 1/4" = 1'-0"

SEE BASE PLANS FOR INFORMATION NOT SHOWN



REAR ELEVATION



SCALE: 1/4" = 1'-0"

SEE BASE PLANS FOR INFORMATION NOT SHOWN

ELEVATION HR2H	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1416
ADDITIONAL 2ND FLOOR - HEATED	51
TOTAL 2ND FLOOR	1091
TOTAL ELEV. HEATED	2507
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	442
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	915
FRONT PORCH	86
TOTAL ELEV. FOOTPRINT	1944

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 3	165.82	13.27	6.63	13.3	5.6+ MECH.

REFER TO LIGHT & VENT SCHEDULE ON COVER SHT. FOR INFORMATION NOT SHOWN HERE.



PLOTTED: October 7, 2019 / Tiffany Yost / A3-HR2H_2FB4.2.DWG

© Copyright Pulte Home Corporation - 2019

Midwest Zone Office
1900 E. Golf Road, - Suite 300
Schaumburg, Illinois 60173



Heartland 2H
2 Car Front Entry
1st and 2nd Floor Partial Plans, Square Footages and Light & Vent

PRODUCTION MANAGER
Rick Starkey
INITIAL RELEASE DATE:
02/24/2017
CURRENT RELEASE DATE:
06/28/2019


REV #	DATE / DESCRIPTION
1	10/31/2018 PCR REVISIONS
2	06/28/2019 PLAN UPDATES
3	10/18/2019 PCR REVISIONS

GARAGE HANDING
LEFT

PLAN NAME
Linwood
MS PLAN NUMBER
2376.300.00 CPM
LAWSON PLAN ID


SHEET
A3-HR2H
2FB4.2

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS



SIDE AND REAR WINDOWS PER COMMUNITY SPECS

SCALE: 1/4" = 1'-0"



FRONT ELEVATION HR21 w/ MASONRY

SCALE: 1/4" = 1'-0"

SEE BASE PLANS FOR INFORMATION NOT SHOWN



Heartland 21
2 Car Front Entry
 Front Elevation, Porch Sections and Details

REV #	DATE / DESCRIPTION
PRODUCTION MANAGER	Rick Starkey
INITIAL RELEASE DATE:	02/24/2017
CURRENT RELEASE DATE:	06/28/2019
10/31/2018	PCR REVISIONS
06/28/2019	PLAN UPDATES
10/18/2019	PCR REVISIONS

GARAGE HANDING
LEFT

PLAN NAME
Linwood
 MHS PLAN NUMBER
2376.300.00 CPM
 LAWSON PLAN ID





SHEET
A3-HR21
2FB.3

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

ATTIC VENT SCHEDULE

VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT VALUES AND RIDGE VENT VALUES SHOWN IN TABLE ABOVE
 ** CONTRACTORS INSTALLING VENTILATION ARE RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION TO MEET CODE REQUIREMENTS
 * SCHEDULE HAS BEEN CALCULATED ASSUMING EAVE VENTILATION AT 85-95% OF TOTAL AND RIDGE AT 40-55% OF TOTAL REQUIRED VENTILATION

Heartland 21								
ROOF AREA "A"		SQ FIG		AT / NEAR RIDGE			AT / NEAR EAVE	
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN. EACH)	POT SMALL (SQ. IN. EACH)	RIDGE VENT (SQ. IN. PER VENT)	EAVE VENT (SQ. IN. EACH)	CONT. VENT (SQ. IN. PER VENT)
HIGH - POT VENTS ONLY	2.33 - 2.91	2.91	49.82	7	0	18.00	28.00	10.00
AT EAVE	3.49 - 2.91	2.99	50.18				0	43.00
TOTAL (min)	5.82 - 5.82	5.95	100.00					
HIGH - RIDGE VENT	2.33 - 2.91	2.98	49.05	0	0	23.00		
AT EAVE	3.49 - 2.91	2.99	50.95				0	43.00
TOTAL (min)	5.82 - 5.82	5.96	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE				



Midwest Zone Office
 1900 E. Golf Road, Suite 300
 Schaumburg, Illinois 60173



Heartland 21
 2 Car Front Entry
 Side and Rear Elevation, Roof Plan and Attic Ventilation Schedule

PRODUCTION MANAGER
 Rick Starkey
 INITIAL RELEASE DATE:
 02/24/2017
 CURRENT RELEASE DATE:
 06/28/2019

REV #	DATE / DESCRIPTION
1	10/31/2018 PCR REVISIONS
2	06/28/2019 PLAN UPDATES
3	10/18/2019 PCR REVISIONS
4	
5	
6	
7	
8	
9	
10	



GARAGE HANDING
LEFT

PLAN NAME
Linwood
 MS PLAN NUMBER
2376.300.00 CPM
 LAWSON PLAN ID

SHEET
A3-HR21
2FB.4

ELEVATION HR2I

ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1416
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1040
TOTAL ELEV. HEATED	2456
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	442
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	915
FRONT PORCH	0
TOTAL ELEV. FOOTPRINT	1858



PLOTTED: October 7, 2019 / Tiffany Yost / A3-HR2I 2FB4.2.DWG

© Copyright Pulte Home Corporation - 2019

Midwest Zone Office
1900 E. Golf Road, - Suite 300
Schaumburg, Illinois 60173



Heartland 21
2 Car Front Entry
1st and 2nd Floor Partial Plans, Square Footages and Light & Vent

PRODUCTION MANAGER
Rick Starkey
INITIAL RELEASE DATE:
02/24/2017
CURRENT RELEASE DATE:
06/28/2019

REV #	DATE / DESCRIPTION
△	10/31/2018 PCR REVISIONS
△	06/28/2019 PLAN UPDATES
△	10/18/2019 PCR REVISIONS
△	
△	
△	
△	
△	
△	
△	

GARAGE HANDING
LEFT

PLAN NAME
Linwood
MPS PLAN NUMBER
2376.300.00 CPM
LAWSON PLAN ID

SHEET
A3-HR2I
2FB4.2


NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

ATTIC VENT SCHEDULE

VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT VALUES AND RIDGE VENT VALUES SHOWN IN TABLE ABOVE
 ** CONTRACTORS INSTALLING VENTILATION ARE RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION TO MEET CODE REQUIREMENTS
 * SCHEDULE HAS BEEN CALCULATED ASSUMING EAVE VENTILATION AT 85-95% OF TOTAL AND RIDGE AT 40-55% OF TOTAL REQUIRED VENTILATION

Heartland 20


ROOF AREA "A"		1745		AT / NEAR RIDGE			AT / NEAR EAVE		
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN. EACH)	POT SMALL (SQ. IN. EACH)	RIDGE VENT (SQ. IN. PER FT.)	EAVE VENT (SQ. IN. EACH)	CONT. VENT (SQ. IN. PER FT.)	
HIGH - POT VENTS ONLY	2.33 - 2.91	2.97	49.82	7	0				
AT EAVE	3.49 - 2.91	2.99	50.18				0	43.00	
TOTAL (min)	5.82 - 5.82	5.95	100.00						
HIGH - RIDGE VENT	2.33 - 2.91	2.98	49.05	0	0	23.00			
AT EAVE	3.49 - 2.91	2.99	50.95				0	43.00	
TOTAL (min)	5.82 - 5.82	5.96	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE					



RIGHT ELEVATION

SCALE: 1/4" = 1'-0"


SEE BASE PLANS FOR INFORMATION NOT SHOWN



ROOF PLAN

SCALE: 1/4" = 1'-0"


SEE BASE PLANS FOR INFORMATION NOT SHOWN



LEFT ELEVATION

SCALE: 1/4" = 1'-0"

SEE BASE PLANS FOR INFORMATION NOT SHOWN



REAR ELEVATION

SCALE: 1/4" = 1'-0"

SEE BASE PLANS FOR INFORMATION NOT SHOWN

PLOTTED: October 7, 2019 / Tiffany Yost / A3-HR20_2FB.4.DWG

(c) Copyright Pulte Home Corporation - 2019

Midwest Zone Office
 1900 E. Golf Road, - Suite 300
 Schaumburg, Illinois 60173



Heartland 20
 2 Car Front Entry
 Side and Rear Elevation, Roof Plan and Attic Ventilation Schedule

PRODUCTION MANAGER
 Rick Starkey
 INITIAL RELEASE DATE:
 02/24/2017
 CURRENT RELEASE DATE:
 06/28/2019

REV #	DATE / DESCRIPTION
1	10/31/2018 PCR REVISIONS
2	06/28/2019 PLAN UPDATES
3	10/18/2019 PCR REVISIONS

GARAGE HANDING
LEFT



PLAN NAME
Linwood
 MSF PLAN NUMBER
2376.300.00 CPM
 LAWSON PLAN ID

SHEET
A3-HR20
2FB.4

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

ELEVATION HR20

ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1416
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1040
TOTAL ELEV. HEATED	2456
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	442
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	915
FRONT PORCH	43
TOTAL ELEV. FOOTPRINT	1901



PLOTTED: October 7, 2019 / Tiffany Yost / A3-HR20_2FB4.2.DWG

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

Midwest Zone Office
1900 E. Golf Road, - Suite 300
Schaumburg, Illinois 60173



Heartland 20
2 Car Front Entry
1st and 2nd Floor Partial Plans, Square Footages and Light & Vent

PRODUCTION MANAGER
Rick Starkey
INITIAL RELEASE DATE:
02/24/2017
CURRENT RELEASE DATE:
06/28/2019

REV #	DATE / DESCRIPTION
△	10/31/2018 PCR REVISIONS
△	06/28/2019 PLAN UPDATES
△	10/18/2019 PCR REVISIONS
△	
△	
△	
△	
△	
△	

GARAGE HANDING
LEFT

PLAN NAME
Linwood
MPS PLAN NUMBER
2376.300.00 CPM
LAWSON PLAN ID


SHEET
A3-HR20
2FB4.2

ATTIC VENT SCHEDULE

VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT VALUES AND RIDGE VENT VALUES SHOWN IN TABLE ABOVE
 ** CONTRACTORS INSTALLING VENTILATION ARE RESPONSIBLE FOR VERIFYING THAT VENTS USED WILL SUPPLY VENTILATION TO MEET CODE REQUIREMENTS
 * SCHEDULE HAS BEEN CALCULATED ASSUMING EAVE VENTILATION AT 85-90% OF TOTAL AND RIDGE AT 40-50% OF TOTAL REQUIRED VENTILATION


Northern Craftsman 2G

VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	AT / NEAR RIDGE			AT / NEAR EAVE	
				POT LARGE (SQ. IN. EACH)	POT SMALL (SQ. IN. EACH)	RIDGE VENT (SQ. IN. PER FT.)	EAVE VENT (SQ. IN. EACH)	CONT. VENT (SQ. IN. PER FT.)
HIGH - POT VENTS ONLY	2.48 - 3.10	2.97	44.53	61.00	40.00	18.00	28.00	10.00
AT EAVE	3.72 - 3.10	3.89	58.47				19	0.00
TOTAL (min)	6.20 - 6.20	6.86	100.00					
HIGH - RIDGE VENT	2.48 - 3.10	2.43	41.54	0	0	21.00		
AT EAVE	3.72 - 3.10	3.89	58.46				19	0.00
TOTAL (min)	6.20 - 6.20	6.32	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE				




RIGHT ELEVATION

SCALE: 1/4" = 1'-0" SEE BASE PLANS FOR INFORMATION NOT SHOWN




LEFT ELEVATION

SCALE: 1/4" = 1'-0" SEE BASE PLANS FOR INFORMATION NOT SHOWN



ROOF PLAN

SCALE: 1/4" = 1'-0" SEE BASE PLANS FOR INFORMATION NOT SHOWN



REAR ELEVATION

SCALE: 1/4" = 1'-0" SEE BASE PLANS FOR INFORMATION NOT SHOWN

PLOTTED: October 7, 2019 / Tiffany Yost / A3-NC2G 2FB.4.DWG

Midwest Zone Office
 1900 E. Golf Road, - Suite 300
 Schaumburg, Illinois 60173



Northern Craftsman 2G
 2 Car Front Entry
 Side and Rear Elevation, Roof Plan and Attic Ventilation Schedule

PRODUCTION MANAGER
 Rick Starkey
 INITIAL RELEASE DATE:
 02/24/2017
 CURRENT RELEASE DATE:
 06/28/2019

REV #	DATE / DESCRIPTION
1	10/31/2018 PCR REVISIONS
2	06/28/2019 PLAN UPDATES
3	10/18/2019 PCR REVISIONS

GARAGE HANDING
LEFT

PLAN NAME
Linwood
 MSF PLAN NUMBER
2376.300.00 CPM
 LAWSON PLAN ID

SHEET
A3-NC2G
2FB.4

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

(c) Copyright Pulte Home Corporation - 2019

