


RIVERTON

4-6 Bedrooms | 2.5-4 Bathrooms | 3,126+ sq. ft.
Garage with Storage Bay | Pulte Planning Center® | Spacious Loft




Riverton Home Exteriors





AVAILABLE OPTIONS


Speak with a sales consultant to review all options available for this home design at your community. Interactive floorplans are available on Pulte.com.



FLOORPLAN NOTES

GENERAL SPECIFICATIONS

- ALL ANGLED WALLS (OTHER THAN THOSE AT 90°) SHALL BE CONSIDERED TO BE AT 45° UNLESS NOTED OTHERWISE.
- ALL STUDS AT EXTERIOR AND INTERIOR WALLS SHALL BE 2x4 UNLESS OTHERWISE NOTED.
- ALL STUDS AT EXTERIOR WALLS AND INTERIOR BEARING WALLS TO BE FRAMED AT 16" O.C. UNLESS NOTED OTHERWISE.
- ALL NON-BEARING WALLS, OTHER THAN IN THE KITCHEN AND PLANNING CENTERS, TO BE 2x4 STUDS AT 24" O.C. UNLESS OTHERWISE NOTED OR RESTRICTED BY LOCAL CODES OR ORDINANCES. KITCHEN AND PLANNING CENTER WALLS WHERE WALL CABINETS ARE TO BE HUNG SHALL BE FRAMED AT 16" O.C.
- PROVIDE DOUBLE 2x TOP PLATES AT ALL LOAD BEARING WALLS.
- PROVIDE SINGLE TOP PLATE AT ALL INTERIOR NON-LOADING BEARING WALLS.
- PROVIDE A 1-3/8" OR LARGER SOLID CORE WOOD DOOR, SOLID CORE STEEL DOOR OR HONEYCOMB CORE STEEL DOOR, OR 20 MINUTE FIRE-RATED DOOR EQUIPPED WITH A SELF-CLOSING DEVICE BETWEEN GARAGE AND LIVING SPACE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE FIRE SEPARATION BETWEEN DWELLING AND GARAGE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE 3/2" DRYWALL AT WALLS, CEILING AND UNDERSIDE OF STAIR ASSEMBLY ACCESSIBLE SPACE UNDER STAIRS IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- ALL GLAZING INSTALLED IN HAZARDOUS LOCATIONS AS DEFINED BY THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE SHALL HAVE A PERMANENT DESIGNATION OR LABEL AFFIXED TO EACH PANE OF GLAZING BEARING THE MANUFACTURER'S LABEL SHOWING THE TYPE AND THICKNESS OF GLASS. FOR OTHER THAN TEMPERED GLASS, LABELS MAY BE OMITTED PROVIDED THE BUILDING OFFICIAL APPROVES THE USE OF A CERTIFICATE, AFFIDAVIT OR OTHER EVIDENCE CONFIRMING COMPLIANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- ALL BATHTUB AND SHOWER FLOORS AND WALLS ABOVE BATHTUBS WITH INSTALLED SHOWER HEADS AND IN SHOWER COMPARTMENTS SHALL BE FINISHED WITH A NON-ABSORBENT SURFACE. SUCH WALL SURFACES SHALL EXTEND TO A HEIGHT NOT LESS THAN 72" ABOVE THE FLOOR PER THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE THERMO-PLY SHEATHING AND BATT INSULATION FILLING ALL CAVITIES AT EXTERIOR WALLS SURROUNDING TUBS AND SHOWERS.
- ALL REQUIRED GUARDRAILS AND GUARDWALLS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. GUARDS SHALL NOT BE LESS THAN 36" HIGH MEASURED VERTICALLY ABOVE THE ADJACENT WALKING SURFACE AND NOT LESS THAN 34" HIGH MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS.
- ALL REQUIRED HANDRAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. HANDRAILS SHALL BE PROVIDED ON AT LEAST ONE SIDE OF EACH CONTINUOUS RUN OF TREADS OR FLIGHT WITH 4 OR MORE RISERS. HANDRAIL HEIGHT SHALL NOT BE LESS THAN 34" OR MORE THAN 38" AS MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS AND SHALL BE CONTINUOUS FOR THE FULL LENGTH OF THE FLIGHT. HANDRAILS ADJACENT TO A WALL SHALL HAVE A SPACE NOT LESS THAN 1-1/2" BETWEEN THE WALL AND THE HANDRAIL.
- BASEMENTS, HABITABLE ATTICS AND EVERY SLEEPING ROOM MUST HAVE AT LEAST ONE EMERGENCY ESCAPE OR RESCUE OPENING IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. WHERE THE BASEMENT CONTAINS 1 OR MORE SLEEPING ROOMS, EMERGENCY ESCAPE OR RESCUE OPENINGS SHALL BE REQUIRED IN EACH SLEEPING ROOM. THE EMERGENCY ESCAPE OR RESCUE OPENING SHALL HAVE A CLEAR 5.7 SQUARE FEET OF OPEN AREA WITH A SILL HEIGHT OF NO MORE THAN 44" ABOVE THE FLOOR OR 5.0 SQUARE FEET OF OPEN AREA FOR GRADE-FLOOR WINDOWS. THE CLEAR OPENING SHALL A MINIMUM OF 24" OF OPENING HEIGHT AND 20" OPENING WIDTH. EMERGENCY ESCAPE AND RESCUE OPENINGS WITH A FINISHED SILL HEIGHT BELOW THE ADJACENT GROUND LEVEL ELEVATION SHALL BE PROVIDED WITH A WINDOW WELL AND LADDER IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES.
- FOR ADDITIONAL INFORMATION SEE STRUCTURAL DRAWINGS AND NOTES.



FIRST FLOOR PLAN - 4' EXTERIOR WALLS

SCALE: 1/4" = 1'-0"

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



First Floor Plan
4' Exterior Walls

PRODUCT MANAGER
Rick Starkey
INITIAL RELEASE
DATE: 01/18/2019

REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	04/16/2019 PLAN REVISIONS
3	11/27/2019 PCR REVISIONS
4	
5	
6	
7	
8	
9	
10	

GARAGE HANDING
LEFT

SPECIFICATION LEVEL
-

PLAN NAME
Riverton
NPC CHILD NUMBER
1853.302

SHEET
A1
4-1.1


REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	04/16/2019 PLAN REVISIONS
3	11/27/2019 PCR REVISIONS

GARAGE HANDING
LEFT

SPECIFICATION LEVEL


PLAN NAME
Riverton
 NPC CHILD NUMBER
 1853.302

SHEET
A3-CR2G
2FB.1




ROOF PLAN
 SCALE: 1/8" = 1'-0"


ATTIC VENT SCHEDULE									
Craftsman 2G									
VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT SIZES AND RIDGE VENT VALUES SHOWN IN TABLE ABOVE.									
* CONTINGENCY RESERVARY CALCULATION NOT REQUIRED FOR THIS TYPE USED WITH SUPPLY VENTILATION TO MEET CODE REQUIREMENTS.									
* SCHEDULE HAS BEEN CALCULATED ASSUMING SAME VENTILATION AT 50'-SIZE OF TOTAL AND RIDGE AT 40'-SIZE OF TOTAL. REQUIRED VENTILATION									
ROOF AREA "A"	SQ. FTG	1668	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF REQ. SUPPLIED	POT LARGE (SQ. IN.)	POT SMALL (SQ. IN.)	RIDGE VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONG. VENT (SQ. IN.)	
ROOF VENT ONLY	2.28	2.78	2.54	45.41	6	0			
AT EAVE	3.34	2.78	3.08	94.59			0	44.00	
TOTAL REQ.	5.62	5.56	5.60	100.00					
ROOF VENT ONLY	2.28	2.78	2.80	45.00	0	0	20.00		
AT EAVE	3.34	2.78	3.08	93.00			0	44.00	
TOTAL REQ.	5.62	5.56	5.56	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS MINOR ROOF RIDGE AVAILABLE				
ROOF AREA "B"	SQ. FTG	420	AT / NEAR RIDGE			AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF REQ. SUPPLIED	POT LARGE (SQ. IN.)	POT SMALL (SQ. IN.)	RIDGE VENT (SQ. IN.)	EAVE VENT (SQ. IN.)	CONG. VENT (SQ. IN.)	
ROOF VENT ONLY	0.54	0.70	0.85	30.41	2	0			
AT EAVE	0.84	0.70	0.83	49.29			0	12.00	
TOTAL REQ.	1.40	1.40	1.48	100.00					
ROOF VENT ONLY	0.54	0.70	0.63	42.86	0	0	5.00		
AT EAVE	0.84	0.70	0.83	37.14			0	12.00	
TOTAL REQ.	1.40	1.40	1.44	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS MINOR ROOF RIDGE AVAILABLE				




SIDE AND REAR WINDOWS PER COMMUNITY SPECS
 SCALE: 1/4" = 1'-0"




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"



RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"



REAR ELEVATION
 SCALE: 1/8" = 1'-0"





LEFT ELEVATION
 SCALE: 1/8" = 1'-0"

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1480
SECOND FLOOR	1646
TOTAL BASE HEATED	3126
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	608
BASEMENT	1385
TOTAL BASE UNDER ROOF	2088
BASE OPTIONS - HEATED	
SUNROOM	144
GATHERING ROOM EXTENSION	66
SUNROOM w/ GATHERING RM. EXT.	209
CAFE BAY 2	N/A
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	747
FINISHED BASEMENT w/ CRAWL	N/A
BATH 7 OPTION	44
BEDROOM 7 OPTION	133
ADDITIONAL AREA w/ SUNROOM	129
ADDITIONAL AREA w/ GATHERING RM. EXTENSION	61
ADD. AREA w/ SUNROOM & GATHERING RM. EXTENSION	192
ADDITIONAL AREA w/ CAFE BAY 2	N/A
MECHANICAL and STORAGE	638
BASE OPTIONS	
BASEMENT / SUNROOM	1529
BASEMENT / GATHERING RM. EXTENSION	1451
BASEMENT / SUNROOM / GATHERING RM. EXTENSION	1594
BASEMENT / CAFE BAY 2	N/A
COVERED PORCH	N/A
SCREENED PORCH	N/A
2 CAR SIDE ENTRY GARAGE	608
3 CAR FRONT ENTRY GARAGE	808
3 CAR SIDE ENTRY GARAGE	N/A
2 CAR COURTYARD ENTRY	N/A
BASEMENT	N/A
CRAWL	N/A
WOOD DECK	144
CONCRETE PATIO	144
OTHER	0

ELEVATION CR2G	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1480
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1646
TOTAL ELEV. HEATED	3126
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	608
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1385
FRONT PORCH	111
TOTAL ELEV. FOOTPRINT	2199

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 4	187.32	14.99	7.49	11.7	5.0
FLEX	115.65	9.25	4.63	13.7	5.9

** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.



Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Craftsman 2G

REV#	DATE/DESCRIPTION
01/18/2019	INITIAL RELEASE
04/16/2019	PLAN REFRESH
11/27/2019	PLAN REVISIONS
	PCR REVISIONS

GARAGE HANDING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
NPC CHILD NUMBER
1853.302

SHEET
A3-CR2G
2FB4.3

REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	04/16/2019 PLAN REVISIONS
3	11/27/2019 PCR REVISIONS


GARAGE HANDING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
 NPC CHILD NUMBER
 1853.302


SHEET
A3-EC2G
2FB.1

(c) Copyright 2019, PutteGroup, Inc.




ROOF PLAN
 SCALE: 1/8" = 1'-0"


ATTIC VENT SCHEDULE									
Euro Country 2G									
VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT SIZES AND ROOF VENT VALUES SHOWN IN TABLE ABOVE.									
* SCHEDULE HAS BEEN CALCULATED ASSUMING SAE VENTILATION AT 50-SIZE OF TOTAL AND ROOF AT 40-SIZE OF TOTAL REQUIRED VENTILATION									
ROOF AREA "A"		2088		AT / NEAR RIDGE		AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	FREQUENCY OFFICIAL SUPPLIED	POT LARGE (S.A.E.)	POT SMALL (S.A.E.)	ROOF VENT (S.A.E.)	SAVE VENT (S.A.E.)	CONF. VENT (S.A.E.)	
HIGH-PITCH (S.A.E.)	3.78	3.48	3.39	44.64	0	0			
AT EAVE	4.18	3.48	3.39	35.44			0	66.00	
TOTAL REQ	6.94	6.94	7.28	100.00					
HIGH-PITCH (S.A.E.)	3.78	3.48	3.39	44.64	0	0	25.00		
AT EAVE	4.18	3.48	3.39	35.44			0	66.00	
TOTAL REQ	6.94	6.94	7.01	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE				




SIDE AND REAR WINDOWS PER COMMUNITY SPECS
 SCALE: 1/4" = 1'-0"




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"



RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"



REAR ELEVATION
 SCALE: 1/8" = 1'-0"




LEFT ELEVATION
 SCALE: 1/8" = 1'-0"

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1480
SECOND FLOOR	1646
TOTAL BASE HEATED	3126
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	608
BASEMENT	1385
TOTAL BASE UNDER ROOF	2088
BASE OPTIONS - HEATED	
SUNROOM	144
GATHERING ROOM EXTENSION	66
SUNROOM w/ GATHERING RM. EXT.	209
CAFE BAY 2	N/A
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	747
FINISHED BASEMENT w/ CRAWL	N/A
BATH 7 OPTION	44
BEDROOM 7 OPTION	133
ADDITIONAL AREA w/ SUNROOM	129
ADDITIONAL AREA w/ GATHERING RM. EXTENSION	61
ADD. AREA w/ SUNROOM & GATHERING RM. EXTENSION	192
ADDITIONAL AREA w/ CAFE BAY 2	N/A
MECHANICAL and STORAGE	638
BASE OPTIONS	
BASEMENT / SUNROOM	1529
BASEMENT / GATHERING RM. EXTENSION	1451
BASEMENT / SUNROOM / GATHERING RM. EXTENSION	1594
BASEMENT / CAFE BAY 2	N/A
COVERED PORCH	N/A
SCREENED PORCH	N/A
2 CAR SIDE ENTRY GARAGE	608
3 CAR FRONT ENTRY GARAGE	808
3 CAR SIDE ENTRY GARAGE	N/A
2 CAR COURTYARD ENTRY	N/A
BASEMENT	N/A
CRAWL	N/A
WOOD DECK	144
CONCRETE PATIO	144
OTHER	0

ELEVATION EC2G	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1480
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1646
TOTAL ELEV. HEATED	3126
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	608
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1385
FRONT PORCH	100
TOTAL ELEV. FOOTPRINT	2188


LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 4	187.32	14.99	7.49	11.7	5.0

** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.




2ND FLOOR PLAN

SCALE: 1/4" = 1'-0"
SEE BASE PLANS FOR INFORMATION NOT SHOWN



1ST FLOOR PLAN

SCALE: 1/4" = 1'-0"
SEE BASE PLANS FOR INFORMATION NOT SHOWN



BASEMENT FOUNDATION

SCALE: 1/4" = 1'-0"
SEE BASE PLANS FOR INFORMATION NOT SHOWN

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Euro Country 2G

REV#	DATE/DESCRIPTION
01/18/2019	PLAN REFRESH
04/16/2019	PLAN REVISIONS
11/27/2019	PCR REVISIONS

GARAGE HANDING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
NPC CHILD NUMBER
1853.302

SHEET
A3-EC2G
2FB4.2

PRODUCT MANAGER
 Rick Starkey
 INITIAL RELEASE
 DATE: 01/18/2019

REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	04/16/2019 PLAN REVISIONS
3	11/27/2019 PCR REVISIONS


GARAGE HANDLING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
 NPC CHILD NUMBER
 1853.302


SHEET
A3-EC2H
2FB.1

(c) Copyright 2019, PutteGroup, Inc.



ROOF PLAN
 SCALE: 1/8" = 1'-0"


Euro Country 2H									
ROOF AREA "A"		2088		AT / NEAR RIDGE		AT / NEAR EAVE			
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. OFFICIAL SUPPLIED	POT LARGE (S.A. MIN)	POT SMALL (S.A. MIN)	ROOF VENT (S.A. MIN)	SAVE VENT (S.A. MIN)	CONF. VENT (S.A. MIN)		
HIGH-POT (S.A. MIN)	3.78 - 3.48	3.39	44.54	0	0				
AT EAVE	4.18 - 3.48	3.89	35.44			0	64.00		
TOTAL #REQ	4.94 - 4.94	7.28	100.00						
HIGH-POT (S.A. MIN)	3.78 - 3.48	3.13	44.54	0	0	25.00			
AT EAVE	4.18 - 3.48	3.89	35.44			0	64.00		
TOTAL #REQ	4.94 - 4.94	7.01	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE					




SIDE AND REAR WINDOWS PER COMMUNITY SPECS
 SCALE: 1/4" = 1'-0"




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"



RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"



REAR ELEVATION
 SCALE: 1/8" = 1'-0"



LEFT ELEVATION
 SCALE: 1/8" = 1'-0"




PLOTTED: November 8, 2019 / Arnie Lee / A3-EC2H.2FB.LDWG

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1480
SECOND FLOOR	1646
TOTAL BASE HEATED	3126
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	608
BASEMENT	1385
TOTAL BASE UNDER ROOF	2088
BASE OPTIONS - HEATED	
SUNROOM	144
GATHERING ROOM EXTENSION	66
SUNROOM w/ GATHERING RM. EXT.	209
CAFE BAY 2	N/A
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	747
FINISHED BASEMENT w/ CRAWL	N/A
BATH 7 OPTION	44
BEDROOM 7 OPTION	133
ADDITIONAL AREA w/ SUNROOM	129
ADDITIONAL AREA w/ GATHERING RM. EXTENSION	61
ADD. AREA w/ SUNROOM & GATHERING RM. EXTENSION	192
ADDITIONAL AREA w/ CAFE BAY 2	N/A
MECHANICAL and STORAGE	638
BASE OPTIONS	
BASEMENT / SUNROOM	1529
BASEMENT / GATHERING RM. EXTENSION	1451
BASEMENT / SUNROOM / GATHERING RM. EXTENSION	1594
BASEMENT / CAFE BAY 2	N/A
COVERED PORCH	N/A
SCREENED PORCH	N/A
2 CAR SIDE ENTRY GARAGE	608
3 CAR FRONT ENTRY GARAGE	808
3 CAR SIDE ENTRY GARAGE	N/A
2 CAR COURTYARD ENTRY	N/A
BASEMENT	N/A
CRAWL	N/A
WOOD DECK	144
CONCRETE PATIO	144
OTHER	0

ELEVATION EC2H	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1480
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1646
TOTAL ELEV. HEATED	3126
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	608
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1385
FRONT PORCH	111
TOTAL ELEV. FOOTPRINT	2199

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 4	187.32	14.99	7.49	11.7	5.0

** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.



PLOTTED: November 8, 2019 / Arnie Lee / A3-EC2H 2FB4.2.DWG

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Euro Country 2H

REV#	DATE/DESCRIPTION
01	01/18/2019 INITIAL RELEASE
02	01/18/2019 PLAN REFRESH
03	04/16/2019 PLAN REVISIONS
04	11/27/2019 PCR REVISIONS

GARAGE HANDING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
NPC CHILD NUMBER
1853.302

SHEET
A3-EC2H
2FB4.2

© Copyright 2019 PutteGroup, Inc.

PRODUCT MANAGER
 Rick Starkey
 INITIAL RELEASE
 DATE: 01/18/2019

REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	04/16/2019 PLAN REVISIONS
3	11/27/2019 PCR REVISIONS


GARAGE HANDING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
 NPC CHILD NUMBER
 1853.302

SHEET
A3-HR2G
2FB.1

(c) Copyright 2019 PutteGroup, Inc.




ROOF PLAN
 SCALE: 1/8" = 1'-0"


ATTIC VENT SCHEDULE

VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT SIZES AND RIDGE VENT VALUES SHOWN IN TABLE ABOVE.
 * CHANGES TO REGULAR SCHEDULE ARE RESPONSIBLE FOR VERIFYING THIS TABLE USED WAS CORRECT ACCORDING TO MEET CODE REQUIREMENTS.
 † SCHEDULE HAS BEEN CALCULATED ASSUMING SAME VENTILATION AT 50% OF TOTAL AND RIDGE AT 40% OF TOTAL REQUIRED VENTILATION.


ROOF AREA "A"		2088		AT / NEAR RIDGE		AT / NEAR EAVE	
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	FREQUENCY OF SUPPLY	POT LARGE (SQ. IN.)	POT SMALL (SQ. IN.)	RIDGE VENT (SQ. IN.)	SAVE VENT (SQ. IN.)
HIGH-PITCH (SIDEWALL)	3.78 - 3.48	3.39	41.12	41.00	40.00	18.00	23.00
AT RIDGE	4.18 - 3.48	3.94	33.00				0
TOTAL REQ	4.94 - 4.94	4.94	100.00				
HIGH-PITCH (SIDEWALL)	3.78 - 3.48	3.79	46.40	0	0	20.00	
AT RIDGE	4.18 - 3.48	3.94	31.20				0
TOTAL REQ	4.94 - 4.94	7.71	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE			




SIDE AND REAR WINDOWS PER COMMUNITY SPECS
 SCALE: 1/4" = 1'-0"




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"



RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"






REAR ELEVATION
 SCALE: 1/8" = 1'-0"



LEFT ELEVATION
 SCALE: 1/8" = 1'-0"

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1480
SECOND FLOOR	1646
TOTAL BASE HEATED	3126
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	608
BASEMENT	1385
TOTAL BASE UNDER ROOF	2088
BASE OPTIONS - HEATED	
SUNROOM	144
GATHERING ROOM EXTENSION	66
SUNROOM w/ GATHERING RM. EXT.	209
CAFE BAY 2	N/A
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	747
FINISHED BASEMENT w/ CRAWL	N/A
BATH 7 OPTION	44
BEDROOM 7 OPTION	133
ADDITIONAL AREA w/ SUNROOM	129
ADDITIONAL AREA w/ GATHERING RM. EXTENSION	61
ADD. AREA w/ SUNROOM & GATHERING RM. EXTENSION	192
ADDITIONAL AREA w/ CAFE BAY 2	N/A
MECHANICAL and STORAGE	638
BASE OPTIONS	
BASEMENT / SUNROOM	1529
BASEMENT / GATHERING RM. EXTENSION	1451
BASEMENT / SUNROOM / GATHERING RM. EXTENSION	1594
BASEMENT / CAFE BAY 2	N/A
COVERED PORCH	N/A
SCREENED PORCH	N/A
2 CAR SIDE ENTRY GARAGE	608
3 CAR FRONT ENTRY GARAGE	808
3 CAR SIDE ENTRY GARAGE	N/A
2 CAR COURTYARD ENTRY	N/A
BASEMENT	N/A
CRAWL	N/A
WOOD DECK	144
CONCRETE PATIO	144
OTHER	0

ELEVATION HR2G	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1480
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1646
TOTAL ELEV. HEATED	3126
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	608
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1385
FRONT PORCH	115
TOTAL ELEV. FOOTPRINT	2203



Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Heartland 2G

REV#	DATE/DESCRIPTION
01/18/2019	INITIAL RELEASE
01/18/2019	PLAN REFRESH
04/16/2019	PLAN REVISIONS
11/27/2019	PCR REVISIONS

GARAGE HANDING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
NPC CHILD NUMBER
1853.302

SHEET
A3-HR2G
2FB4.2

PRODUCT MANAGER
 Rick Starkey
 INITIAL RELEASE
 DATE: 01/18/2019

REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	04/16/2019 PLAN REVISIONS
3	11/27/2019 PCR REVISIONS


GARAGE HANDING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
 NPC CHILD NUMBER
 1853.302

SHEET
A3-HR2M
2FB.1


(c) Copyright 2019, PutteGroup, Inc.




ROOF PLAN
 SCALE: 1/8" = 1'-0"

ATTIC VENT SCHEDULE							
Heartland 2M							
ROOF AREA "A"	SQ. FT. REQUIRED RANGE	SQ. FT. OFFICIAL SUPPLIED	POT LARGE (SQA. INCH)	POT SMALL (SQA. INCH)	ROOF VENT (SQA. INCH)	SAVE VENT (SQA. INCH)	CONV. VENT (SQA. INCH)
			41.00	40.00	18.00	28.00	10.00
HIGH-POT (SQA. INCH)	3.78	3.48	3.39	44.12	0	0	0
AT RAKE	4.18	3.48	3.94	33.88		0	37.00
TOTAL SQA.	4.94	4.94	7.33	100.00			
HIGH-POT (SQA. INCH)	3.78	3.48	3.79	46.40	0	0	30.00
AT RAKE	4.18	3.48	3.94	31.20		0	37.00
TOTAL SQA.	4.94	4.94	7.71	100.00			

ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT ROOF AVAILABLE




SIDE AND REAR WINDOWS PER COMMUNITY SPECS
 SCALE: 1/4" = 1'-0"




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"


NO WINDOW GRIDS OR TRIM ON/AROUND SIDE OR REAR WINDOWS unless noted in community specs.



RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"






REAR ELEVATION
 SCALE: 1/8" = 1'-0"



LEFT ELEVATION
 SCALE: 1/8" = 1'-0"

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1480
SECOND FLOOR	1646
TOTAL BASE HEATED	3126
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	608
BASEMENT	1385
TOTAL BASE UNDER ROOF	2088
BASE OPTIONS - HEATED	
SUNROOM	144
GATHERING ROOM EXTENSION	66
SUNROOM w/ GATHERING RM. EXT.	209
CAFE BAY 2	N/A
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	747
FINISHED BASEMENT w/ CRAWL	N/A
BATH 7 OPTION	44
BEDROOM 7 OPTION	133
ADDITIONAL AREA w/ SUNROOM	129
ADDITIONAL AREA w/ GATHERING RM. EXTENSION	61
ADD. AREA w/ SUNROOM & GATHERING RM. EXTENSION	192
ADDITIONAL AREA w/ CAFE BAY 2	N/A
MECHANICAL and STORAGE	638
BASE OPTIONS	
BASEMENT / SUNROOM	1529
BASEMENT / GATHERING RM. EXTENSION	1451
BASEMENT / SUNROOM / GATHERING RM. EXTENSION	1594
BASEMENT / CAFE BAY 2	N/A
COVERED PORCH	N/A
SCREENED PORCH	N/A
2 CAR SIDE ENTRY GARAGE	608
3 CAR FRONT ENTRY GARAGE	808
3 CAR SIDE ENTRY GARAGE	N/A
2 CAR COURTYARD ENTRY	N/A
BASEMENT CRAWL	N/A
WOOD DECK	144
CONCRETE PATIO	144
OTHER	0

ELEVATION HR2M	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1480
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1646
TOTAL ELEV. HEATED	3126
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	608
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1385
FRONT PORCH	87
TOTAL ELEV. FOOTPRINT	2175



PLOTTED: November 8, 2019 / Armit Lee / A3-HR2M 2FB4.2.DWG

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Heartland 2M

PRODUCT MANAGER	Rick Starkey
INITIAL RELEASE	DATE: 01/18/2019
REV#	DATE/DESCRIPTION
△	01/18/2019 PLAN REFRESH
△	04/16/2019 PLAN REVISIONS
△	11/27/2019 PCR REVISIONS

GARAGE HANDING
LEFT

SPECIFICATION LEVEL




PLAN NAME
Riverton
NPC CHILD NUMBER
1853.302

SHEET
A3-HR2M
2FB4.2

© Copyright 2019 PutteGroup, Inc.

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1480
SECOND FLOOR	1646
TOTAL BASE HEATED	3126
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	608
BASEMENT	1385
TOTAL BASE UNDER ROOF	2088
BASE OPTIONS - HEATED	
SUNROOM	144
GATHERING ROOM EXTENSION	66
SUNROOM w/ GATHERING RM. EXT.	209
CAFE BAY 2	N/A
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	747
FINISHED BASEMENT w/ CRAWL	N/A
BATH 7 OPTION	44
BEDROOM 7 OPTION	133
ADDITIONAL AREA w/ SUNROOM	129
ADDITIONAL AREA w/ GATHERING RM. EXTENSION	61
ADD. AREA w/ SUNROOM & GATHERING RM. EXTENSION	192
ADDITIONAL AREA w/ CAFE BAY 2	N/A
MECHANICAL and STORAGE	638
BASE OPTIONS	
BASEMENT / SUNROOM	1529
BASEMENT / GATHERING RM. EXTENSION	1451
BASEMENT / SUNROOM / GATHERING RM. EXTENSION	1594
BASEMENT / CAFE BAY 2	N/A
COVERED PORCH	N/A
SCREENED PORCH	N/A
2 CAR SIDE ENTRY GARAGE	608
3 CAR FRONT ENTRY GARAGE	808
3 CAR SIDE ENTRY GARAGE	N/A
2 CAR COURTYARD ENTRY	N/A
BASEMENT	N/A
CRAWL	N/A
WOOD DECK	144
CONCRETE PATIO	144
OTHER	0

ELEVATION HR3M	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1480
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1646
TOTAL ELEV. HEATED	3126
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	608
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1385
FRONT PORCH	106
TOTAL ELEV. FOOTPRINT	2194



Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Heartland 3M

REV#	DATE/DESCRIPTION
01	01/18/2019 INITIAL RELEASE
02	04/16/2019 PLAN REFRESH
03	11/27/2019 PLAN REVISIONS
04	PCR REVISIONS

GARAGE HANDING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
NPC CHILD NUMBER
1853.302

SHEET
A3-HR3M
2FB4.2

REV#	DATE/DESCRIPTION
1	01/18/2019
2	PLAN REFRESH
3	04/16/2019
4	PLAN REVISIONS
5	11/27/2019
6	PCR REVISIONS


GARAGE HANDING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
 NPC CHILD NUMBER
 1853.302


SHEET
A3-NC2G
2FB.1

(c) Copyright 2019, PutteGroup, Inc.



ROOF PLAN
 SCALE: 1/8" = 1'-0"


ATTIC VENT SCHEDULE							
Northern Craftsman 2G							
VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT SIZES AND RIDGE VENT VALUES SHOWN IN TABLE ABOVE.							
* CONDITIONS: REGULAR SLOPE ROOF PER REQUIREMENTS FOR VENTING THIS HOUSE TYPE AND SUPPLY VENTILATION TO MEET CODE REQUIREMENTS.							
* SCHEDULE HAS BEEN CALCULATED ASSUMING SAME VENTILATION AT 50% OF TOTAL AND RIDGE AT 40% OF TOTAL REQUIRED VENTILATION.							
ROOF AREA "A"		2088		AT / NEAR RIDGE		AT / NEAR EAVE	
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	FREQUENCY OF SUPPLY	POT LARGE (SQA. INCH)	POT SMALL (SQA. INCH)	RIDGE VENT (SQA. INCH)	SAVE VENT (SQA. INCH)
HIGH-POT (SQA. INCH)	3.78	3.48	3.39	46.64	0	0	0
AT EAVE	4.18	3.48	3.39	35.41			0
TOTAL REQ	4.94	4.94	7.28	100.00			
HIGH-POT (SQA. INCH)	3.78	3.48	3.39	46.64	0	0	35.00
AT EAVE	4.18	3.48	3.39	35.41			0
TOTAL REQ	4.94	4.94	7.01	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE		




SIDE AND REAR WINDOWS PER COMMUNITY SPECS
 SCALE: 1/4" = 1'-0"




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"



RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"



REAR ELEVATION
 SCALE: 1/8" = 1'-0"



LEFT ELEVATION
 SCALE: 1/8" = 1'-0"




PLOTTED: November 8, 2019 / Arnie Lee / A3-NC2G 2FB.LDWG

SCHEDULE of AREAS	
BASE HOUSE - HEATED	
FIRST FLOOR	1480
SECOND FLOOR	1646
TOTAL BASE HEATED	3126
BASE HOUSE - UNDER ROOF	
GARAGE - 2 CAR FRONT ENTRY	608
BASEMENT	1385
TOTAL BASE UNDER ROOF	2088
BASE OPTIONS - HEATED	
SUNROOM	144
GATHERING ROOM EXTENSION	66
SUNROOM w/ GATHERING RM. EXT.	209
CAFE BAY 2	N/A
FINISHED BASEMENT OPTIONS	
FINISHED BASEMENT	747
FINISHED BASEMENT w/ CRAWL	N/A
BATH 7 OPTION	44
BEDROOM 7 OPTION	133
ADDITIONAL AREA w/ SUNROOM	129
ADDITIONAL AREA w/ GATHERING RM. EXTENSION	61
ADD. AREA w/ SUNROOM & GATHERING RM. EXTENSION	192
ADDITIONAL AREA w/ CAFE BAY 2	N/A
MECHANICAL and STORAGE	638
BASE OPTIONS	
BASEMENT / SUNROOM	1529
BASEMENT / GATHERING RM. EXTENSION	1451
BASEMENT / SUNROOM / GATHERING RM. EXTENSION	1594
BASEMENT / CAFE BAY 2	N/A
COVERED PORCH	N/A
SCREENED PORCH	N/A
2 CAR SIDE ENTRY GARAGE	608
3 CAR FRONT ENTRY GARAGE	808
3 CAR SIDE ENTRY GARAGE	N/A
2 CAR COURTYARD ENTRY	N/A
BASEMENT	N/A
CRAWL	N/A
WOOD DECK	144
CONCRETE PATIO	144
OTHER	0

ELEVATION NC2G	
ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1480
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1646
TOTAL ELEV. HEATED	3126
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	608
ADDITIONAL BASEMENT	0
TOTAL BASEMENT	1385
FRONT PORCH	100
TOTAL ELEV. FOOTPRINT	2188

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 4	187.32	14.99	7.49	11.7	5.0

** REFER TO LIGHT & VENT SCHEDULE ON COVER SHIT. FOR INFORMATION NOT SHOWN HERE.



PLOTTED: November 8, 2019 / Armit Lee / A3-NC2G 2FB4.2.DWG

Midwest Zone Office
1900 Golf Road - Suite 300
Schaumburg, Illinois 60173



Partial Plans and General Notes
2 Car Front Entry
Northern Craftsman 2G

REV#	DATE/DESCRIPTION
01/18/2019	INITIAL RELEASE
04/16/2019	PLAN REFRESH
11/27/2019	PLAN REVISIONS
	PCR REVISIONS

GARAGE HANDING
LEFT

SPECIFICATION LEVEL

PLAN NAME
Riverton
NPC CHILD NUMBER
1853.302

SHEET
A3-NC2G
2FB4.2

© Copyright 2019 PutteGroup, Inc.


REV#	DATE/DESCRIPTION
1	01/18/2019
2	01/18/2019
3	04/16/2019
4	11/27/2019
5	11/27/2019

GARAGE HANDING
LEFT

SPECIFICATION LEVEL


PLAN NAME
Riverton
 NPC CHILD NUMBER
 1853.302

SHEET
A3-PR2M
2FB.1




ROOF PLAN
 SCALE: 1/8" = 1'-0"

ATTIC VENT SCHEDULE									
Prairie 2M									
VENTILATION REQUIRED AND SUPPLIED IS BASED ON POT VENT SIZES AND RIDGE VENT VALUES SHOWN IN TABLE ABOVE.									
* CONDITIONS REGULARLY OCCURRING ARE RESPONSIBLE FOR VERIFYING THIS TABLE USED WAS SUPPLY VENTILATION TO MEET CODE REQUIREMENTS.									
* SCHEDULE HAS BEEN CALCULATED ASSUMING SAME VENTILATION AT 50'-0" OF TOTAL AND RIDGE AT 40'-0" OF TOTAL REQUIRED VENTILATION.									
ROOF AREA "A"		SQ FTG		1668		AT / NEAR RIDGE		AT / NEAR EAVE	
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN.)	POT SMALL (SQ. IN.)	RIDGE VENT (SQ. IN.)	SAVE VENT (SQ. IN.)	CONG. VENT (SQ. IN.)	TOTAL
ROOF VENT ONLY	3.28	2.78	8.48	48.41	0	0	0	0	48.41
AT EAVE	3.34	2.78	8.36	94.39	0	0	0	0	44.00
TOTAL	6.62	5.56	8.40	100.00					
ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS MINOR ROOF RIDGE AVAILABLE									
ROOF AREA "B"		SQ FTG		420		AT / NEAR RIDGE		AT / NEAR EAVE	
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN.)	POT SMALL (SQ. IN.)	RIDGE VENT (SQ. IN.)	SAVE VENT (SQ. IN.)	CONG. VENT (SQ. IN.)	TOTAL
ROOF VENT ONLY	0.54	0.70	12.81	2	0	0	0	0	12.00
AT EAVE	0.84	0.70	8.33	49.39	0	0	0	0	0.00
TOTAL	1.38	1.40	1.48	100.00					
ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS MINOR ROOF RIDGE AVAILABLE									




**SIDE AND REAR WINDOWS PER
 COMMUNITY SPECS**
 SCALE: 1/4" = 1'-0"




FRONT ELEVATION
 SCALE: 1/4" = 1'-0"


NOTE:
 "L" FLASHING OVER
 BRICK SILL -
 THRU-WALL
 FLASHING BEHIND
 BRICK WITH WEEP
 HOLES AT 24" ON
 CENTER




RIGHT ELEVATION
 SCALE: 1/8" = 1'-0"



REAR ELEVATION
 SCALE: 1/8" = 1'-0"



LEFT ELEVATION
 SCALE: 1/8" = 1'-0"



BASEMENT FOUNDATION

SCALE: 1/4" = 1'-0"
SEE BASE PLANS FOR INFORMATION NOT SHOWN

Partial Plans and General Notes

2 Car Front Entry
Prairie 2M

PRODUCT MANAGER
Rick Starkey
INITIAL RELEASE
DATE: 01/18/2019

REV#	DATE/DESCRIPTION
1	01/18/2019 PLAN REFRESH
2	04/16/2019 PLAN REVISIONS
3	11/27/2019 PCR REVISIONS
4	
5	
6	
7	

GARAGE HANDING
LEFT

SPECIFICATION LEVEL
-

PLAN NAME
Riverton
NPC CHILD NUMBER
1853.302

SHEET
A3-PR2M
2FB4.2