Patient: Lab No:

Patient ID:

Reported by: LifeLabs

Date of Birth:

Age:

PHN:

Collected on:

Patient's Phone:

Ordered by:

Reported on:

Telephone: 604-431-7206 Toll Free: 1-800-431-7206

Powered By Excelleris

604-412-4445 Fax:

Printed on:

Reported to:

Test

Flag Result

Reference Range - Units

Serology Non-Viral

Helicobacter Serology

Helicobacter pylori IgG

A Reactive

> H. pylori IgG antibodies detected. Further testing with H. pylori stool antigen or urea breath test is required to confirm active infection, if clinically indicated.

Patient: Lab No:

Patient ID:

Age: Reported by: LifeLabs

Date of Birth:

PHN: Collected on:

Patient's Phone:

Ordered by:

Reported to:

Reported on:

Telephone: 604-431-7206 Toll Free: 1-800-431-7206

604-412-4445 Fax:

Powered By Excelleris

Printed on:

Test Flag Result Reference Range - Units

Miscellaneous Microbiology

Helicobacter Pylori Stool Ag Helicobacter pylori Stool Ag

POS

Units of measure are Index H. pylori stool antigen detected. Patient: Lab No:

Patient ID:

Reported by: LifeLabs

Date of Birth:

Age:

PHN:

Collected on:

Patient's Phone:

Telephone: 604-431-7206 Toll Free: 1-800-431-7206

Powered By Excelleris

Fax:

604-412-4445

Printed on:

Reported on: Ordered by:

Reported to:

Flad , Result

Reference Range - Units

Urea Breath Analysis (H Pylori)

Helicobacter Pylori Breath Test Result

NEG

A negative test will occur in <5% of active gastric H.pylori infections (false negative). A negative test six weeks after H.pylori treatment indicates eradication. Antibiotics, proton pump inhibitors, H2 receptor antagonists, bismuth salts and antacids may cause false negatives. For further information, consult the Biochemist on call. Results should be interpreted in the context of patient's medications, many of which may produce a false negative result. Refer to H. pylori Patient Instructions at www.LifeLabs.com