

## Covid Vax Information

### Adverse Events:

+VAERS data (only accountability we have-historically less than 1% of vaccine injuries are reported)-  
([HHS report 2010](https://www.openvaers.com/covid-data) )

<https://www.openvaers.com/covid-data> -you can see all adverse events reported, including deaths  
(you can also visit <https://vaers.hhs.gov/> to search or download raw data)

+**Dr Robert Malone** (mRNA Vaccine creator): “worst case Scenario”, “Antibody dependent enhancement, viral titers in vaccinated HIGHER, as vaccine response declines (3-6 months) – higher chance of infectivity” – “vaccine in the waning phase is causing the virus to replicate more efficiently than it would otherwise”

<https://rumble.com/vkfz1v-the-vaccine-causes-the-virus-to-be-more-dangerous.html>

+Alex talks with **Dr. Byram Bridle**, an Associate Professor on Viral Immunology at the University of Guelph about new peer-reviewed studies that suggests there may be terrifying reasons side effects such as heart inflammation, VITT, and other serious issues may occur in those who have been vaccinated.

[New peer reviewed study on COVID-19 vaccines suggests why heart inflammation, blood clots and other dangerous side effects occur - ON Point with Alex Pierson - Omny.fm](#)

+[SARS-CoV-2 vaccines are not free of neurological side effects \(nih.gov\)](#)

+The study below explains how that data from eight different countries was extremely varying on adverse effects from the vaccine. It is very concerning that there could be such a variation in data. It makes you question how well they are actually keeping track of the adverse reactions.

Conclusion: This study found large variations in the observed rates of AESIs by age group and sex, showing the need for stratification or standardisation before using background rates for safety surveillance. Considerable population level heterogeneity in AESI rates was found between databases.

[Characterising the background incidence rates of adverse events of special interest for covid-19 vaccines in eight countries: multinational network cohort study | The BMJ](#)

+In Israel, deaths skyrocketed during the rollout of the covid vaccine.

[Death rates skyrocket in Israel following Pfizer experimental COVID “vaccines” – Foreign Affairs Intelligence Council \(wordpress.com\)](#)

+Adverse vaccine reactions in the long term from other medications and vaccines other than covid.  
Quite often adverse effects from vaccines can take years to develop:

Overall, 43 female patients were excluded. Among the remaining 120 patients, 30 were diagnosed as having definite vaccine-related symptoms, and 42 were diagnosed as probable. Among these 72 patients, the age at initial vaccination ranged from 11 to 19 years (average  $13.6 \pm 1.6$  years), and the age at appearance of symptoms ranged from 12 to 20 years (average  $14.4 \pm 1.7$  years). The patients received the initial human papillomavirus vaccine injection between May 2010 and April 2013. The first affected girl developed symptoms in October 2010, and the last two affected girls developed symptoms in October 2015. The time to onset after the first vaccine dose ranged from 1 to 1532 days (average  $319.7 \pm 349.3$  days).

[Suspected Adverse Effects After Human Papillomavirus Vaccination: A Temporal Relationship Between Vaccine Administration and the Appearance of Symptoms in Japan \(nih.gov\)](#)

+Cases of shingles outbreaks after vaccination study

[New Side Effect From mRNA COVID Vaccines? | MedPage Today](#)

+The incidence of anaphylaxis in the context of SARS-CoV-2 vaccination with the mRNA vaccines appears to be approximately 10-fold higher than with previous vaccines, at approximately 1 per 100,000 vaccine injections.

[\[Allergic reactions to COVID-19 vaccines: evidence and practice-oriented approach\] - PubMed \(nih.gov\)](#)

+Salk study (spike proteins themselves cause damage in animals (mrna vaccines turn your cells in spike protein factories) <https://www.salk.edu/news-release/the-novel-coronavirus-spike-protein-plays-additional-key-role-in-illness/>

+Astrazeneca Vax and blood clots <https://www.reuters.com/article/us-health-coronavirus-astrazeneca-vaccine-idUSKBN2BT1ER>

<https://www.medscape.com/viewarticle/948560>

+J and J blood clots <https://childrenshealthdefense.org/defender/u-s-pauses-johnson-johnson-covid-vaccine/>

+Although the use of a noninfectious pseudovirus is a limitation to this study, our data reveals that the spike protein alone can damage endothelium, manifested by impaired mitochondrial function and eNOS activity but increased glycolysis. It appears that the spike protein in ECs increases redox stress which may lead to AMPK deactivation, MDM2 upregulation, and ultimately ACE2 destabilization.<sup>4</sup>

[SARS-CoV-2 Spike Protein Impairs Endothelial Function via Downregulation of ACE 2 | Circulation Research \(ahajournals.org\)](https://ahajournals.org/doi/10.1161/CIRUCTION.2020.010000)

+Cautionary studies on the spike protein that is produced by covid vaccines:

PAH (pulmonary arterial hypertension) is a serious disease without a cure that can affect males and females of any age including children. The increased pulmonary vascular resistance in PAH results in right heart failure and subsequently death. Thus, it is important to consider the possibility that the SARS-CoV-2 spike protein produced by the new COVID-19 vaccines triggers cell signaling events that promote PAH, other cardiovascular complications, and/or complications in other tissues/organs in certain individuals (Figure 3). We will need to monitor carefully the long-term consequences of COVID-19 vaccines that introduce the spike protein into the human body.

[SARS-CoV-2 Spike Protein Elicits Cell Signaling in Human Host Cells: Implications for Possible Consequences of COVID-19 Vaccines \(nih.gov\)](https://www.nih.gov/medications-therapies/sars-cov-2-spike-protein-elicits-cell-signaling-human-host-cells-implications-possible-consequences-covid-19-vaccines)

+<https://childrenshealthdefense.org/defender/science-mrna-vaccines-alter-dna/> "Their key findings were as follows: SARS-CoV-2 RNAs "can be reverse transcribed in human cells," "these DNA sequences can be integrated into the cell genome and subsequently be transcribed"

+[New peer reviewed study on COVID-19 vaccines suggests why heart inflammation, blood clots and other dangerous side effects occur](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8040000/) : (click to watch)

+There no tracking in place by the FDA for safety <https://www.nytimes.com/2021/02/12/health/covid-vaccine-how-safe.html>

## Effectiveness

+You can still spread , catch covid after being vaccinated <https://www.healthline.com/health-news/you-can-still-spread-develop-covid-19-after-getting-a-vaccine-what-to-know>

[+74% of positive COVID cases in Barnstable County , MA were fully vaccinated](#)

+What does 95% effective mean? <https://stuartbramhall.wordpress.com/2021/05/06/vaccine-makers-claim-covid-shots-are-95-effective-but-what-does-that-mean/>. The risk reduction in absolute terms [was] only 0.7%, from an already very low risk of 0.74% [in the placebo group] to a minimal risk of 0.04% [in the vaccine group]." (Dividing 0.7 — the difference between the two groups — by 0.74 is the mathematical calculation that produced the touted "95% effective" number).

+Delta variant study

[https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/997418/Variants\\_of\\_Concern\\_VOC\\_Technical\\_Briefing\\_17.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/997418/Variants_of_Concern_VOC_Technical_Briefing_17.pdf)

- There were a total of 114 deaths during that 28 day period
- 44 deaths among the unvaccinated (or 39% of deaths)
- 70 deaths among the vaccinated (61% of deaths!)
- Of those 70 people, a whopping 50 had received BOTH doses of vaccine
- 71% of the vaccinated deaths were double dosed.

[+60% of those hospitalized in UK were double vaccinated](#)

CDC: Vaccinated people can transmit virus <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/fully-vaccinated-guidance.html>

+An article from the prestigious, British Medical Journal explains that the covid-19 vaccine trials are not set up to show if they will save lives.

[Covid-19 vaccine trials cannot tell us if they will save lives | BMJ](#)

**+Pfizer's 6 month blinded, placebo controlled human Covid vaccine Trial results ([LINK](#))**

- No reduction in Death** (15 overall deaths in vaccine group, 14 in unvaxxed group – out of over 21,000 participants)-
- Reduced Severe Disease in .1%** (respiratory, heart , neurologic symptoms..etc (.0004% chance vaxxed vs .134% chance unvaxxed)
- Reduced “cases” in 3.6%** (case= symptom pr positive test) (.364% chance in vaxxed vs 3.924% chance in unvaxxed)
- Increased severe health issue in .5%** (1.194% chance in vaxxed vs .684% chance unvaxxed)

**Absolute risk reduction vs. relative risk reduction**

These have the same numerator, different denominators. Let X be the number of cases that would occur under the treatment, Y be the number of cases that would occur under the control, and Z be the number of people in the population. The relative risk reduction (which is what we usually see) is  $(Y - X)/Y$  and the absolute risk reduction is  $(Y - X)/Z$ . So, for example, if X = 50, Y = 1000, and Z = 1 million, then the relative risk reduction is 95% but the absolute risk reduction is only 0.00095, or about a tenth of one percent.

ARR is also used to derive an estimate of vaccine effectiveness, which is the number needed to vaccinate (NNV) to prevent one more case of COVID-19 as  $1/ARR$ . NNVs bring a different perspective: 76 for the Moderna–NIH, 78 for the AstraZeneca–Oxford, 80 for the Gamaleya, 84 for the J&J, and 117 for the Pfizer–BioNTech vaccines. The explanation lies in the combination of vaccine efficacy and different background risks of COVID-19 across studies: **0.9% for the Pfizer–BioNTech, 1% for the Gamaleya, 1.4% for the Moderna–NIH, 1.8% for the J&J, and 1.9% for the AstraZeneca–Oxford vaccines.**

[COVID-19 vaccine efficacy and effectiveness—the elephant \(not\) in the room - The Lancet Microbe](#)

## **-Emergency Use Authorization trials of each Covid 19 vaccine**

[\*\*Pfizer-BioNTech COVID-19 Vaccine EUA Fact Sheet for Healthcare Providers Administering Vaccine \(Vaccination Providers\) \(fda.gov\)\*\*](https://www.fda.gov/media/146217/download)

[\*\*Moderna COVID-19 Vaccine EUA Fact Sheet for Recipients and Caregivers \(fda.gov\)\*\*](https://www.fda.gov/media/146217/download)

Astrazeneca - Not available yet

[\*\*Janssen COVID-19 Vaccine - EUA Fact Sheet for Recipients and Caregivers \(janssenlabels.com\)\*\*](https://www.fda.gov/media/146217/download)

**Emergency Use Authorization trial highlights (Johnson and Johnson) <https://www.fda.gov/media/146217/download> :**

**unknown/data gaps: 8.2**

- duration of protection (days? Months?)
- effectiveness in certain populations and age groups
- effectiveness in individuals previously infected with sars cov-2
- effectiveness against asymptomatic infection
- effectiveness against long term effects of covid 19

Effectiveness against mortality (not sure if it decreases death rate)

Effectiveness against transmission **(can still transmit covid\*)**

### **8.4 unknown risks/ data gaps**

-safety in certain subpopulations – currently insufficient data to make conclusion about safety of the vaccine in subpopulation such as children less than 18, pregnant and lactating individuals and their infants, and immunocompromised individuals.

- adverse reactions are very uncommon or that require longer follow up to be detected
- vaccine enhanced disease

## **The Criminal activity of the covid vaccine manufacturers:**

-This article published on the National Institutes of Health explains the criminal activity of Pfizer.

Pfizer has been a "habitual offender," persistently engaging in illegal and corrupt marketing practices, bribing physicians and suppressing adverse trial results. Since 2002 the company and its subsidiaries have been assessed \$3 billion in criminal convictions, civil penalties and jury awards.

This article explains the criminal activity of Johnson & Johnson

[Johnson & Johnson to Pay More Than \\$2.2 Billion to Resolve Criminal and Civil Investigations | OPA | Department of Justice](#)

And finally the criminal activity of AstraZeneca

In 2003 federal officials announced that AstraZeneca had pleaded guilty to criminal and civil charges relating to the illegal marketing of the prostate cancer drug Zoladex.

[AstraZeneca: Corporate Rap Sheet | Corporate Research Project \(corp-research.org\)](#)

So three of the four vaccine manufacturers are criminals and Moderna has never had a successful product in its ten years of business. Pfizer specifically hid adverse trial results to hide the danger of one of their products. Just so we are clear. They all have zero liability if you are harmed by their vaccines.

## **MISC**

18 reasons why I wont be getting the covid vax <https://childrenshealthdefense.org/defender/reasons-not-getting-covid-vaccine/>

Great vax resources (ingredients, studies, news stories//): <https://childrenshealthdefense.org/covid-vaccine-secrets/resources/>

More ingredient explanation <https://vaxxter.com/the-covid-vaccines-part-1/>

Dr Farella (pediatrician) testimony <https://www.youtube.com/watch?v=mIPb0AtEvAE>

Medpagetoday warns that the Shingrix vaccine may cause autoimmune diseases in the long term because people were ONLY followed for a few years in the ZOE trials. Even China was hesitant to approve this vaccine over the concern of long term side effects that could take years to appear.

