



Ladena® | K-2215

23-1/4" rectangular undermount bathroom sink

Features

- Rectangular basin with curved bottom
- Overflow drain
- No faucet holes; requires wall- or counter-mount faucet



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

0	White
96	Biscuit
NY	Dune
95	Ice Grey
7	Black Black
HDN	Honed Dune
HB1	Honed Black



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
6-22-2026 1:8 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ADA compliant when installed to the specific requirements of these regulations.



ASME A112.19.2/CSA B45.1
ADA
ICC/ANSI A117.1

Technical Information

With Overflow:	Yes
Drain Hole Diameter:	1-3/4" (44 mm)
Minimum Base Cabinet Width:	27" (686 mm)
Basin Configuration:	Single Bowl
Basin Length:	20-5/8" (524 mm)
Basin Width:	13-11/16" (348 mm)
Basin Depth:	6-1/2" (165 mm)

Material

- Vitreous china

Recommended Products/Accessories

K-23726 Drain treatment
K-8998 Adjustable P-trap with tubing outlet, 1-1/4" x 1-1/4"
K-23725 Cast iron cleaner





Warranty

See website for detailed warranty information.

KOHLER® Vitreous China Bathroom Sink Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
6-22-2026 1:8 - US-CA



Installation

- Undermount

Installation Notes

Install this product according to the installation instructions.

The product diagram is based on the K-8998 adjustable P-trap with 1" (25 mm) of tailpiece exposed.

NOTICE: Countertop manufacturer or cutter must use the current product template available at www.kohler.com, or by calling 1-800-4KOHLER. Kohler Co. is not responsible for cutout errors when the incorrect cutout template is used.

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.

ADA compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

6-22-2026 1:8 - US-CA