

Water Heater Repair Parts • Range Replacement Parts

RV & Marine Fresh Water Antifreeze • Windshield Washer Fluid



Aftermarket Specialists

Plumbing & Hardware

Universal Replacement Parts








### **Contents**

New Products	2
Currituck Products	<b>3</b>
FAQ	4
WATER HEATER PARTS	
<i>Elements</i>	6
Repair	<b>9</b>
Thermostats	10
Gas Parts & Accessories	13
Connectors & Kits	14
T & P Valves, Heat Traps & Element Wrenches	<i>15</i>
Anode Rods & Accessories	16
Drain Valves & Water Hoses	17
Drain Pans & Fittings	18
Water Heater Construction Diagram	20
Washing Machine Drain Pans	21
OVEN/RANGE PARTS	
Electric Burners & Accessories	22
Pans, Bowls & Knob Kits	23
Bake & Broil Elements	24
Propane Campfires	26
Gas Matches and Sparkers	27
LIQUIDS PRODUCTS	
Fresh Water Antifreeze & Boiler System Antifreeze	28
Fire Sprinkler System & Windshield Washer Fluid	29
OTHER	
Bulk Parts Program	30
Retail Displays	<b>32</b>
Index	37

# Online Troubleshooting Manual Download from www.camco.net

#### For Water Heaters

This Troubleshooting Manual assists the end user in basic troubleshooting and repairs by helping to identify the problem and choose appropriate replacement parts.





### **New Products**

#### **Tankless Elements**

1" NPS thread screw-in style universal replacement elements for EcoSmart® electric tankless water heaters. 9000w/240V element is compatible with ECO 18, ECO 27, and ECO 36 models. 3500W/120V element is compatible with ECO POU 3.5

02133, 02173

Page 8



1-1/2" – 12 UNF thread screw-in style universal replacement elements for the Rheem® manufactured Marathon® water heaters. The upper element sheath is made of copper tubing with a brass hex bushing and contains a thermal fuse to protect the water heater from damage due to a dry-fired element. The lower element sheath is made of high performance nickel-chromium stainless steel alloy tubing with a brass hex bushing. Instructions and gasket are included. UL listed. 5-year limited warranties on upper and lower elements.

02112, 02113, 02122, 02123

#### Page 8

#### Element Wrench - Dual Headed

Use to remove both residential standard and Marathon® elements. Dual-sided to fit all standard 1-1/2" and 1-7/8" screw-in element hex heads. Works with your screwdriver (not included) for increased leverage. 5" length.

09888, 09889 (Bulk)

#### Page 15

#### Dishwasher Drain Pan

Camco's Dishwasher Drain Pan can help save the cost of expensive repairs by alerting the homeowner to dishwasher leaks that would otherwise go undetected. It is designed to guide water to the front of the pan so that it can be seen before any water damage has occurred.

20600 - 24" x 20.5" OD, white

*Page 21* 



### **Currituck Products**

**Coolers**—Extreme durability • Knuckle saving handle stops • Fully sealing, freezer-grade gasket • Included Storage Tray • Made in the USA

Stock #	Description	Qty
51700	Cooler - 50 qt - White/Gray	1
51701	Cooler - 50 qt - White/Cyan	1
51702	Cooler - 50 qt - Cyan/Gray	1
51703	Cooler - 50 qt - Gray/Magenta	1
51704	Cooler - 50 qt - Olive/Orange	1
51710	Cooler - 30 qt - White/Gray	1
51 <i>7</i> 11	Cooler - 30 qt - White/Cyan	1
51712	Cooler - 30 qt - Cyan/Gray	1
<b>51713</b>	Cooler - 30 qt - Gray/Magenta	1
51714	Cooler - 30 qt - Olive/Orange	1

#### **Cooler Accessories**

51978	Cold Pack - Small 6-1/4" x 5-3/4"	4
51979	Cold Pack - Medium 8" x 5-3/4"	4
51980	Cold Pack - Large 8" x 11-1/2"	4
51790	Rod Holder	4
51791	Cup Holder	4
51792	Divider - 30 qt	4
51793	Divider - 50 qt	4
51794	Cutting Board - 30 qt	4
51795	Cutting Board - 50 qt	4

**Stainless Steel Bottles**—Extreme durability • Double-wall vacuum insulation • Convenient and easy to carry • Standard or wide mouth • Superior ice and heat retention

51935	SS Bottle - 12 oz - Standard Mouth - Orange	4
51936	SS Bottle - 12 oz - Standard Mouth - Raspberry	4
51937	SS Bottle - 12 oz - Standard Mouth - Seafoam	4
51938	SS Bottle - 12 oz - Standard Mouth - Charcoal	4
51988	SS Bottle - 12 oz - Standard Mouth - Stainless Steel	4
51939	SS Bottle - 20 oz - Standard Mouth - Orange	4
51940	SS Bottle - 20 oz - Standard Mouth - Raspberry	4
51941	SS Bottle - 20 oz - Standard Mouth - Seafoam	4
51942	SS Bottle - 20 oz - Standard Mouth - Charcoal	4
51987	SS Bottle - 20 oz - Standard Mouth - Stainless Steel	4
51943	SS Bottle - 24 oz - Wide Mouth - Orange	4
51944	SS Bottle - 24 oz - Wide Mouth - Raspberry	4
51945	SS Bottle - 24 oz - Wide Mouth - Seafoam	4
51946	SS Bottle - 24 oz - Wide Mouth - Charcoal	4
51986	SS Bottle - 24 oz - Wide Mouth - Stainless Steel	4
51947	SS Bottle - 36 oz - Wide Mouth - Orange	4
51948	SS Bottle - 36 oz - Wide Mouth - Raspberry	4
51949	SS Bottle - 36 oz - Wide Mouth - Seafoam	4
51950	SS Bottle - 36 oz - Wide Mouth - Charcoal	4
51985	SS Bottle - 36 oz - Wide Mouth - Stainless Steel	4
51956	SS Growler - 64 oz - Stainless Steel	4

### **NEW Coolers!**

# SUPERIOR ICE RETENTION

#### Stainless Steel Food Containers

SS Food Container - 12 oz - Orange	4
SS Food Container - 12 oz - Seafoam	4
SS Food Container - 12 oz - Raspberry	4
SS Food Container - 12 oz - Charcoal	4
SS Food Container - 12 oz - Stainless Steel	4
SS Food Container - 18 oz - Orange	4
SS Food Container - 18 oz - Seafoam	4
SS Food Container - 18 oz - Raspberry	4
SS Food Container - 18 oz - Charcoal	4
SS Food Container - 18 oz - Stainless Steel	4
	SS Food Container - 12 oz - Seafoam SS Food Container - 12 oz - Raspberry SS Food Container - 12 oz - Charcoal SS Food Container - 12 oz - Stainless Steel SS Food Container - 18 oz - Orange SS Food Container - 18 oz - Seafoam SS Food Container - 18 oz - Raspberry SS Food Container - 18 oz - Charcoal

**Stainless Steel Tumblers**—Extreme durability • Double-wall vacuum insulation • Convenient and easy to carry

51860	SS Tumbler - 12 oz - w/ BPA Free Tritan Embossed Slider Lid	12
51861	SS Tumbler - 20 oz - w/ BPA Free Tritan Embossed Slider Lid	12
51862	SS Tumbler - 30 oz - w/ BPA Free Tritan Embossed Slider Lid	12
51863	SS Curricoozie Can Holder	12

#### **Tumbler Accessories**

51848	BPA Free Tritan Embossed Slider Lid - 12 & 20 oz	6					
51849	BPA Free Tritan Embossed Slider Lid - 30 oz	6					
51919	Tumbler Handle - 20 oz - Black						
51920	Tumbler Handle - 20 oz - Pink	4					
51921	Tumbler Handle - 20 oz - Blue	4					
51922	Tumbler Handle - 20 oz - Orange	4					
51923	Tumbler Handle - 30 oz - Black	4					
51924	Tumbler Handle - 30 oz - Pink	4					
51925	Tumbler Handle - 30 oz - Blue	4					
51926	Tumbler Handle - 30 oz - Orange	4					
51969	Tumbler Handle - 12 oz - Black	4					
51970	Tumbler Handle - 12 oz - Pink	4					
51971	Tumbler Handle - 12 oz - Blue	4					
51972	Tumbler Handle - 12 oz - Orange	4					



### Frequently Asked Questions

#### Ordering and credit request instructions:

- Submit purchase orders via e-mail to: plumbingPO@camco. net, or by FAX to 336-668-2049 Attn: Plumbing/Hardware
- Submit order status inquires to: plumbingPO@camco.net
- Submit all shortage/defective claims or RGA requests via e-mail to plumbingPO@camco.net. Please provide the item numbers and descriptions, reason for credit or RGA request and the PO number or invoice number on which the item(s) was/were originally purchased. Allow six weeks for processing.
- All Liquids orders must be on a separate purchase order. Please fax Liquids orders to: 336-668-2049 Attn: Liquids Dept.
- Submit all inquires for specials projects/job quotes to: plumbingPO@camco.net; the request will be forwarded to Sales.
- \* Please contact the appropriate sales team member for special quotes, or send a request to the customer service email address if you are unsure of whom to contact. A customer service member will make sure that your request gets forwarded to the appropriate individual in a timely manner.
- \* When sending requests to the customer service email, you should receive an immediate automated response that your email has been received into this mailbox. If you do not receive this automated response, please contact us immediately, as your request may not have been received properly due to firewalls, system issues, etc. This is imperitive if you need immediate assistance or have a purchase order that needs priority handling.

#### Electric Water Heater Elements

#### I don't have hot water. How do I determine what is wrong?

Check the breaker or fuse box for a blown fuse or tripped breaker. If this is not the problem, shut off the power to the water heater. (IMPORTANT!) The problem may be caused by a defective or shorted element(s) or thermostat(s) or both. If you are experienced with plumbing and electrical tools, you can do the repairs yourself. If you are at all hesitant, call a plumber or electrician. Camco Mfg. provides a water heater tester (#10023) that lets you test the elements and thermostats while they remain installed on the heater. Instructions are included.

### What causes water heater elements to fail, some sooner than others?

Several reasons: power surges, lime buildup and dry-firing. Most water heaters are sold with high watt-density (HWD) elements. These are the least expensive and are the most susceptible to these problems. On a "Standard-Better-Premium" scale, the HWD elements are STANDARD.

#### Why are some water heater elements folded back?

These are low watt-density (LWD) elements. The heat output (watts) per square inch of surface area is lower than that of a regular element. In order for total heat to be the same, the total surface has been increased. It is folded back so the length will fit the tank. Not all LWD elements are fold-backs. In areas with "hard" water, a LWD element resists lime build-up on its surface, thus extending its life. These elements are BETTER.

#### What are Lime Life elements?

These elements are PREMIUM. They are made of high-performance nickel-chromium stainless steel and are ultra low watt-density. These features help prevent lime build-up and extend the life of the element. A Lime Life element is resistant to dry-firing. These Lime Life elements carry a limited 5-year warranty. Because of the low watt-density, these elements are folded back to reduce the length. Some are rippled to further reduce the length to fit the diameter of the tank.

#### What is meant by the term "dry-firing?"

High watt density and low watt-density are designed to function in water. If not surrounded by water, the intense heat they generate (dry fire) will cause them to burn out. The water tank must be full of water whenever the power is on. Dry-fire failure is not covered by any warranty. It is a human error. Dry-fired elements are easily detected. The element is soft and easily bent. In most cases, a hole is burned through the surface.

### Can I replace the element in my water heater with higher wattage elements?

It is not recommended. The water heater is designed for that element size. Higher wattage might require heavier gauge wire and a larger capacity circuit breaker.

### Can I use a water heater element in an application other than a water heater?

It is not recommended. These elements are designed specifically for residential water heaters. We have no experience or knowledge of other uses. You may do so at your own risk. Non-water heater use of our elements and thermostats voids all warranties. The only exception to this is homebrew elements which have a 1 year warranty for non-water heater use.

### I just installed a water heater element and now my heater makes a humming sound.

This is called a "harmonic." If the element is installed so that the loop is horizontal, the vibration from the electric current will cause the element to hum. This noise can be prevented by installing so that the loop is vertical. The flanged elements have markings on the flange, indicating the vertical position of the loop. Screwin elements also have the vertical position marked; to eliminate the humming on screw-in elements, tighten the element another half turn. In some instances, less than a half turn will stop the harmonic.

#### Why aren't the two elements operating simultaneously?

In most residential water heaters, only one element is on at any given time. The lower element does 90% or more of the heating. During periods of heavy use, the upper element switches on (the lower switches off) and heats the upper part of the tank to  $120^{\circ}$ . It then shuts off, turns on the lower, and it heats the water to the setting of the lower thermostat.

### Frequently Asked Questions

#### Electric Water Heater Thermostats

#### Are water heater thermostats adjustable?

Most water heater thermostats provided by Camco are adjustable. They are factory set at 120° F. On a two-element water heater, it is not recommended that the upper thermostat be adjusted. If a higher water temperature is desired, adjust the lower to a higher setting. Both may be lowered if a cooler temperature is desired. Adjusting above 120° F can cause severe burns or death.

### I noticed that there are two styles of water heater thermostats. Are they interchangeable?

Yes, like models of the two thermostat manufacturers are interchangeable. Use caution in selecting the correct model for their position on the heater (upper, lower, single element T-stat). Terminal positions between the brands may not be the same and in some cases, the water heater wiring may need to be extended. When possible, it is recommended to replace with the same brand.

#### How do I know which thermostat to buy?

A two-element water heater has two thermostats: an upper and a lower. Each must be replaced with a thermostat with the same function: upper for upper, lower for lower. They cannot be interchanged, as they perform specific functions. A single-element water heater has only one thermostat and that is called a "single element thermostat." The upper and lower thermostats for a two-element heater cannot be used on a single-element water heater and vice versa.

#### **Other Miscellaneous Questions**

#### I opened the drain valve and very little water flowed.

You probably have sediment and scale build-up on the bottom of the tank that is blocking the valve. In areas where the water is very "hard" or well water is used, lime build-up can occur. The high heat of the heater elements will cause scale and sediment to coat the elements and settle on the tank bottom. Light build-up of sediment may be removed by attaching a water hose to the drain valve. Drain the tank every 6–12 months; more often if necessary. Important: Turn off power first or it could cause element burn out.

### The Temperature and Pressure relief valve has a threaded outlet. What attaches to it?

The T&P valve outlet must have a run-off tube attached to it. Most building codes require a tube that terminates 6" from the floor. If the T&P valve activates, water should flow into a drain or into a water heater pan that is plumbed to a drain. This run-off tube may be metal or plastic. Check local plumbing codes for correct material for your area.

#### What are dielectric fittings and connectors?

When fittings of unlike metals are joined together (copper with steel, brass with steel, etc.), the faint electrical current that is present in any water pipe system will cause corrosion of the threads in one or both of the fittings and cause leaking. The plastic liner or sleeve in the dielectric fittings and connectors prevents this from happening.

#### What is an anode rod?

It is a magnesium or aluminum rod inserted in the heater, from the top, in an opening of its own or as part of the outlet nipple. The metal is self-sacrificing (corrodes); this helps protect the tank and elements from corroding. Replacement anode rods are available and easy to install.

#### Are water heater drain pans necessary?

It depends on the plumbing codes in your area and the location of your water heater. If your heater is in a garage or a non-finished basement where leaking water would flow harmlessly into a drain, a pan is not necessary. However, if the heater is in or above a living space where leaking could cause extensive water damage, it is cheap insurance to protect your home from such an event. Plumbing codes require the use of a drain pan when finished surfaces could sustain damage from a leak.

#### What type of pan should be used?

Plastic pans should be used with electric water heaters, and metal pans should be used for gas water heaters and can be used with electric water heaters. Codes in some areas require metal pans for all heaters installed in a living space.

#### What is the purpose of a water heater stand?

A stand is used primarily with gas water heaters when installed in garages and basements where combustible fumes may exist. Gas heaters have an open flame, and tests have shown that placing a gas water heater at least 16" above the floor will offer some protection against combustion of volatile fumes.

#### Water Heater Element Warranty

Standard and Better Elements – 1 year from purchase date. Premium Elements – 5 years from purchase date.

LIMITED WARRANTY: Camco warrants this product to be free from defects in material and workmanship under normal use and service conditions for 1 year for standard and better elements and 5 years for premium elements from the date of first purchase. Camco's liability is limited solely to the replacement of any defective product returned to us. To the extent allowable by law, Camco makes no other warranty, either expressed or implied, nor assumes any liability for incidental or consequential damages resulting from the use of this product or for breach of warranty of merchantability or fitness for a particular purpose. Submit warranty claims to Camco Manufacturing, 121 Landmark Drive, Greensboro, NC 27409.

### **Water Heater Elements**

Fits most models: • American • A O Smith • Bradford White

- Craftmaster General Electric GS Wood (some models)
- Kenmore Lochinvar Maytag Mor-Flo Reliance
- Rheem Richmond Ruud Sears State Whirlpool

#### Premium - Lime Life Water Heater Elements - Ultra Low Watt Density - Our best immersion elements

UL listed for USA and Canada - 5 year limited warranty (see page 5) Detailed instructions and gasket included with each packaged element



Made with high-performance nickel chromium stainless steel alloy and plated carbon steel bushings/flanges

Ultra low watt density - Resists dry firing - Best when water has high mineral content - Heats in lime and sand buildup that would burn out ordinary elements

Stock # | Watts | Watts | Watts | Nominal | Type | Min. Tank | Case

Stock #	@ 240v	@ 208v	@ 120v	Nominal Voltage	Туре	Min. Tank Diameter	Qty	
Screw-In Foldback (1" NPS; Fits most screw-in type water heaters.) inclu						ıdes gasket #(	06822	
02853	-	-	1500w	120v	Ultra LWD	9"	12	
02903	2500w	2000w	-	240v	Ultra LWD	12"	12	
02913	3500w	2500w	-	240v	Ultra LWD	15"	12	
02923	4500w	3500w	-	240v	Ultra LWD	15"	6	
02933	5500w	4125w	-	240v	Ultra LWD	15"	12	
Screw-In Ripple Foldback								

(1" NPS; Fits most screw-in type water heaters.) includes gasket #06822

02953	4500w	3500w	-	240v	Ultra LWD	15"	6
02963	5500w	4125w	-	240v	Ultra LWD	15"	3

#### **Universal Flange Foldback** includes gasket #06882

04943	4500w	3500w	-	240v	Ultra LWD	15"	6
-------	-------	-------	---	------	-----------	-----	---

#### Screw-In - Special Order Only

(1" NPS; Fits most screw-in type water heaters) includes gasket #06822

(1. 1.1.6) The most series in type water neares, merudes guinet in 50022								
02152	1500w	1125w	-	240v	Ultra LWD	12"	12	
02972	6000w	4500w	-	240v	Ultra LWD	24"	12	



#### **Better - Low Watt Density Elements - 1 year warranty**

UL listed for USA and Canada - 1 year limited warranty (see page 3). Detailed instructions and gasket included with each packaged element.

Made with plated copper tubing and plated carbon steel bushings/flanges - Low Watt Density

Stock #	Watts @ 240v	Watts @ 208v	Watts @ 120v	Nominal Voltage	Туре	Min. Tank Diameter	Case Qty
Screw-II	1 (1" NPS; Fit	ts most screv	v-in type wa	ter heaters)	includes gasket #	06822	
02463	-	-	1500w	120v	LWD	10"	12
Screw-In Foldback (1" NPS; Fits most screw-in type water heaters) includes gasket #06822							
02493	2500w	2000w	-	240v	LWD	10"	12
02523	3500w	2500w	-	240v	LWD	11"	12

02493	2500w	2000w	-	240v	LWD	10"	12
02523	3500w	2500w	-	240v	LWD	11"	12
02583	4500w	3500w	-	240v	LWD	13"	12
02613	6000w	4500w	-	240v	LWD	17"	12

#### Flat Flange Foldback includes gasket #06842

04103	4500w	3500w	-	240v	LWD	13"	12

#### **Universal Flange Foldback** includes gasket #06882

04703	4500w	3500w	-	240v	LWD	13"	12
-------	-------	-------	---	------	-----	-----	----

#### **Screw-In** Special Order Only - includes gasket #06822

Stock #	Watts @ 277v	Watts @ 240v	Watts @ 120v	Nominal Voltage	Туре	Min. Tank Diameter	Case Qty
04752	2000w	1500w	_	277v	LWD	9"	12
04762	4500w	3380w		277v	LWD	15"	12



### **Water Heater Elements**

Fits most models: • American • A O Smith • Bradford White

- Craftmaster General Electric GS Wood (some models)
- Kenmore Lochinvar Maytag Mor-Flo Reliance
- Rheem Richmond Ruud Sears State Whirlpool

#### Standard - High Watt Density Elements - 1 year warranty

UL listed for USA and Canada - 1 year limited warranty (see page 5). Detailed instructions and gasket included with each packaged element.



Stock #	Watts @ 240v	Watts @ 208v	Watts @ 120v	Nominal Voltage	Туре	Min. Tank Diameter	Case Qty
Screw-I	(1" NPS;	Fits most se	crew-in type	water heater	s.) includ	es gasket #06	822
02483	-	-	1650w	120v	HWD	7.5"	6
02103	-	-	1000w	120v	HWD	8"	12
02143	-	-	1500w	120v	HWD	9"	6
02163	1500w	1200w	-	240v	HWD	9"	12
02183	-	-	1750w	120v	HWD	9"	12
02203	-	-	2000w	120v	HWD	9"	12
02223	2000w	1500w	-	240v	HWD	9"	12
02243	2500w	2000w	-	240v	HWD	10"	12
02263	3000w	2250w	-	240v	HWD	12"	12
02283	3500w	2500w	-	240v	HWD	14"	12
02293	3800w	3000w	-	240v	HWD	15"	12
02303	4000w	3000w	-	240v	HWD	15"	12
02343	4500w	3500w	-	240v	HWD	15"	12
02862	-	5500w	-	208v	HWD	17"	1

**Screw-In Foldback** (1" NPS; Fits most screw-in type water heaters.) includes gasket #06822

02363	5500w	4125w	-	240v	HWD	11"	12
02643	4500w	3500w	-	240v	HWD	9"	12

Flat Flange includes gasket #06842

03743	-	-	1500w	120v	HWD	9"	12
03923	3500w	2500w	-	240v	HWD	14"	12
03943	4500w	3500w	_	240v	HWD	15"	12

**Universal Flange** includes gasket #06882

04363	-	-	1500w	120v	HWD	9"	3
04383	1500w	1200w	-	240v	HWD	8"	12
04443	-	-	2000w	120v	HWD	9"	12
04483	2500w	2000w	-	240v	HWD	10"	6
04503	3000w	2250w	-	240v	HWD	12"	12
04523	3500w	2500w	-	240v	HWD	14"	12
04563	4000w	3000w	-	240v	HWD	15"	12
04603	4500w	3500w	-	240v	HWD	15"	6
04643	5500w	4125w	-	240v	HWD	11"	12
		F-1-111-					

**Universal Flange Foldback** includes gasket #06882

04803	4500w	3500w	-	240v	HWD	9"	12
-------	-------	-------	---	------	-----	----	----

Screw-In - Special Order Only includes gasket #06822

Stock #	Watts @ 480v	Watts @ 277v	Watts @ 240v	Nominal Voltage	Туре	Min. Tank Diameter	Case Qty
02382	4500w	-	-	480v	HWD	12"	12
02352	5000w	-	-	480v	HWD	12"	12
02392	6000w	-	-	480v	HWD	14"	12
04732	-	4500w	3380w	277v	HWD	15"	12



#### **Element Conversion Kit**

Use a standard screw-in element to replace a flat, universal or round flange element using the Element Conversion Kit.

This adapter kit is intended for use with a screw-in type element.

Stock#	Description	Qty
07223	Universal Adapter Kit	12

07223 contains: (1) 2-1/2" 4-bolt Adapt-a-Flange, (1) Four Hole Gasket, (4) 5/16" -18 Hex Washer-Head Bolts (1) Screw-In Gasket and (1) Thermostat Bracket

07222	2-1/2" 4-Hex Bolt Adapt-A-Flange only	50
-------	---------------------------------------	----

#### Element Gaskets

Stock #	Description	OD	ID	Thickness	Qty		
06822	Screw-In Element Gasket	1.425"	1.225"	0.165"	25		
06842	Flat Flange Element Gasket	1.625"	1.1875"	0.50"	25		
06882	Universal Flange Element Gasket	1.64"	1.13"	0.35"	25		
06902	Four Hole Element Gasket	-	1.5625"	0.0625"	25		
07133	Universal Gasket Kit (One each of 06822, 06882, 06902)						

### **Water Heater Elements**

#### **Marathon Elements**

1-1/2" – 12 UNF thread screw-in style universal replacement elements for the Rheem® manufactured Marathon® water heaters. The upper element sheath is made of copper tubing with a brass hex bushing and contains a thermal fuse to protect the water heater from damage due to a dry-fired element. The lower element sheath is made of high performance nickel-chromium stainless steel alloy tubing with a brass hex bushing. Instructions and gasket are included. UL listed. 5-year limited warranties on upper and lower elements.

	Watts @ 120v	Nominal Voltage	Туре	Sheath Length	Case Qty
			l	l	l

**Universal Upper Marathon Blement Replacement** 5 year limited warranty (see page 5)

Copper w/ thermal fuse - 1-1/2" -12 UNF

02112	4500	1150	240	ULWD	14.1 in.	25 Bulk		
02113	4500	1150	240	ULWD	14.1 in.	12 Clam		
<b>Universal Lower Marathon® Element Replacement</b> 5 year limited warranty (see page 5) Incoloy – 1-1/2"-12								
02122	4500	1150	240	ULWD	16.5 in.	25 Bulk		
02123	4500	1150	240	ULWD	16.5 in.	12 Clam		



#### Instantaneous/Tankless Elements

1" NPS thread screw-in style universal replacement elements for EcoSmart® electric tankless water heaters. 9000w/240V element is compatible with ECO 18, ECO 27, and ECO 36 models. 3500W/120V element is compatible with ECO POU 3.5

Stock #	Watts @ 240v	Watts @ 120v	Nominal Voltage	Туре	Sheath Length	Case Qty				
Screw-II	Screw-In Tankless 1 year limited warranty (see page 5)									
02133	9000	2300	240	HWD	11.6 in.	12				
02173	N/A	3500	120	HWD	5.6 in.	12				



#### Low Watt Density & Ultra Low Watt Density Duron® Elements

1-3/8" – 12 UNF thread screw-in style elements for the State Industries manufactured Duron tank water heaters. Also used in Sears Duron tank water heaters. Each element includes two gaskets.

Stock #	<i>Watts</i> @ 240 <i>v</i>	<i>Watts</i> @ 208v	Watts @ 120v	Nominal Voltage	Туре	Min. Tank Diameter	Case Qty			
Better - S	<b>Better - Screw-In Foldback</b> 1 year limited warranty (see page 5)									
02713	3800	3000	-	240	LWD	13"	12			
02723	4500	3500	-	240	LWD	13"	12			
<b>Premium - Screw-In Ripple Foldback</b> 5 year limited warranty (see page 5)										
02753	4500	3500	-	240	Ultra LWD	15"	6			



#### Premium Ultra Low Watt Density All-Stainless Elements — perfect for home-brewing applications

- Premium Ultra Low Watt Density electric elements help prevent scorching and caramelizing
- · Resists dry firing
- High performance nickel-chromium stainless steel alloy
- Stainless steel bushing (1" NPS screw-in)
- 1-year limited warranty for non-water-heater applications
- 5-year limited warranty for water-heater applications

Stock #	Watts @ 240v	Watts @ 208v	Watts @ 120v	Nominal Voltage	Туре	Min. Tank Diameter	Case Qty		
Screw-In Foldback									
02929	4500	3500	-	240	Ultra LWD	15"	25		
02935	5500	4125	-	240	Ultra LWD	15"	25		
Screw-In Ripple Foldback									
02955	4500	3500	-	240	Ultra LWD	15"	25		
02965	5500	4125	-	240	Ultra LWD	15"	25		



### **Water Heater Repair**

#### **Water Heater Repair Kits**

#### for the DIY or professional plumber

All the parts needed to repair or renew an electric water heater system

Fits most models: • American • A O Smith • Bradford White • Craftmaster • General Electric

• GS Wood (some models) • Kenmore • Lochinvar • Maytag • Mor-Flo • Reliance

• Rheem • Richmond • Ruud • Sears • State • Whirlpool

#### Standard - With High Watt Density Elements

Stock #	Description	Qt
07013	Plumber's Pack w/Therm-O-Disc Style T-stats Contains: (2) #02342 High Watt Density Elements 4500w 240v (1) #08122 Therm-O-Disc lower thermostat (1) #08162 Therm-O-Disc upper thermostat	6
07023	Plumber's Pack w/Apcom Style Thermostats Contains: (2) #02342 High Watt Density Elements 4500w 240v (1) #07722 Apcom style lower thermostat w/protector (1) #07862 Apcom style upper thermostat w/protector	6

#### Better - With Low Watt Density Elements

Dellei - W	ilii Luw wall bensily Elements	
07033	Plumber's Pack w/Therm-O-Disc Style T-stats Contains: (2) #02582 Low Watt Density Elements 4500w 240v (1) #08122 Therm-O-Disc Lower Thermostat (1) #08162 Therm-O-Disc Upper Thermostat	6
07043	Plumber's Pack w/Apcom Style Thermostats Contains: (2) #02582 Low Watt Density Elements 4500w 240v (1) #07722 Apcom Style Lower Therm. w/ Protector (1) #07862 Apcom Style Upper Therm. w/ Protector	6

#### Best - With Ultra Low Watt Density Lime-Life Elements

07044

Plumber's Pack w/Apcom Style T-stats Contains:

(2) #02922 Ultra Low Watt Density Lime Life Elements  $4500 \text{w} \ 240 \text{v}$ 

(1) #07722 Apcom Style Lower Therm. w/ Protector

(1) #07862 Apcom Style Upper Therm. w/ Protector







#### Water Heater Element Quick Change

Save time and water! With the patented Camco Water Heater Element Quick Change Tool, there is no need to drain your tank when replacing an element. Simply follow the included instructions and you will have your water heater repaired and operational in a fraction of the time that it takes to drain your tank. The patented Camco collapsible bucket is the perfect item to use in conjunction with this Quick Change tool. Watch the instructional video on YouTube: https://www.youtube.com/watch?v=VymFv6vVjQI

**09973** Quick-Change Tool Carton Qty: 12

#### Collapsible Buckets

The perfect size for many around-the-house uses. Also great for RVing, camping, fishing and more. Great for use in tight spaces, under sink drain traps and water heater drain valves. Opens to 9.25 inches and folds down to less than 2 inches for compact storage. Zippered storage bag included.

**42993** Blue Bucket Carton Qty: 4 **42994** Camouflage Bucket Carton Qty: 4



# Water Heater Thermostats Apcom Style

UL listed for US and Canada • Meets original specification lengths for American, AO Smith, Bradford White, GE, GSW, Kenmore, Maytag, Reliance, Rheem, Richmond, Rudd, Sears, State, and Whirlpool

- Carded thermostats are packed in convenient cut cases and come complete with detailed instructions and wiring diagrams for easy installation
- Built-in safety switch to help prevent overheating
- · Energy-efficient range setting
- Apcom thermostats include a plastic terminal protector. All thermostats should have a terminal protector in place before the water heater cover plate is reinstalled.


#### **Apcom Style Thermostats**

Stock #	Description	Apcom Style	HLC	Terminal Protector	Application Voltage	Qty
07863	Thermostat, Upper	WH10A	Yes	Yes	240/208/120	6
07723	Thermostat, Lower	WH9	-	Yes	240/208/120	6
07843	Thermostat, Single Element	WH9	Yes	Yes	240/208/120	6

#### **Apcom Style Extended Shank**

07853	Thermostat, Single Element	WH9	Yes	Yes	240/208/120	12
07733	Thermostat, Lower	WH9	-	Yes	240/208/120	6

HLC = High Limit Control






#### Apcom Style


Wiring Diagram of Thermostats to Standard Water Heater Elements

Note: Wire color may vary on some water heaters, but connections remain the same.

#### **Double Element Water Heaters**



#### Single Element Water Heaters



# **Water Heater Thermostats** Therm-O-Disc Style

CSA listed • UL listed for USA and Canada • Meets original specification lengths for American, AO Smith, Bradford White, Craftmaster, GE, GSW, Kenmore, Maytag, Reliance, Rheem, Richmond, Rudd, Sears, State, and Whirlpool

- Carded thermostats are packed in convenient cut cases and come complete with detailed instructions and wiring diagrams for easy installation
- Built-in safety switch on single and upper thermostats to prevent overheating Energy efficient range setting


#### Therm-O-Disc Style Thermostats

Stock #	Description	Therm-O-Disc Style	HLC	Application Voltage	Qty
08163	Thermostat, Upper	59T/66T	Yes	240/208/277/120/480	12
08123	Thermostat, Lower	59T	-	240/208/277/120/480	12
08143	Thermostat, Single Element	59T/66T	Yes	240/208/277/120/480	12
08013	Thermostat, Single Element 120V	59T/66T	Yes	120	12

HLC = High Limit Control Therm-O-Disc Style Thermostats do not include a Plastic Terminal Protector. Order 08113 or 08103 if shield is damaged or missing.

#### Therm-O-Disc Style Terminal Protector

Stock #	Description	Qty
08113	TOD Upper T-Stat Terminal Protector	12
08103	TOD Lower T-Stat Terminal Protector	12



Lower Thermostat Protective Cover



Upper Thermostat

08123 Lower Thermostat

08143 Single Element Thermostat

08113

Upper Thermostat

08103

Protective Cover

08013 Single Element **Thermostat** 

To power supply

#### Therm-O-Disc Style Upper/Lower Thermostat Kit with Jumper Wire

- Used when the wire between the upper and lower thermostats is too short
- Includes one upper and lower thermostat (Therm-O-Disc style 59T/66T)
- Includes one 6" long 10 gauge jumper wire and one push wire connector
- Includes 2 thermostat protectors and a thermostat mount bracket
- Most often used with Bradford White water best


<ul> <li>Most often u</li> </ul>	sed with Bradford White water heaters		
Stock #	Description	Qty	
08130	TOD Upper/Lower Thermostat Kit with Jumper Wire	6	
			Black Nori/Negro Jaune-Amerillo Black Black Gonnector Rouge/Rolo Rouge/Rouge/Rolo Rouge/Rolo Rouge/Rolo Rouge/Rolo Rouge/Rolo Rouge/Rolo Rouge/Rouge/Rolo Rouge/Rolo Rouge/Rouge/Rolo Rouge/Roug

#### Therm-O-Disc Style


Wiring Diagram of Thermostats to Standard Water Heater Elements


Note: Wire color may vary on some water heaters, but connections remain the same.

#### **Double Element Water Heaters**



#### Single Element Water Heaters





### Water Heater Thermostats and Accessories

#### About Electric Water Heater Thermostats

#### **Double Element Heaters**

The majority of residential water heaters are designed with two elements controlled by two different thermostats. The upper thermostat is the "brain" of the water heater. It controls the heat generated by the upper element and it controls power delivered to the lower thermostat. Most residential water heaters are designed to have the upper and lower thermostats work separately.

The upper and the lower thermostats never operate simultaneously. The upper thermostat has a safety device attached to it called a High Limit Control (HLC). It has a heat sensor that will shut down the power to the heater if the temperature of the tank exceeds safety limits. The button may be reset to restore power to the heater. Do not reset the HLC until the problem causing the unit to trip is corrected.

#### **Operation Cycle of Double Element Heaters**

- The upper thermostat senses cold water and has energized the upper element. Although contacts on both thermostats are normally closed in response to the cold water, the double-throw upper thermostat completes the circuit only to the upper heating element. Because of the double throw action, power to the lower thermostat is cut off.
- 2. As the upper element operates, it heats the water above it (approximately one quarter of the tank's capacity).
- 3. The water in the upper quarter of the tank is heated until it reaches the temperature set on the upper thermostat. The upper thermostat then breaks the circuit to the upper heating element and completes the circuit to the lower thermostat.
- 4. The lower element then operates and heats the remainder of the water in the tank.
- 5. The lower thermostat breaks the circuit to the lower element when the water in the lower portion of the tank has been heated to its setting. The entire tank is now filled with hot water.
- 6. As hot water is drawn from the top of the tank, cool water is delivered to the bottom of the tank through the dip tube. The lower thermostat reacts to the entering cold water by closing its contacts, energizing the lower heating element and heating the water as it enters the tank.
- 7. Thermostats are factory preset at  $120^{\circ}$  F.

#### Single Element Heaters (with high limit)

Most of the smaller water heaters and point-of-use heaters are designed with only one element and thus only one thermostat. Most of the single element water heaters are wired for 120v. Never connect or adapt a 120v water heater to a 240v system.

The high limit control is located on the thermostat. (See diagrams for proper wiring.)

NOTE: Because the HLC is attached to the single element thermostat, it looks similar to an upper thermostat for a two-element heater. Care should be taken in choosing the correct replacement thermostat. An upper thermostat will not work on a single element heater.

#### Therm-O-Disc Commercial Thermostats

Stock #	Description	T-O-D Style	HLC	Application Voltage	Qty
08304	Upper Thermostat - 180° F	59T	Yes	480/240/208/120	6
08314	Lower Thermostat -180° F	59T	-	480/240/208/120	6

HLC = High Limit Control

#### For Commercial Use Only

#### **UL Listed**

These thermostats are for commercial use only; not to be used in a domestic setting.

Therm-O-Disc Style Thermostats are not supplied with a Protective Shield. Order 08113 or 08103 (page 11) if shield is damaged or missing.

08304 Upper Thermostat

08314 Lower Thermostat





#### **Water Heater Continuity Tester**

Tests elements and thermostats while they are in the heater. May also be used to test continuity in fluorescent lights, fuses and all appliances. Sensitive enough to measure even the fine filament wire in a light bulb. Sensitive LED light indicates continuity. More useful than a circuit tester. Complete instructions and batteries included.

Stock #	Description	Case Qty
10023	Water Heater Continuity Tester	12







# Gas Leak Testing

#### Gas Leak Detector

Safe, clean-drying gas leak detector fluid detects dangerous leaks in anything that can be tested with air or gas pressure. Just daub or spray on and look for bubbles.

Stock#	Description	Qty
10322	Gas Leak Detector 32 oz w/sprayer	4
10324	Gas Leak Detector 8 oz w/sprayer	6
10325	Gas Leak Detector 8 oz w/dauber	6
10367	Gas Leak Detector gallon	6
10368	Gas Leak Detector (55 gallon)	1


#### Gas Pressure Test Kit

Tests LP and natural gas controls for correct pressure or leaks. 0-20 oz PSI on inner reading; 0-35" of water column on outer reading. Easy to use and read with 2.5" dial. Includes brass pressure tap fitting and 30" soft hose.

•		
10389	Gas Pressure Test Kit	1
10399	GP Test Kit Tapered Rubber Nipple	1
10409	Gas Pressure Test Kit Hose - 36"	1

10389 Gas Pressure Test Kit







### Gas Water Heater Parts & Accessories

#### **Thermocouples**

Kits contain thermocouple and positioning adapters to fit most gas water heaters as well as gas appliances. Made with copper tubing. For right-hand threads only.

Stock#	Description	Qty	Stock#	Description	Qty
09253	12" Thermocouple Kit	6	09272	18" Bagged Thermocouple Kit	6
09273	18" Thermocouple Kit	6	09291	24" Bagged Thermocouple Kit	6
09293	24" Thermocouple Kit	6	09312	30" Bagged Thermocouple Kit	6
09313	30" Thermocouple Kit	6	09331	36" Bagged Thermocouple Kit	6
09333	36" Thermocouple Kit	6	09352	48" Bagged Thermocouple Kit	6
09353	48" Thermocouple Kit	6			



09333 36" Thermocouple Kit

See page 30 for Bulk Parts Purchasing Program list

#### Natural Gas Controls

• 4" water column • 1-1/4" shank length • 1/2" NPT gas inlet by 1/2" inverted flare outlet


• Adjustable from 70° F to 160° F

Stock#	Brand	Rating	Qty
08401	White-Rodgers	42000 BTU	1
08421	Robertshaw	79000 BTU	1

#### **LP Gas Controls**

• 1/2" NPT gas inlet by 1/2" inverted flare outlet • Preset 10" water column - adjustable from 9" to 12" • 1-5/8" shank length • Adjustable from 120° F to 160° F • 100,000 BTU/HR

**08461** (Left Hand Threads) Robertshaw (for heaters manufactured after January 1986)





08401 Natural Gas

08421 Natural Gas 08461 LP Gas

#### Gasket Replacement Kit (FVIR)

Fits Richmond, Rheem, Ruud, Vanguard and General Electric brand water heaters. Kits contain burner access door gasket, #20 Torx-head tool, four torx-head screws, and four J-style clip-on nuts. Kit 09294 also includes a 24" thermocouple.

Stock#	Description	Qty
09294	Thermocouple Install Kit	6

#### Gas Control Extender

• Adds shank length to gas controls • 2" overall length • 3/4" Male NPT x 3/4" Female NPT • Dielectric construction • Thermoplastic lining prevents corrosion

09072	Gas Control Extender	50
-------	----------------------	----

#### Universal Gas Control Wrench

For simple installation and removal of gas controls. Adjustable with positive-lock screw.

09963	Gas Control Wrench	2
-------	--------------------	---

#### Gas Water Heater Stands

Many local building codes require a water heater stand for gas water heaters located in areas where the accumulation of combustible fumes may occur. Constructed of galvanized steel. Minimal assembly required. Each stand is 18" high. For use with most residential water heaters.

11231	21" x 21" - For up to a 50 gal tank Holds up to 650 lb	1
11235	24" x 24" - For up to a 100 gal tank Holds up to 1200 lb	1



11235 Gas Water Heater Stand

### **Water Heater Connectors & Kits**

#### 3/4" Water Heater Connector Kits

Stock #	Description	Qty
10183	15" Copper Connector Kit - Gas	6
10193	15" Copper Connector Kit - Gas or Electric	6
10223	15" x 3/4" Copper Connector Kit - Gas or Electric	6
10533	18" x 3/4" Copper Connector Kit - Gas or Electric	6

Use	For Water Heater Installation/Replacement of
10183	GAS where "cold" supply or "hot" distribution lines are 3/4" copper (i.e. not threaded) and codes allow use of Flexible Gas Connector.
10223	GAS or ELECTRIC where "cold" supply and "hot" distribution lines are threaded and Flexible Gas Connector is not needed or allowed by codes.
10193 10533	GAS or ELECTRIC where "cold" supply or "hot" distribution lines are 3/4" copper (i.e. not threaded) and Flexible Gas Connector is not needed or not allowed by codes.

	Gas	Gas or Electric		
Kit Contains:	10183	10193	10223	10533
(2) Copper Flexible Water Connectors, 3/4" FIP	1	1	✓	✓
(1) Roll Teflon Tape	✓	1	✓	✓
(2) Compression Fittings, 3/4" Compression x 3/4" Male NPT	1	✓		✓
(1) Stainless Steel Gas Connector,1/2" OD x 24" 1/2" M X F (Tapped 3/8" Female NPT)	1			







#### **Compression Fittings**

Stock#	Description	Qty
10196	3/4" Compression x 3/4" NPT Fitting	6
10205	1/2" Compression x 3/4" NPT Fitting	6

#### Flexible Water Connectors-Seamless Corrugated Copper

3/4" SWT x 3/4" FIP - 7/8" ID flexible water connectors -125 PSI maximum		
10032	18" x 3/4" Copper FIP x SWT	25
10045	12" x 3/4" Copper FIP x SWT	25
10055	15" x 3/4" Copper FIP x SWT	25
10085	24" x 3/4" Copper FIP x SWT	25
3/4" FIP x 3/4" FIP flexible water connectors -125 PSI maximum		
10043	12" Copper Water Connector - Card	12
10053	15" Copper Water Connector - Card	12

12 12

10232

Flexible Gas Connector

#### Flexible Water Connectors-Corrugated Stainless Steel

18" Copper Water Connector - Card

24" Copper Water Connector - Card

3/4" FIP x 3/4" FIP flexible water connectors-125 PSI maximum		
10735	15" Stainless Water Connector	25
10747	18" Stainless Water Connector	12
10755	24" Stainless Water Connector	12
10072	Washer For Water Connectors - Bulk	25
Flexible Gas Connector*		
10232	24" x 1 /2" OD Stainless Steel, Coated	25

<sup>\*</sup>Gas connectors are certified for household use to 1/2 PSI.

#### See page 30 for Bulk Parts Purchasing Program list





10063

10083

### **Water Heater Accessories**

#### T & P Valves

- Setting of 150 PSI / 210 °F Stainless steel spring
- All brass body ANSI Z21.22 Design CSA certified
- Furnished with test lever Epoxy coated extension probe

Stock #	Description	Qty
10421	1/2" Inlet/outlet T & P Valve w/ 4" Probe - Box	25
10423	1/2" Inlet/outlet T & P Valve w/ 4" Probe - Card	4
10463	3/4" Inlet/outlet T & P Valve w/ 1" Probe - Card	12
10471	3/4" Inlet/outlet T & P Valve w/ 4" Probe - Box	25
10473	3/4" Inlet/outlet T & P Valve w/ 4" Probe - Card	12
10491	3/4" Inlet/outlet Valve w/ 2-1/2" Shank - Box	25
10493	3/4" Inlet/outlet Valve w/ 2-1/2" Shank - Card	12

#### Extra-Long Shank T & P Valve

10427	3/4" Inlet/outlet Valve 3/4" w/ 3-5/16" Shank	12
-------	---	----

#### Lead-Free T & P Valves

10413	1/2" w/ 4" Probe • Lead Free	4
10433	3/4" w/ 1" Probe • Lead Free	12
10443	3/4" w/ 4" Probe • Lead Free	12
10453	3/4" w/ 2-1/2" Shank, 4" Probe • Lead Free	12

#### T & P Valve Remover

10552	Universal T & P Valve Remover	25
-------	-------------------------------	----

#### **Heat Traps**

Helps prevent heat escape through inlet and outlet while idle
 3/4" NPT x 3/4" NPT x 3" Length
 Self-cleaning fittings help prevent corrosion
 Dielectric inert thermoplastic lining

01012	Dielectric Water Heater Heat Traps - Bulk	24
01013	Dielectric Water Heater Heat Traps - 2/card	12
01022	Dielectric Heat Trap - Flapper Style - Bulk	24
01023	Dielectric Heat Trap - Flapper Style - 2/card	12

#### Extra-Long Heat Traps

01033 Dielectric Water Heater Heat Traps - 5" Long - 2/Card   12
--

#### Dielectric Nipples

For inlet and outlet hook-ups and other uses where dissimilar metals occur in piping and plumbing systems. Thermoplastic lining prevents corrosion.  $3/4^{\text{\tiny H}}$  NPT x  $3/4^{\text{\tiny H}}$  NPT x  $2-1/2^{\text{\tiny H}}$  Length

10622	Dielectric Nipples - 2.5" long - Bulk	50
10623	Dielectric Nipples - 2.5" long - 2/Card	12
10602	Dielectric Nipples - 3" long - Bulk	25

#### **Extra-Long Dielectric Nipples**

10634	Dielectric Nipples 3/4" x 3/4" NPT - 5" long	12
-------	--	----

#### **Element Wrenches**

• Zinc-plated **Element Wrenches** fit all standard screw-in elements and 1-1/2" nuts • Works with your screwdriver • Goes into offsets where an adjustable wrench cannot

09882	5" Wrench - Bulk	25
09883	5" Wrench - Card	12
09888	$5$ <sup><math>"</math></sup> Dual Headed Wrench For Marathon $^{™}$ Elements - Card	12
09889	5" Dual Headed Wrench For Marathon™ Elements - Bulk	25
09942	4" Heavy Duty Wrench - Bulk	25
09943	4" Heavy Duty Wrench - Card	12











#### **Element Sockets**

Chrome-plated **Professional Element Socket** fits standard 1/2" socket drive to make easy work of replacing screw-in water heater elements

	, ,	
09951	Element Socket - Bulk	6
09953	Element Socket - Clam	6

### **Anode Rods and Accessories**

#### **Runoff Tubes**

Thermoplastic polypropylene runoff tubes present rigid surface for gripping with standard wrenches. Can be cut to length.

Stock #	Description	Qty
10862	Side Mount Runoff Tube (58" vertical)	12
10952	Center Top Mount Runoff Tube 12"H/59"V	12
10962	Top Mount Runoff Tube 7.5"H/59"V	12

#### **Water Inlet Dip Tubes**

Anti-siphon hole breaks damaging siphon action. Can be cut to length. Gasket sold separately. (#06912)

11062	Flared Dip Tube (52" vertical)	12
11061	Flared Dip Tube (52" vertical) with gasket	12
11162	Threaded Dip Tube (48" vertical)	25
06912	Dip Tube Gaskets - Bag of 25 (Special order only)	1



#### FOR WATER HEATERS WITH THICKER INSULATION

#### Runoff Tubes and Dip Tubes for water heaters with thicker insulation

Water Heater parts designed to fit water heaters with thicker insulation resulting from the new NAECA regulations.

10955	Center Top Mount Runoff Tube - 14" H / 59" V	12
10965	Top Mount Runoff Tube - 9.5" H/ 59" V	12
11163	50.5" Threaded Dip Tube w/5" Nipple	12

10952 Center Top Mount Runoff Tube

10862 Side Mount Runoff Tube

11162 Threaded Dip Tube



#### Dielectric Unions

Use wherever dissimilar metals occur in piping and plumbing systems. Use in water heaters, water storage tanks, water conditioners and water pumps. 3/4" FIP x 3/4" SWT

Stock #	Description	Qty
23503	Dielectric Union 3/4" FIP - 2/card	12

#### Residential Water Heater Anode Rods

11572	5/8" OD Anode Rod 42" Long Aluminum	6
11582	3/4" OD Anode Rod 42" Long Aluminum	6
11611	3/4" OD Anode Rod 42" Long Aluminum Flexible (3 Section) w/ 5" Dielectric Nipple	6
11612	5/8" OD Anode Rod 42" Long Aluminum Flexible (3 Section)	6
11622	3/4" OD Anode Rod 42" Long Aluminum w/Dielectric Nipple	6
11623	3/4" OD Anode Rod 29" Long Aluminum	6

#### RV & Marine Water Heater Anode Rods (not shown)

IT & Marine Water neater Anode Hous (not shown)		
11533	1/2" NPT Anode Rod 4-1/2" long Magnesium with Drain - for Atwood water heaters	6
11553	1/2" NPT Anode Rod 4-1/2" long Magnesium for Atwood water heaters	6
11563	3/4" NPT Anode Rod 9-1/2" long Aluminum for Suburban (Mor-Flo) water heaters	6
11593	1/2" NPT Anode Rod 9-1/2" long Magnesium for Atwood 10 Gallon water heaters	6







11622 3/4" OD Anode Rod w/dielectric nipple



### **Drain Valves and Water Hoses**

#### Brass Water Heater Drain Valve w/ Recirculation Elbow

Stock #	Description	Qty
11502	Drain Valve w/ Recirculation Elbow - Bulk	25

#### Backflow Preventers w/ stainless steel spring 3/4" NPT

23303	1/2" Brass Backflow Preventer - Card	6
23402	3/4" Brass Backflow Preventer - Bulk	25

#### Water Heater Drain Valves

Permanent installation. Fits directly into water heater for easy draining. 3/4" NPT x 3/4" male hose thread. 2-1/2" long. Brass valves are CSA Low Lead Content Certified.

11512	Drain Valve - Brass - Bulk	25
11513	Drain Valve - Brass - Card	12
11522	Drain Valve - Plastic - Bulk	25
11523	Drain Valve - Plastic - Card	12

#### Extra Long Shank Water Heater Drain Valves

Water Heater parts designed to fit larger water heaters resulting from the new NAECA regulations

11505	WH Drain Valve - Brass 4-3/8" Shank	12
11543	WH Drain Valve - Plastic 3" Shank	12


#### **Water Pressure Regulators**

Reduce water pressure to a safe, consistent 40–50 PSI of operational pressure. Protects equipment and helps prevent hose failure, helping to prolong equipment life. (3/4" M x F Garden Hose Threads) Patented. CSA Low Lead Content Certified.

40143	3/4" Plastic Water Pressure Regulator	6
40055	3/4" Brass Water Pressure Regulator	6

See page 30 for Bulk Parts Purchasing Program list

# 11502 Drain Valve with Recirculation Elbow









#### Heated Drinking Water Hoses with Thermostat

#### Protects to -20° F

Made with an NSF 61 certified, 5/8" I.D. drinking water safe hose that is BPA, phthalate and lead-free. Won't leach harmful chemicals into water or leave it tasting like plastic. Energy saving thermostat only heats as needed, saving money on your electric bill. Fittings are heavy-duty machined and plated for maximum corrosion resistance and the durable exterior jacket protects water hose and electrical components from damage or exposure. Protects to -20° F. Operates on 120 VAC.

Stock #	Description	Qty
22910	12 ft Heated Drinking Water Hose	1
22911	25 ft Heated Drinking Water Hose	1
22912	50 ft Heated Drinking Water Hose	1

#### Heavy Duty 5/8 inch Contractor Hoses

#### Rated for hot water up to 100° F

Reinforced, abrasion-resistant hose for hot water use. Easier to clean; drinking water safe. Spring reinforced to reduce kinking. Stainless steel fittings. 10-year limited replacement warranty. 300 PSI burst strength. Available in 25 ft, 50 ft & 100 ft lengths.

Stock #	Description	Qty
22863	25 ft Contractor Hose	3
22873	50 ft Contractor Hose	3
22883	100 ft Contractor Hose	3



### **Drain Pans and Fittings**

#### **Drain Pans and Fittings**

**Plastic**— For electric water heaters ONLY • Durable no-break polypropylene pans will not rust, corrode or crack • Pre-cut side opening for drain fitting • 1"/1.5" drain fitting included (#11452 PVC or #11442 CPVC)

Stock #	Description	Qty
11260	20" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11266	20" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11460	22" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11466	22" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11360	24" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11366	24" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11400	26" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11406	26" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11410	28" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11416	28" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11420	30" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11426	30" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11427	32" ID Plastic W/H Drain Pan PVC Fitting - 2.5+" Deep	6
11429	32" ID Plastic W/H Drain Pan CPVC Fitting - 2.5+" Deep	6

**Plastic Corner Pan**—For electric water heaters ONLY • Will not rust, corrode or crack • 1"/1.5" drain fitting included (#11452 PVC or #11442 CPVC)

11480	24" ID Corner Plastic Drain Pan w/PVC Fitting - 3" Deep	6
11486	24" ID Corner Plastic Drain Pan w/CPVC Fitting - 3" Deep	6

**Aluminum**—For gas or electric water heaters • Will not rust or crack • 1"/1.5" drain fitting included (#11452 PVC or #11442 CPVC) • Pre-cut side opening for drain fitting

20" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
22" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
22" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
24" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
24" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
24" ID Aluminum Drain Pan w/PVC Fitting - 2.88" Deep	6
26" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
26" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
26" ID Aluminum Drain Pan w/PVC Fitting - 2.88" Deep	6
28" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
28" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
30" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
30" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
32" ID Aluminum W/H Drain Pan PVC Fitting - 2.25" Deep	6
32" ID Aluminum W/H Drain Pan CPVC Fitting - 2.25" Deep	6
	20" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep 22" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 22" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 24" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 24" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 24" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 24" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 26" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 26" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 26" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 28" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 30" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 30" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep 30" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep



### All Camco plastic and aluminum water heater pans are recyclable





11480 Plastic Corner Drain Pan



20830 Aluminum Drain Pan

Aluminum without drain hole	—For gas or electric water heaters
• Will not rust or crack • 1"/1.5"	drain fitting included (#11452)

20801	20" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20841	22" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20831	24" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20811	26" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20861	30" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6

NAECA regulations effective April 16th, 2015 have resulted in larger diameter water heaters, requiring the use of larger pans during installation.

### **Drain Pans and Fittings**

#### Water Heater Drain Pans for Tankless Water Heaters

#### **Drain Pans for Tankless Water Heaters**

Stock #	Description	Qty
11470	Plastic - with PVC fitting	6
11476	Plastic - with CPVC fitting	6
11430	Aluminum - with PVC fitting	6
11432	Aluminum - with CPVC fitting	6

The Wall Saver™ allows for easier routine maintenance flushing and helps protect floors and walls from leaks. Made of injection-molded no-break polypropylene; will not rust, corrode or crack. Wall-mounted drain pan fits under most whole-house tankless water heaters and is required by building codes. Recyclable and non-toxic. U.S. Patents 8104634 and D653745. Each pan includes a dual-size 1-inch/1.5-inch drain fitting with gasket.

Plastic: W: 21.5"; H: 16"; D: 13.4"

Aluminum: W: 21.7"; H: 15.3"; D: 11.6"





#### **Drain Pan Fittings**

Replacements for all Camco water heater and washing machine drain pans. Includes fitting, locknut and washer.

ntting, locking and washen		
Stock #	Description	Qty
11442	Drain Pan Fitting Kit Fits 1"/1.5" CPVC	25
11452	Drain Pan Fitting Kit Fits 1"/1.5" PVC	25



#### **Galvanized Square**—

For gas or electric heaters. 1"/1.5" drain fitting included

20922	ID 24" x 24" Heater Pan - 4" Deep - Bulk	1
20932	OD 30" x 30" Heater Pan - 6.25" Deep - Bulk	1



20922 Galvanized Square Pan

### Residential Electric Water Heater Construction

Flexible stainless steel or copper connectors — connects to hot and cold water pipe system

#### Dielectric nipples or heat traps

 with thermoplastic lining to help prevent thread corrosion


**Hot water outlet** — water supply to house faucets

**Anode rod** — a rod composed of sacrificial metal to help prevent deterioration of the steel tank and elements by controlling electrolysis

**Upper thermostat** — turns heating elements on or off to maintain preset or desired temperature; regulates power to the lower thermostat

**Lower thermostat** — controls lower heating element to maintain desired temperature

**Drain valve** — a metal or plastic valve used when draining heater for periodic cleaning or replacement of a defective water heater element



**Cold water inlet** — supplies water for heating to the tank

**Run-off tube** — carries water or steam safely to drain or drain pan if T & P valve activates

#### Cold water dip tube —

a non-metallic tube that directs incoming cold water to the bottom of the tank

**Steel tank with glass lining—** prevents corrosion

**Insulation** — helps maintain consistent water temperature

#### Heating element —

a resistant type electrical component to generate heat

**Drain pan** — plastic or metal pan to collect and drain off leaking water or water from activated T & P valve; must be plumbed to drain

### **Washing Machine Drain Pans**

#### Standard-Size Washing Machine Drain Pans

• White polypropylene plastic • Will not rust, corrode or crack • Includes 1"/1.5" drain fitting • Bottom or side outlet (not pre-cut) • 1"/1.5" drain can pass all codes • Easy to install • Matte finish • ID 27" x 30" x 2-1/8"

Stock #	Description	Qty
20752	30" x 32" OD Washer Drain Pan - with PVC fitting	6
20756	30" x 32" OD Washer Drain Pan - with CPVC fitting	6

#### **Apartment-Sized Washing Machine Drain Pans**

White polypropylene plastic washer drain pan designed and sized for apartment-sized washers. Will not rust, corrode or crack. Includes  $1^{"}/1.5^{"}$  PVC drain fitting Bottom or side outlet (not pre-cut) •  $1^{"}/1.5^{"}$  drain can pass all codes • Easy to install • Matte finish •ID  $25 \times 27^{"}$ 

<b>20762</b> 28" x 30" OD Washer Drain Pan - 2.25" Deep - Bulk 6	;
--	---

#### Low Profile Washing Machine Drain Pans

Polypropylene plastic pan designed and sized especially for a full-size font-loading washer to allow clearance when opening pedestal drawer • Will not rust, corrode or crack • Includes 1"/1.5" PVC drain fitting • Bottom outlet (not pre-cut) • 1"/1.5" drain can pass all codes • Easy to install • Matte finish ID 29" x 33"

20786	31" x 35" OD Low Profile Drain Pan - 1.6" Deep - White	6
20788	31" x 35" OD Low Profile Drain Pan - 1.6" Deep - Pewter	6

#### **Washing Machine Hoses**

20500	5' Washing Machine Hose - Bag	12
20502	5' Washing Machine Hose - Bulk	25


#### Dishwasher Drain Pan

Camco's Dishwasher Pan can help save the cost of expensive repairs by alerting the homeowner to dishwasher leaks that would otherwise go undetected. It is designed to guide water to the front of the pan, so that it can be seen before any water damage has occurred.

**20600** 20-1/2" x 24" OD Dishwasher Drain Pan - White








20762 Apartment-sized Washing Machine





# Top Burners for Electric Ranges



GE / Hotpoint Plug-in Style



Universal Plug-in Style

UL listed







Y Support

Stock#	Description	Watts	Volts	Size	Turns	Support	Chromalox#	Qty
GE/Hotpo	GE/Hotpoint Plug-In							
00103	GE/Hotpoint Plug-in	1325w	240v	6"	5	Y	CH30x218	6
00113	GE/Hotpoint Plug-in	2350w	240v	8"	6	Y	CH30x219	6
GE/Hotpo	int w/Porcelain Connector							
00183	GE/Hotpoint w/trim ring	1325w	240v	7"	5	GE	CH30x356	6
00193	GE/Hotpoint w/trim ring	2125w	240v	9"	6	GE	CH30x354	6
00283	GE/Hotpoint Plug-in w/o trim ring	1325w	240v	6"	5	GE	CH30x342	6
00293	GE/Hotpoint Plug-in w/o trim ring	2125w	240v	8"	6	GE	CH30x341	6
Economy	Economy Plug-In Universal							
00143	Universal Economy Plug-in	1250w	240v	6"	3	Y	SP12YA	6
00153	Universal Economy Plug-in	2100w	240v	8"	4	Y	SP21YA	6
00223	Universal Economy Plug-in	1250w	240v	6"	3	Delta	SP12MA	6
00233	Universal Economy Plug-in	2100w	240v	8"	4	Delta	SP21MA	6
Deluxe Plug-In Universal (Deluxe has more heating surface than Economy)								
00243	Universal Deluxe Plug-in	1500w	240v	6"	4	Y	MP15YA	6
00253	Universal Deluxe Plug-in	2100w	240v	8"	5	Y	MP21YA	6
00263	Universal Deluxe Plug-in	1500w	240v	6"	4	Delta	MP15MA	6
00273	Universal Deluxe Plug-in	2100w	240v	8"	5	Delta	MP21MA	6

#### Repair Parts

Stock#	Description	Qty	
00853	GE/Hotpoint Receptacle Block		
Direct replacement for GE ranges. Includes: (1) metal/porcelain bracket, (2) machine screws, (1) sheet metal screw, (1) wire bracket and (1) nut			
00863	Universal Range Switch - Card	8	
Includes: switch, mounting adapter parts, knob adapter			
00873	Universal Receptacle Block Kit	12	
Fits most electric ranges, except GE.			



# Pans, Bowls and Knob Kits







Pan for hinged elements EXCEPT GE / HOTPOINT — UNIVERSAL



**DEEP style bowl** for plug-in elements GE / HOTPOINT TYPE



GE / HOTPOINT TYPE

#### **Universal Drip Pans and Bowls for Electric Ranges**

Stock#	Description	Туре	Qty
00343	6" Chrome Trim Ring	-	12
00353	8" Chrome Trim Ring	-	12
00383	6" Chrome Drip Bowl	Plug-in	12
00393	8" Chrome Drip Bowl	Plug-in	12
00463	6" Chrome Drip Pan	Hinge	12
00473	8" Chrome Drip Pan	Hinge	12
00503	6" Black Porcelain Drip Bowl	Plug-in	12
00513	8" Black Porcelain Drip Bowl	Plug-in	12
00583	6" Black Porcelain Drip Pan	Hinge	12
00593	8" Black Porcelain Drip Pan	Hinge	12

#### Electric Knob Kit - 4/card

Stock#	Description	Qty
00883	Electric Range Knobs-Top Burner - Black	12
00923	Electric Range Knobs-Top Burner - White	12
00903	Electric Range Knobs-Top Burner - Chrome	12

#### Electric Knob Kit - 1/card

00913	Electric Range Knob-Burner/Oven - Black	12
00893	Electric Range Knob-Burner/Oven - White	12
00933	Electric Range Knob-Burner/Oven - Chrome	12

#### Gas Knob Kit - 4/card

00943	Gas Range Knobs-Top Burner - Black	12
00983	Gas Range Knobs-Top Burner - White	12
00963	Gas Range Knobs-Top Burner - Chrome	12

#### Gas Knob Kit - 1/card

00973	Gas Range Knob-Burner/Oven - Black	12		
00953	Gas Range Knob-Burner/Oven - White	12		
00993	Gas Range Knob-Burner/Oven - Chrome	12		

Stock#	Description	Туре	Qty
00343	6" Chrome Trim Ring	-	12
00353	8" Chrome Trim Ring	-	12
00383	6" Chrome Drip Bowl	Plug-in	12
00393	8" Chrome Drip Bowl	Plug-in	12
00463	6" Chrome Drip Pan	Hinge	12
00473	8" Chrome Drip Pan	Hinge	12
00503	6" Black Porcelain Drip Bowl	Plug-in	12
00513	8" Black Porcelain Drip Bowl	Plug-in	12
00583	6" Black Porcelain Drip Pan	Hinge	12
00593	8" Black Porcelain Drip Pan	Hinge	12

Stock#	Description	Qty
00883	Electric Range Knobs-Top Burner - Black	12
00923	Electric Range Knobs-Top Burner - White	12
00903	Electric Range Knobs-Top Burner - Chrome	12

00943	Gas Range Knobs-Top Burner - Black	12
00983	Gas Range Knobs-Top Burner - White	12
00963	Gas Range Knobs-Top Burner - Chrome	12

00973	Gas Range Knob-Burner/Oven - Black	12
00953	Gas Range Knob-Burner/Oven - White	12
00993	Gas Range Knob-Burner/Oven - Chrome	12

#### **Drip Pans and Bowls for GE/Hotpoint Electric Ranges**

Stock#	Description	Туре	Qty
00303	6" Chrome Trim Ring	-	12
00313	8" Chrome Trim Ring	-	12
00323	6" Black Porcelain Drip Bowl	Plug-in	12
00333	8" Black Porcelain Drip Bowl	Plug-in	12
00403	6" Chrome Drip Bowl	Plug-in	12
00413	8" Chrome Drip Bowl	Plug-in	12
00423	6" Chrome Drip Pan	Hinge	12
00433	8" Chrome Drip Pan	Hinge	12
00443	6" Blk Porcelain Drip Bowl 1990 - Present	Plug-in	12
00453	8" Blk Porcelain Drip Bowl 1990 - Present	Plug-in	12
00483	6" Chrome Drip Bowl 1990 - Present	Plug-in	12
00493	8" Chrome Drip Bowl 1990 - Present	Plug-in	12
00543	6" Black Porcelain Drip Pan	Hinge	12
00553	8" Black Porcelain Drip Pan	Hinge	12



nenector brip rans for das nanges			
Stock#	Description		Qty
00363	Round Chrome Gas Drip Pan (7")	-	12
00373	Square Chrome Gas Drip Pan (7-3/4")	-	12






### Bake & Broil Elements


Stock#	Description	Watts	Volts	Qty
Bake El	Bake Elements			
00611	Bake Element	2400w	240v	6
00621	Bake Element	3000w	250v	6
00631	Bake Element	2700w	240v	6
00641	Bake Element	2500w	240v	6
00651	Bake Element	3000w	250v	6
00681	Bake Element	2585w	250v	6
00701	Bake Element	2600w	240v	6
00711	Bake Element	2585w	250v	6
00721	Bake Element	2475w	250v	6
00731	Bake Element	2200w	250v	6
00741	Bake Element	2585w	250v	6
00751	Bake Element	3100w	240v	6
00761	Bake Element	2400w	240v	6
00791	Bake Element	2500w	240v	6

#### **Broil Elements**

00771	Broil Element	3000w	250v	6
00801	Broil Element	3400w	250v	6
00811	Broil Element	3400w	240v	6
00831	Broil Element	3410w	250v	6

All elements include screw-in hardware.





00621


WB44x126 WB44x118 WB44x105

WB44x133 WB44x120 WB44x112

**HOTPOINT** 297B774G3


**CHROMALOX** 

CH44x126



2700w 240v Bake Element

**CHROMALOX** CH2858




2500w 240v Bake Element

**KENMORE** 301471 282717 314620 319529 319238 319837 320421 324186

**CHROMALOX** 

CH776

320420




#### 00651

WB44x5043 WB44x5049 WB44x5078 WB44x5080

> **HOTPOINT** 663130 664640

> > 684729

**CHROMALOX** CH44x5043



#### 00681 2585w 250v Bake Element

WB44x105 WB44x118 WB44x120 WB44x126 WB44x133

WB44x5061 WB44x5099

00711


**CHROMALOX** CH44x5099



WHIRLPOOL 308180

> JENN-AIRE 202550

**CHROMALOX** CH4836



#### 2585w 250v Bake Element

WB44x5061 WB44x5082 WB44x5072

**CHROMALOX** 

CH44x5082

Please visit www.camco.net for printable pictures with dimensions.


### **Bake & Broil Elements**

### 2475w 250v Bake Element

**FRIDGIDAIRE** 632305 632306 633114 1133051 752576 7525781 7526491 7526492 752660 7532556 7532557 8004204 9950882

**CHROMALOX** 

CH978



#### 00731


WHIRLPOOL

255103; 257376; 257987; 326791

**ROPER** 

326791


**CHROMALOX** CH687



#### 00741 2585w 250v Bake Element

GF WB44x5083 WB44x5085 **CHROMALOX** 

CH44x5083




#### 00751


#### 3100w 240v Bake Element

GF WB44x200; WB44x160

**CHROMALOX** 

CH44X200





#### 2500w 240v Bake Element

ROPER/KENMORE

325883; 326365;

326364; 326366

GE

WB44x230

**CHROMALOX** 


CH5853

00771



WB44x134

**CHROMALOX** CH44x134



#### 00801 3400w 250v Broil Element


WB44x149 WB44x150

WB44x167 WB44x168

WB44x173

WB44x185 WB44x5064

**CHROMALOX** CH44x185




#### 00811

ROPER/KENMORE 296121; 296566; 319487; 324163; 324249; 324251

**CHROMALOX** 

CH2859



#### 3410w 250v Broil Element

WB44x5074

00831

**CHROMALOX** 

CH44x5074

### **Propane Campfires**







#### **Big Red Campfire®**

Take your fire with you! Our Big Red Portable Campfire is great for campsites with restrictions against in-ground fires. Take it tailgating, or put it on the patio...its size is convenient for wherever you need a fire. Realistic log set (original) or lava rocks (CSA version) and full 9.5" diameter ring burner help create the natural look and ambiance of from-scratch campfires. Sturdy lid and security latches make it safe and easy to transport. Self storing lid can also serve as a Campfire base. Includes 10' propane hose for use with standard LP gas cylinders. RV campground approved. 13.25" fire tray diameter. 65,000 BTU/HR.

58035	Big Red Campfire
-------	------------------

#### *Little Red Campfire* ®

Take your fire with you! Our compact, portable campfire is great for campsites with restrictions against in-ground fires. Tailgating, or on the patio...its size is convenient for wherever you need a fire. Realistic log set (original) or lava rocks (CSA version) and full 9.5" diameter ring burner help create the natural look and ambiance of from-scratch campfires. Sturdy lid and security latches make it safe and easy to transport. Includes 8' propane hose for use with standard LP gas cylinders. RV campground approved. 11.25" fire tray diameter. 65,000 BTU/HR.

58031	Little Red Campfire	1	
-------	---------------------	---	--



#### Portable Propane Campfire

Features like an elevated fire tray and heat resistant base make this Portable Campfire perfect for use in campgrounds with fire restrictions; great for residential porch and patio use as well. Large 14-1/2" burner ring allows for even distribution of gas and flame. 8' hose and adjustable regulator allows easy control of desired fire size up to 65,000 BTUs per hour with no ash, no mess and no smoke. Includes two bags of lava rocks. Legs fold completely under to fit into included storage bag.

58041	Propane Campfire	1
58041	Propane Campfire	1

#### **Propane Adapter**

**59213** Propane Adapter (for use with 1 lb bottle) 6

59213 Propane Adapter





### **Portable Fire Ring**

#### **Portable Fire Ring**

Safely contain your campfire with Camco's Portable Fire Ring. The large, 27" wide steel ring will accommodate your natural woodburning fire. Six-piece hinged design unfolds and assembles easily with no tools required. Tree cut-outs create a captivating ambiance. Folds flat for storage. Includes a zippered bag for easy transportation.

**51091** Portable Fire Ring





### **Gas Matches**

#### GM3 GasMatches™

One of our finest and most popular lighters. Long slender design lets you get at hard-to-reach places with total safety. Features a continuous ignition system (requires one AA battery, included), safety lock, fully adjustable flame, fuel viewing window. Refillable with butane lighter fluid. ISO 9001 certified. CPSC certified.

57433	GM3 - 14 3/4"	12
57543	GM3X - 26" (15" flex extender)	12
57684	GM3XE - 40 3/4" (36" flex extender)	20
57549	GM3X - 26" (15" flex extender) with no butane	12



#### GM4 GasMatches™

Our most popular mid-sized model. Piezo electric ignition, fully adjustable flame, safety lock, fuel viewing window, thousands of lights. CPSC certified. Refillable with butane lighter fluid. 11" long.

57453 Olympian™ GM4 GasMatch 12

#### GM9 2-pack Refillable GasMatches

Great for barbecues, fireplaces, pilot lights, kerosene heaters and candles. Safety lock, CPSC certified, adjustable flame, fuel viewing window. 11" long.

57473	Olympian™ GM9 GasMatches-2/card	12
-------	---------------------------------	----

#### Ronson® Butane

Multi-fill injectors in 78 gram and 165 gram sizes.			
57416	Ronson 78 Gram Butane Fuel	12	
57496	Ronson 165 Gram Butane Fuel	12	




### Sparker Igniters

#### GM12 Continuous Ignition Multi-Sparker

This handy igniter is the one designed exclusively for igniting gas appliances. No butane to refill. The continuous ignition piezo electric sparker assures a large and immediate continuous spark. The automatic illumination micro-light and curved nozzle make tough lighting jobs easy. Uses one C battery (included).

57533	GM12 - 13" long (7" pipe)	12
57561	GM12X - 26" long (20" pipe)	24



### Antifreeze for Potable Water Systems

#### Antifreeze for potable water systems

For use in winterization of fresh/potable water systems in campers, RVs and summer homes. High-grade formulas protect equipment down to -50° F. (-46° C) with no mixing required. Use full strength—do not dilute. All ingredients are listed in the U.S. Federal Register (GRAS - generally regarded as safe). Not recommended for winterizing boat engines.

#### Easy Going™ -50

Virgin propylene glycol-based formula is safe, odorless and tasteless.

Stock#	Description	Size	Qty
<b>30757</b> Easy Going -50° F Antifreeze		1 gallon	6
<b>30759</b> Easy Going -50° F Antifreeze		5 gallons	36
30758	Easy Going -50° F Antifreeze	55 gallons	4

#### Arctic Ban™ -50

Ethyl alcohol/propylene glycol-based formula is safe, odorless and non-staining.

Stock#	Description	Size	Qty
30807 Arctic Ban -50 Antifreeze		1 gallon	6
30809 Arctic Ban -50 Antifreeze		5 gallons	36
		55 gallons	4





30807 Arctic Ban

### Antifreeze for Boiler Systems



Eliminates guesswork by reading freeze protection of ethylene glycol, methoxy propanol and propylene glycol, as well as actual burst protection of propylene glycol antifreezes. Rapid temperature compensation for accuracy in varying temperatures. Shock-resistant design. Improved optics for ease of viewing. Completely immersible.

Stock# Description		Size	Qty
65401	Freeze-Check Refractometer	-	1



#### Boiler Antifreeze

• For hydronic heating and cooling systems • Safe • Odorless • Tasteless

• Protects -100° F (-73° C). A premium heat transfer fluid with special corrosion inhibitors added. For use in hot water and other closed boiler and solar systems. Concentrated, may be diluted to the desired burst protection level and flow temperature desired using the chart provided. Contains Propylene Glycol with corrosion inhibitor and inert ingredients. Non-Flammable • No mixing required. Boiling point: 760mmHg ... 109° C ... 228° F • All ingredients are listed in the U.S. Federal Register (GRAS).\*

\* Generally regarded as safe

Stock#	Description	Size	Qty
30027	Boiler Antifreeze -100	1 gallon	6
30029	Boiler Antifreeze -100	5 gallons	36
30028	Boiler Antifreeze -100	55 gallons	4

#### **Boiler Antifreeze MID**

Premium MID-Grade heat transfer fluid			
Stock# Description		Size	Qty
30417	Boiler Antifreeze MID	1 gallon	6
30419	Boiler Antifreeze MID	5 gallons	36
30418	Boiler Antifreeze MID	55 gallons	4

#### Ready-to-Use Boiler Antifreeze

- •All ingredients are listed in the U.S. Federal Register (GRAS).\*
- \* Generally regarded as safe

Stock#	Description	Size	Qty
33129	RTU Boiler Antifreeze	5 gallons	36
33128	RTU Boiler Antifreeze	55 gallons	4

#### Boiler AL Antifreeze

Boiler AL (not shown) contains special corrosion inhibitors for use in boilers containing aluminum.

Stock#	Description	Size	Qty
33119	Boiler AL -100	5 gallons	36
33118	Boiler AL -100	55 gallons	4

#### Inhibitor Re-Charge for Boiler Antifreeze

Replaces depleted corrosion inhibitors in antifreeze solutions to prevent corrosion problems. Can also be added to uninhibited antifreeze solutions. *Not for use with Boiler AL.* 

35106	Inhibitor Re-Charge	32 oz	6
-------	---------------------	-------	---

#### **Boiler Antifreeze Test Strips**

These strips test the pH of the solution to indicate the corrosion protection. **36011** Boiler Antifreeze Test Strips 50 strips 1

### Antifreeze for Fire Sprinkler Systems

#### Liquids orders must be sent on a separate P.O.

Fire Sprinkler System Antifreezes PG and GL should be used in wet fire sprinkler systems that may be exposed to freeze conditions. When used undiluted, Fire Sprinkler System Antifreezes PG & GL will protect the system from freezing and ensure system flow in wet fire sprinkler systems.

#### PG38: Designed for metal fixed-sprinkler systems only

Fire Sprinkler System Antifreeze PG is 38% by volume Propylene Glycol solution, which is non-toxic and safe for all wet fire sprinkler systems with the exception of systems that contain CPVC. It is a factory pre-mix, made to be in compliance with NFPA Guidelines. Contains Corrosion Inhibitors to protect metal components and system.

% of Fire Sprinkler System Antifreeze PG	Freeze Point Degree F		Burst Protection Degree F	Specific Gravity @ 77° F (25° C)
100	-15° F	-25° F	-50° F	1.137

#### **GL48: Designed for CPVC and PEX systems only**

Fire Sprinkler System Antifreeze GL is 48% by volume Glycerin based solution, which is non-toxic and safe for CPVC and PEX wet fire sprinkler systems as specified by manufacturers. It is a factory pre-mix made to be in compliance with NFPA Guidelines. Contains Inhibitors to improve product stability.

% of Fire Sprinkler	Freeze Point	Flow Point	Burst Protection	Specific Gravity	
System Antifreeze GL	Degree F	Degree F	Degree F	@ 77° F (25° C)	
100	0° F	-15° F	-50° F	1.037	

- Factory pre-mixed for accuracy Complies with NFPA guidelines
- Non-Toxic Formulation Ingredients are listed as GRAS by the FDA
- · Biodegradable and Environmentally Friendly

Stock#	Size			
PG38 Fire	PG38 Fire Sprinkler Antifreeze			
33327	1 Gallon Bottle			
33329	5 Gallon Pail			
33328	55 Gallon Drum			
33325	275 Gallon Tote			

# AFSA American Fire Sprinkler Association




Stock#	Size
33337	1 Gallon Bottle
33339	5 Gallon Pail
33338	55 Gallon Drum
33335	275 Gallon Tote



### **Windshield Washer Fluid**





30527 Ice Cutter

#### Xtreme Blue™ Windshield Washer Concentrate

Concentrated formula is better for the environment; takes less water and plastic to produce. Concentrated product must be diluted to comply with CARB (CA) regulations (Dilution chart is on product label).

Stock#	Description	Size	Qty
30254	Windshield Washer Concentrate	16 oz	24
30256	Windshield Washer Concentrate	32 oz	6

#### Xtreme Blue™ Windshield Washer Fluid

Ready to use: no mixing required. Easily removes road grime, film and bugs. Excellent for all season use. Aids in melting frost, snow and ice. (Does not apply to  $+32^{\circ}$ .)

Stock#	Description	Size	Qty
30907	-20° F Xtreme Blue	1 gallon	6
30917	-25° F Xtreme Blue	1 gallon	6
30987	0° F Xtreme Blue	1 gallon	6
30977	+20° F Xtreme Blue	1 gallon	6
30297	+32° F Xtreme Blue	1 gallon	6

#### Rain Cutter™ Windshield Washer Fluid

Our exclusive formula sheds rain faster than the national brand. Premium product cuts road grime fast for cleaner windshields. Available with protection down to -25 $^{\circ}$  F. High-visibility colors for greater consumer recognition in store displays. (Does not apply to  $+32^{\circ}$ .)

Stock#	Description	Size	Qty
31177	-25° F Rain Cutter Washer Fluid	1 gallon	6
31178	-25° F Rain Cutter Washer Fluid	55 gallon	1
32037	0° F Rain Cutter Washer Fluid	1 gallon	6
31187	+32° F Rain Cutter Washer Fluid	1 gallon	6

#### Ice Cutter™ -30 Windshield Washer Fluid

Melts frost and light ice on contact. No mixing required; excellent for all-season use. Easily removes road grime, film and bugs. Protects to -30° F.

Stock#	Description	Size	Qty
30527	-30° F Ice Cutter Washer Fluid	1 gallon	6

### **Bulk Parts Program**

Many of our retail-packaged items are available as bulk items, with no packaging. The following pages contain featured top-selling bulk items that are frequently used by contractors for building projects, apartment/building maintenance, etc. If there is a bulk item for which you are searching and it does not appear in the following bulk item list, please contact customer service to see if it is available.

Item#	Qty	Description
Range A	ccess	ories
00142	25	Universal 6"x3 Trn Y Supt 1250W 240V Economy Plug In
00152	25	Universal 8"x4 Trn Y Supt 2100W 240V Economy Plug In
00222	25	Universal 6"x3 Trn Delta Supt 1250W 240V Economy Plug In
00232	25	Universal 8"x4 Trn Delta Supt 2100W 240V Economy Plug In
00242	25	Universal 6"x4 Trn Y Supt 1500W 240V Deluxe Plug In
00252	25	Universal 8"x5 Trn Y Supt 2100W 240V Deluxe Plug In
00262	25	Universal 6"x4 Trn Delta Supt 1500W 240V Deluxe Plug In
00272	25	Universal 8"x5 Trn Delta Supt 2100W 240V Deluxe Plug In
00302	25	Trim Ring GE/HP 6" Chrome Electric
00312	25	Trim Ring GE/HP 8" Chrome Electric
00322	25	Drip Bowl GE/HP 6" Porcelain Electric
00332	25	Drip Bowl GE/HP 8" Porcelain Electric
00342	25	Trim Ring Universal 6" Chrome Electric
00352	25	Trim Ring Universal 8" Chrome Electric
00362	25	Drip Pan Round 7" Chrome Gas
00372	25	Drip Pan Square 7 3/4" Chrome Gas
00382	25	Drip Bowl Universal 6" Chrome Electric
00392	25	Drip Bowl Universal 8" Chrome Electric
00402	25	Drip Bowl GE/HP 6" Chrome Electric
00412	25	Drip Bowl GE/HP 8" Chrome Electric
00422	25	Drip Pan GE/HP 6" Chrome Electric
00432	25	Drip Pan GE/HP 8" Chrome Electric
00442	25	Drip Bowl GE/HP 6" Porcelain 1990 - Present
00452	25	Drip Bowl GE / HP 8" Porcelain 1990 - Present
00462	25	Drip Pan Universal 6" Chrome Electric
00472	25	Drip Pan Universal 8" Chrome Electric
00482	25	Drip Bowl GE / HP 6" Chrome 1990 - Present
00492	25	Drip Bowl GE / HP 8" Chrome 1990 - Present
00502	25	Drip Bowl Universal 6" Black Porcelain Electric
00512	25	Drip Bowl Universal 8" Black Porcelain Electric
00542	25	Drip Pan GE/HP 6" Black Porcelain Electric
00552	25	Drip Pan GE/HP 8" Black Porcelain Electric
00582	25	Drip Pan Universal 6" Black Porcelain Electric
00592	25	Drip Pan Universal 8" Black Porcelain Electric

Item#	Qty	Description
Water H	eater	Repair
01012	24	Dielectric Heat Traps 3" Long Paired Hot/Cold
01022	24	Dielectric Heat Traps 2-1/2" Long Flapper Style
02142	25	1500W 120V Screw In Element HWD
02162	25	1500W 240V Screw in Element HWD
02182	25	1750W 120V Screw In Element HWD
02202	25	2000W 120V Screw in Element HWD
02242	25	2500W 240V Screw In Element HWD
02262	25	3000W 240V Screw In Element HWD
02282	25	3500W 240V Screw In Element HWD
02292	25	3800W 240V Screw In Element HWD
02302	25	4000W 240V Screw In Element HWD
02342	25	4500W 240V Screw In Element HWD
02362	25	5500W 240V Screw In Element HWD Foldback
02492	25	2500W 240V Screw In Element LWD Foldback
02522	25	3500W 240V Screw In Element LWD Foldback
02582	25	4500W 240V Screw In Element LWD Foldback
02612	25	6000W 240V Screw In Element LWD Foldback
02642	25	4500W 240V Screw In Element HWD Foldback
02722	25	4500W 240V 1-3/8" Screw In LWD Duron Style
02852	25	1500W 120V Screw In Element LWD Lime Life
02912	25	3500W 240V Screw In Element LWD Lime Life Foldback
02922	25	4500W 240V Screw In Element LWD Lime Life Foldback
02932	25	5500W 240V Screw In Element LWD Lime Life Foldback
02952	25	4500W 240V Screw In Element LWD Lime Life Ripple Foldback
02962	25	5500W 240V Screw In Element LWD Lime Life Foldback
Water H	eater	Thermostats
07722	25	Lower Thermostat - Apcom Style
07842	25	Single Element Thermostat - Apcom Style
07862	25	Upper Thermostat - Apcom Style
08012	25	Single Element Thermostat 120V - Thermodisc
08112	25	Thermodisc Upper T-Stat Protective Cover
08122	25	Lower Thermostat - Thermodisc
08142	25	Single Element Thermostat - Thermodisc
08162	25	Upper Thermostat - Thermodisc

# **Bulk Parts Program**

Item#	Qty	Description
Gas Wat		ater Parts and Accessories
09272	6	Thermocouple Kit - 18" Bagged
09291	6	Thermocouple Kit - 24" Bagged
09331	6	Thermocouple Kit - 36" Bagged
09312	6	Thermocouple Kit - 30" Bagged
Miscella	aneous	s Items for Water Heater Repair
09882	25	Screw In Element Wrench 5"
09942	25	Heavy Duty Element Wrench 4"
Connect	tors	
10032	25	Water Connector 18" Flex Copper SWT x 3/4" FIP
10042	25	Water Connector 12" Flex Copper 3/4" FIP x 3/4" FIP
10045	25	Water Connector 12" Flex Copper SWT x 3/4" FIP
10052	25	Water Connector 15" Flex Copper 3/4" FIP x 3/4" FIP
10055	25	Water Connector 15" Flex Copper SWT x 3/4" FIP
10062	25	Water Connector 18" Flex Copper 3/4" FIP x 3/4" FIP
10072	25	Washer for Flex Connector
10082	25	Water Connector 24" Flex Copper 3/4" FIP x 3/4" FIP
10085	25	Water Connector 24" Flex Copper SWT x 3/4" FIP
10232	25	Gas Connector 24" Flex Stainless Steel 1/2" OD
10735	25	Water Connector 15" Flex Stainless 3/4" FIP x 3/4" FIP Cut Case
10747	25	Water Connector 18" Flex Stainless 3/4" FIP x 3/4" FIP

Item#	Qty	Description		
10755	25	Water Connector 24" Flex Stainless 3/4" FIP x 3/4" FIP Cut Case		
T & P Va	lves a	and Other Items		
10421	25	T & P Valve 1/2" w/ 4" Probe		
10471	25	T&P Valve 3/4" w/4" Probe Coated, 150psi (Eng/Fr)		
10491	50	T & P Valve 3/4" w/ 2 1/2" Probe		
10602	50	Dielectric Nipples 3/4" MPT x 3/4" MPT x 3"		
10622	50	Dielectric Nipples, 3/4" NPT x 3/4" NPT x 2-1/2" Long LLC		
Plastic	Water	Heater Drain Fittings		
11442	25	Drain Pan Fitting 1" CPVC		
11452	25	Drain Pan Fitting 1" PVC		
Miscella	neous	s Items		
11512	25	Water Heater Drain Valve Brass		
11522	25	Water Heater Drain Valve Plastic		
23402	25	3/4" Back-Flow Preventer		







# Range Accessories Display



Stock #	Description	Qty	Stock #	Description	Qty
00103	GE/HP 6"x 5 Turn Plug-In Y Support	2	00463	Drip Pan Universal 6" Chrome Electric	4
00113	GE/HP 8"x 6 Turn Plug-In Y Support	2	00473	Drip Pan Universal 8" Chrome Electric	4
00143	Economy 6" x 3 Turn-Y Support	2	00503	Universal 6" Plug-In Reflect Bowl-Black Porc.	2
00153	Economy 8" x 4 Turn-Y Support	2	00513	Universal 8" Plug-In Reflect Bowl-Black Porc.	2
00243	Deluxe 6" Plug-In Y Support	2	00543	Drip Pan GE/HP 6" Black Porcelain Electric	2
00253	Deluxe 8" Plug-In Y Support	2	00553	Drip Pan GE/HP 8" Black Porcelain Electric	2
00303	Trim Ring - Electric 6" Chrome, GE/HP	2	00873	Universal Receptacle Block Kit	4
00313	Trim Ring - Electric 8" Chrome, GE/HP	2	00883	Electric Range Top Burner Knob - Black	2
00383	Universal 6" Plug-In Reflect Bowl	6	00903	Electric Range Knob Kit Top/Burner - Chrome	2
00393	Universal 8" Plug-In Reflect Bowl	6	00913	Electric Range Knob Kit Top/Oven - Black	2
00403	6" Drip Bowl GE/Hotpoint	4	00933	Electric Range Knob Kit Top/Oven - Chrome	2
00413	8" Drip Bowl GE/Hotpoint	4	00943	Gas Range Top Burn Knob Kit - Black	2
00423	GE/HP 6" Hinged Reflect Pan	4	00973	Gas Range Knob Kit Top/Oven - Black	2
00433	GE/HP 8" Hinged Reflect Pan	4		'	

# 61585 Water Heater Repair Display



Stock #	Description	Qty
02143	1500w 120v Screw-In Element	4
02203	2000w 120v Screw-In Element	2
02293	3800w 240v Screw-In Element	2
02343	4500w 240v Screw-In Element	4
02583	4500w 240v LWD/FB Screw-In Element	4
02923	4500w 240v Screw-In Lime Life Fold Back	4
08123	Lower Therm-O-Disc Thermostat	2
08143	Therm-O-Disc Single Element Thermostat w/ HLC	2
08163	Upper Therm-O-Disc Thermostat w/ HLC	2
09293	24" Thermocouple Kit	2

Stock #	Description	Qty
09883	5" Screw-In Element Wrench	2
09953	Professional Element Socket	4
10023	Water Heater Continuity Tester	2
10063	18" Flex Water Connector	2
10183	15" Water Heater Connector Kit -Gas	1
10193	15" Water Heater Connector Kit -Electric	1
10473	3/4" T&P Valve 4" Coated	4
10493	3/4" T&P Valve w/ 2.5" Shank 4" Probe - 150psi	2
10623	Dielectric Nipples	4
11523	Water Heater Drain Valve	2

# 61675 Basic Contractor Display (Apcom Thermostats)



Stock #	Description	Qty
02143	1500w 120v Screw-In Element	2
02203	2000w 120v Screw-In Element	2
02283	3500w 240v Screw-In Element HWD	4
02343	4500w 240v Screw-In Element	6
02583	4500w 240v LWD/FB Screw-In Element	2
02923	4500w 240v Screw-In Lime Life Fold Back	2
07023	Plumber's Pack Apcom T-stats HWD Element	4
07043	Plumber's Pack Apcom T-stats LWD Element	2

Stock #	Description	Qty
07723	Apcom Lower Thermostat	4
07843	Apcom Single Element Thermostat	2
07863	Apcom Upper Thermostat	6
09943	4" Heavy Duty Element Wrench	2
09953	Professional Element Socket	2
10623	Dielectric Nipples 3/4", 2/card	4
10023	Water Heater Continuity Tester	2

Also available with Therm-O-Disc thermostats

# 61595 Water Heater Display (Therm-0-Disc Thermostats)



Stock #	Description	Qty	Stock #	Description	Qty
02143	1500w 120v Screw-In Element	2	08143	Single Element Therm-O-Disc Thermostat	2
02203	2000w 120v Screw-In Element	2	08163	Upper Therm-O-Disc Thermostat	4
02293	3800w 240v Screw-In Element	2	09883	5" Screw-In Element Wrench	2
02343	4500w 240v Screw-In Element	6	09953	Professional Element Socket	2
02583	4500w 240v LWD/FB Screw-In Element	4	10023	Water Heater Continuity Tester	2
02923	4500w 240v Screw-In Lime Life Fold Back	2	10473	3/4" T&P Valve 4" Coated	2
07013	Plumber's Pack TOD T-stats HWD Element	2	10623	Dielectric Nipples	2
08123	Lower Therm-O-Disc Thermostat	2	11523	Water Heater Drain Valve	2

Also available with Apcom thermostats

# 61226 4 ft RV Products Display



Stock #	Description	Qty	Stock #	Description	Qty
11563	Anode Rod 9 1/2"	1	40221	TST Singles	1
20183	1" Hose Filter Washers 3/card	2	40252	TST Grey Water Odor Control 32 oz	1
22505	90° Water Hose Elbow	1	40274	RV & Marine Toilet Tissue, 4/pk, 2ply, 500 sheets	4
22735	25' Fresh Water Hose	1	41008	Black Streak Remover, Pro-Strength 32 oz	1
25553	Level, Curved Ball (Graduated)	1	41024	Awning Cleaner, Pro-Strength 32 oz	1
36103	Blow Out Plug Plastic	1	41189	TST Orange Drop-Ins, 15/bag	2
39144	Easy Slip Sewer Elbow	1	41192	TST Orange Power Holding Tank Chemical	1
39163	Easy Slip Internal Hose Coupler	1	42061	De-Flapper	1
39173	Easy Slip Straight Hose Adapter	1	42123	Gutter Extensions, 4 pack	1
39413	Straight Sewer Hose Adapter	1	42563	RV Awning Stabilizer Kit	1
39463	RV Sewer Cap w/Hose Connector	1	42733	RV Fabric Awning Hooks	1
39551	Easy Slip Ready To Use Sewer Kit	1	43041	15' Sidewinder Sewer Hose Support	1
39553	Twist It Clamp 3"	1	43511	Mini-Dish Drainer	1
39621	HTS 10' Heavy Duty Sewer Hose	1	44412	Wheel Chock	2
39631	HTS 20' Heavy Duty Sewer Hose	1	44560	Stabilizer Jacks 4/Box	1
39761	RhinoFLEX Kit	1	44573	Tri-Leveler, Yellow	1
40043	TastePure KDF Water Filter	3	55163	PowerGrip 15M/30F 12" Electrical Adapter	1
40055	Water Pressure Regulator Brass	2	55173	PowerGrip 50M/30F amp 18" Adapter	1
40103	Holding Tank Rinser	1	55183	PowerGrip 30M/50F amp 18" Electrical Adapter	1
40206	TastePure Drinking Water Freshener 16 oz	1	55191	PowerGrip 30 amp 25' ext. cord w/ Handles	1
			55223	15M/30F amp Power Grip Adapter	1
			55233	30M/15F amp Power Grip Adapter	1

# Numerical Index 00103-02363

00103	GE/HP Plug-in 6"-5 turn Y	22, 32	00592	Drip Pan Universal 8" Black Porcelain Electric	30
00113	GE/HP Plug-in 8"-6 turn Y		00593	Universal Electric 8" Black Porcelain Drip Pan	
00142	Universal 6"x3 Trn Y Supt 1250W 240V Economy Plug In		00611	Bake Element 2400w/240v	
00143	Universal Economy Plug-in 6"-3 turn Y		00621	Bake Element 3000w/250v	
00152	Universal 8"x4 Trn Y Supt 2100W 240V Economy Plug In		00631	Bake Element 2700w/240v	
	. , ,		00641	Bake Element 2500w/240v	
00153	Universal Economy Plug-in 8"-4 turn Y				
00183	GE/HP 7" -5 turn w/trim ring		00651	Bake Element 3000w/250v	
00193	GE/HP 9" -6 turn w/trim ring		00681	Bake Element 2585w/250v	
00222	Universal 6"x3 Trn Delta Supt 1250W 240V Economy Plug In		00701	Bake Element 2600w/240v	
00223	Universal Economy Plug-in 6"-3 turn Delta		00711	Bake Element 2585w/250v	
00232	Universal 8"x4 Trn Delta Supt 2100W 240V Economy Plug In		00721	Bake Element 2475w/250v	,
00233	Universal Economy Plug-in 8"-4 turn Delta	22	00731	Bake Element 2200w/250v	,
00242	Universal 6"x4 Trn Y Supt 1500W 240V Deluxe Plug In	30	00741	Bake Element 2585w/250v	24, 2
00243	Universal Deluxe Plug-in 6" -4 turn Y	22, 32	00751	Bake Element 3100w/240v	24, 2
00252	Universal 8"x5 Trn Y Supt 2100W 240V Deluxe Plug In	30	00761	Bake Element 2400w/240v	24, 2
00253	Universal Deluxe Plug-in 8" -5 turn Y	22, 32	00771	Broil Element 3000w/250v	24, 2!
00262	Universal 6"x4 Trn Delta Supt 1500W 240V Deluxe Plug In	30	00791	Bake Element 2500w/240v	24, 2!
00263	Universal Deluxe Plug-in 6" -4 turn Delta		00801	Broil Element 3400w/250v	
00272	Universal 8"x5 Trn Delta Supt 2100W 240V Deluxe Plug In		00811	Broil Element 3400w/240v	
00273	Universal Deluxe Plug-in 8" -5 turn Delta		00831	Broil Element 3410w/250v	
00283	GE/HP 6" -5 turn w/o trim ring		00853	GE/Hotpoint Receptacle Block	
	GE/HP 8" -6 turn w/o trim ring			Universal Range Switch	
00293	g		00863		
00302	Trim Ring GE/HP 6" Chrome Electric		00873	Universal Receptacle Block Kit	
00303	GE/HP 6" Chrome Trim Ring		00883	Electric Range Knobs-Top Burner - Black	
00312	Trim Ring GE/HP 8" Chrome Electric		00893	Electric Range Knob-Burner/Oven - White	
00313	GE/HP 8" Chrome Trim Ring	,	00903	Electric Range Knobs-Top Burner - Chrome	
00322	Drip Bowl GE/HP 6" Porcelain Electric	30	00913	Electric Range Knob-Burner/Oven - Black	
00323	GE/HP 6" Black Porcelain Drip Bowl	23	00923	Electric Range Knobs-Top Burner - White	2
00332	Drip Bowl GE/HP 8" Porcelain Electric	30	00933	Electric Range Knob-Burner/Oven - Chrome	23, 32
00333	GE/HP 8" Black Porcelain Drip Bowl	23	00943	Gas Range Knobs-Top Burner - Black	23, 32
00342	Trim Ring Universal 6" Chrome Electric		00953	Gas Range Knob-Burner/Oven - White	
00343	Universal Electric 6" Chrome Trim Ring		00963	Gas Range Knobs-Top Burner - Chrome	
00352	Trim Ring Universal 8" Chrome Electric		00973	Gas Range Knob-Burner/Oven - Black	
00353	Universal Electric 8" Chrome Trim Ring		00983	Gas Range Knobs-Top Burner - White	
00362	Drip Pan Round 7" Chrome Gas		00993	Gas Range Knob-Burner/Oven - Chrome	
00363	•		01012	9	
	Round Chrome Gas Drip Pan (7")			Dielectric Water Heater Heat Traps-Bulk	
00372	Drip Pan Square 7-3/4" Chrome Gas		01013	Dielectric Water Heater Heat Traps-2/card	
00373	Square Chrome Gas Drip Pan (7-3/4")		01022	Dielectric Heat Traps-Flapper Style-Bulk	
00382	Drip Bowl Universal 6" Chrome Electric		01023	Dielectric Heat Traps-Flapper Style-2/card	
00383	Universal Electric 6" Chrome Drip Bowl		01033	5" Long Dielectric Water Heater Heat Traps	
00392	Drip Bowl Universal 8" Chrome Electric	30	02103	WH Element Screw-in/HWD	
00393	Universal Electric 8" Chrome Drip Bowl	23, 32	02112	WH Element-Marathon Universal Upper/ULWD-Bulk	2, 8
00402	Drip Bowl GE/HP 6" Chrome Electric	30	02113	WH Element-Marathon Universal Upper/ULWD-Clam	2, 8
00403	GE/HP 6" Chrome Drip Bowl	23, 32	02122	WH Element-Marathon Universal Lower/ULWD-Bulk	2, 8
00412	Drip Bowl GE/HP 8" Chrome Electric	30	02123	WH Element-Marathon Universal Lower/ULWD-Clam	2, 8
00413	GE/HP 8" Chrome Drip Bowl		02133	WH Element-Screw-in Tankless/HWD	2. 2
00422	Drip Pan GE/HP 6" Chrome Electric		02142	1500W 120V Screw In Element HWD	30
00423	GE/HP 6" Chrome Drip Pan		02143	WH Element-Screw-in/HWD	
00432	Drip Pan GE/HP 8" Chrome Electric		02152	WH Element-Screw-in/Ultra LWD	
00432	GE/HP 8" Chrome Drip Pan		02162	1500W 240V Screw in Element HWD	
				WH Element-Screw-in/HWD	
00442	Drip Bowl GE/HP 6" Porcelain 1990 - Present		02163		
00443	GE/HP 6" Blk Porcelain Drip Bowl 1990 - Present		02173	WH Element-Screw-in Tankless/HWD	
00452	Drip Bowl GE / HP 8" Porcelain 1990 - Present		02182	1750W 120V Screw In Element HWD	
00453	GE/HP 8" Blk Porcelain Drip Bowl 1990 - Present		02183	WH Element-Screw-in/HWD	
00462	Drip Pan Universal 6" Chrome Electric		02202	2000W 120V Screw in Element HWD	
00463	Universal Electric 6" Chrome Drip Pan		02203	WH Element-Screw-in/HWD	
00472	Drip Pan Universal 8" Chrome Electric		02223	WH Element-Screw-in/HWD	
00473	Universal Electric 8" Chrome Drip Pan		02242	2500W 240V Screw In Element HWD	
00482	Drip Bowl GE / HP 6" Chrome 1990 - Present	30	02243	WH Element-Screw-in/HWD	
00483	GE/HP 6" Chrome Drip Bowl 1990 - Present	23	02262	3000W 240V Screw In Element HWD	30
00492	Drip Bowl GE / HP 8" Chrome 1990 - Present	30	02263	WH Element-Screw-in/HWD	
00493	GE/HP 8" Chrome Drip Bowl 1990 - Present		02282	3500W 240V Screw In Element HWD	
00502	Drip Bowl Universal 6" Black Porcelain Electric		02283	WH Element-Screw-in/HWD	
00503	Universal Electric 6" Black Porcelain Drip Bowl		02292	3800W 240V Screw In Element HWD	,
00512	Drip Bowl Universal 8" Black Porcelain Electric		02293	WH Element-Screw-in/HWD	
00512	Universal Electric 8" Black Porcelain Drip Bowl		02302	4000W 240V Screw In Element HWD	, ,
	Drip Pan GE/HP 6" Black Porcelain Electric		02302	WH Element-Screw-in/HWD	
00542	•			4500W 240V Screw In Element HWD	
00543	GE/HP 6" Black Porcelain Drip Pan		02342		
00552	Drip Pan GE/HP 8" Black Porcelain Electric		02343	WH Element-Screw-in/HWD	
00553	GE/HP 8" Black Porcelain Drip Pan		02352	WH Element-Screw-in/HWD	
00582	Drip Pan Universal 6" Black Porcelain Electric		02362	5500W 240V Screw In Element HWD Foldback	
00583	Universal Electric 6" Black Porcelain Drip Pan	23	02363	WH Element-Screw-in Foldback/HWD	

# Numerical Index 02382-10325

02382	WH Element-Screw-in/HWD	7	07842	Single Element Thermostat - Apcom Style	30
02392	WH Element-Screw-in/HWD	7	07843	WH Thermostat, Single Element/Apcom style	10, 34
02463	WH Element-Screw-in/LWD	6	07853	WH Thermostat, Single Element-Extended Shank/Apcom sty	/le 10
02483	WH Element-Screw-in/HWD	7	07862	Upper Thermostat - Apcom Style	30
02492	2500W 240V Screw In Element LWD Foldback	30	07863	WH Thermostat, Upper/Apcom style	
02493	WH Element-Screw-in Foldback/LWD		08012	Single Element Thermostat 120V - Thermodisc	
02522	3500W 240V Screw In Element LWD Foldback		08013	WH Thermostat, Single Element-120V/TOD style	
	WH Element-Screw-in Foldback/LWD				
02523			08103	Lower T-Stat Terminal Protector/TOD	
02582	4500W 240V Screw In Element LWD Foldback		08112	Thermodisc Upper T-Stat Protective Cover	
02583	WH Element-Screw-in Foldback/LWD		08113	Upper T-Stat Terminal Protector/TOD	
02612	6000W 240V Screw In Element LWD Foldback	30	08122	Lower Thermostat - Thermodisc	30
02613	WH Element-Screw-in Foldback/LWD	6	08123	WH Thermostat, Lower TOD style	33
02642	4500W 240V Screw In Element HWD Foldback	30	08123	WH Thermostat, Lower/TOD style	11, 35
02643	WH Element-Screw-in Foldback/HWD	7	08130	Thermostat Kit with Jumper Wire	11
02713	WH Element-Duron Screw-In Foldback/LWD		08142	Single Element Thermostat - Thermodisc	
02713	4500W 240V 1-3/8" Screw In LWD Duron Style		08143	WH Thermostat, Single Element/TOD style	
	,				
02723	WH Element-Duron Screw-In Foldback/LWD		08143	WH Thermostat, Single Element, TOD w/ HLC	
02753	WH Element-Duron Screw-In Ripple Foldback/Ultra LWD		08162	Upper Thermostat - Thermodisc	
02852	1500W 120V Screw In Element LWD Lime Life		08163	WH Thermostat, Upper/TOD style	
02853	WH Element-Screw-in Foldback/Ultra LWD	6	08163	WH Thermostat, Upper TOD w/HLC	
02862	WH Element-Screw-in/HWD	7	08304	Commercial Thermostat, Upper/TOD	12
02903	WH Element-Screw-in Foldback/Ultra LWD		08314	Commercial Thermostat, Lower/TOD	12
02912	3500W 240V Screw In Element LWD Lime Life Foldback		08401	Natural Gas Control/White-Rodgers	13
02913	WH Element-Screw-in Foldback/Ultra LWD		08421	Natural Gas Control/Robertshaw	
02922	4500W 240V Screw In Element LWD Lime Life Foldback		08461	LP Gas Control/Robertshaw	
	WH Element-Screw-in Foldback/Ultra LWD			Gas Control Extender	
02923			09072		
02929	Heater Element-11 Acre Brew Supply/Ultra LWD		09253	12" Thermocouple Kit	
02932	5500W 240V Screw In Element LWD Lime Life Foldback		09272	18" Bagged Thermocouple Kit	,
02933	WH Element-Screw-in Foldback/Ultra LWD		09273	18" Thermocouple Kit	
02935	Heater Element-11 Acre Brew Supply/Ultra LWD	8	09291	24" Bagged Thermocouple Kit	13, 31
02952	4500W 240V Screw In Element LWD Lime Life Ripple Foldback.	30	09293	24" Thermocouple Kit	13, 33
02953	WH Element-Screw-in Ripple Foldback/Ultra LWD		09294	Thermocouple Installation Kit	
02955	Heater Element-11 Acre Brew Supply/Ultra LWD		09312	30" Bagged Thermocouple Kit	
02962	5500W 240V Screw In Element LWD Lime Life Foldback		09313	30" Thermocouple Kit	
02963	WH Element-Screw-in Ripple Foldback/Ultra LWD		09331	36" Bagged Thermocouple Kit	
02965	Heater Element-11 Acre Brew Supply/Ultra LWD		09333	36" Thermocouple Kit	
	WH Element-Screw-in/Ultra LWD				
02972			09352	48" Bagged Thermocouple Kit	
03743	WH Element-Flat Flange/HWD		09353	48" Thermocouple Kit	
03923	WH Element-Flat Flange/HWD		09882	5" Screw-In Element Wrench/Bulk	
03943	WH Element-Flat Flange/HWD		09883	5" Screw-In Element Wrench/Card	15, 33, 35
04103	WH Element-Flat Flange Foldback/LWD	6	09888	5" Dual Headed Element Wrench/Card	2
04363	WH Element-Universal Flange/HWD	7	09888	5" Dual Headed Wrench for Marathon Elements/Card	15
04383	WH Element-Universal Flange/HWD	7	09889	5" Dual Headed Element Wrench/Bulk	2
04443	WH Element-Universal Flange/HWD		09889	5" Dual Headed Wrench for Marathon Elements/Bulk	15
04483	WH Element-Universal Flange/HWD		09942	4" Heavy Duty Element Wrench/Bulk	
				, ,	,
04503	WH Element-Universal Flange/HWD		09943	4" Heavy Duty Element Wrench/Card	
04523	WH Element-Universal Flange/HWD		09951	Professional Element Socket-Bulk	
04563	WH Element-Universal Flange/HWD		09953	Professional Element Socket-Clam	
04603	WH Element-Universal Flange/HWD		09963	Gas Control Wrench	
04643	WH Element-Universal Flange/HWD	7	09973	Water Heater Element Quick Change	9
04703	WH Element-Universal Flange Foldback/LWD	6	10023	Water Heater Continuity Tester	12, 33, 34, 35
04732	WH Element-Screw-in/HWD	7	10032	Flexible Water Connector-18"/Copper	14, 31
04752	WH Element-Screw-in/LWD		10042	Water Connector 12" Flex Copper 3/4" FIP x 3/4" FIP	
04762	WH Element-Screw-in/LWD		10043	Flexible Water Connector-12"/Copper-Card	
04803	WH Element Universal Flange Foldback/HWD		10045	Flexible Water Connector-12"/Copper	
	WH Element Universal Flange Foldback/Ultra LWD			Water Connector 15" Flex Copper 3/4" FIP x 3/4" FIP	
04943	<u> </u>		10052	·	
06822	Screw-in Element Gasket		10053	Flexible Water Connector-15"/Copper-Card	
06842	Flat Flange Element Gasket		10055	Flexible Water Connector-15"/Copper	
06882	Universal Flange Element Gasket		10062	Water Connector 18" Flex Copper 3/4" FIP x 3/4" FIP	
06902	Four-Hole Element Gasket	7	10063	Flexible Water Connector-18"/Copper-Card	14, 33
06912	Dip Tube Gasket	16	10072	Washer for Water Connectors	14, 31
06912	Dip Tube Gaskets-Bag of 25		10082	Water Connector 24" Flex Copper 3/4" FIP x 3/4" FIP	
07013	Plumber's Pack-Standard HWD/T-O-D		10083	Flexible Water Connector-24"/Copper-Card	
07023	Plumber's Pack-Standard HWD/Apcom		10085	Flexible Water Connector-24"/Copper	
07033	Plumber's Pack-Better-LWD/T-O-D		10183	WH Connector Kit, Gas-15"/Copper	
				·	
07043	Plumber's Pack-Better-LWD/Apcom		10193	WH Connector Kit, Gas or Electric-15"/Copper	
07044	Plumber's Pack-Best - ULWD/Apcom		10196	3/4" Compression x 3/4" NPT Fitting	
07133	Universal Gasket Kit		10205	1/2" Compression x 3/4" NPT Fitting	
07222	2-1/2" 4-Hex Bolt Adopt-A-Flange		10223	WH Connector Kit, Gas or Electric-15"x3/4"/Copper	
07223	Universal Element Adapter Kit		10232	Flexible Gas Connector-24"/Stainless Steel, Coated	
07722	Lower Thermostat - Apcom Style		10322	Gas Leak Detector w/ Sprayer-32 oz	12
07723	WH Thermostat, Lower/Apcom style		10324	Gas Leak Detector w/ Sprayer-8 oz	12
07733	WH Thermostat, Lower-Extended Shank/Apcom style	10	10325	Gas Leak Detector w/ Dauber-8 oz	12

# Numerical Index 10367-33129

10367	Gas Leak Detector-1 gallon	12	11611	Anode Rod w/ Dielectric Nipple-Flexible, 3/4" x 42"/Aluminum	10
10368	Gas Leak Detector-55 gallon		11612	Anode Rod-Flexible, 5/8" x 42"/Aluminum	
10389	Gas Pressure Test Kit		11622	Anode Rod w/ Dielectric Nipple, 3/4" x 42"/Aluminum	
10399	Tapered Rubber Nipple for GP Test Kit		11623	Anode Rod, 3/4" x 29"/Aluminum	
10409	Hose for GPT Kit		20183	1" Hose Filter Washers 3/card	
10403	T & P Valve-1/2" w/4" Probe - Lead Free		20500	Washing Machine Hose, 5', Bag	
10413	T & P Valve-1/2" w/4" Probe-Lead free		20502	Washing Machine Hose, 5', Bulk	
10421	T & P Valve-1/2" w/4" Probe-Box		20600	Dishwasher Drain Pan, White	
10423	3/4" Inlet/outlet Valve 3/4" w/ 3-5/16" Shank		20752	Washing Machine Drain Pan, PVC	,
				Washing Machine Drain Pan, CPVC	
10433	T & P Valve-3/4" w/1" Probe - Lead Free T & P Valve-3/4" w/4" Probe - Lead Free		20756	Apartment-sized Washing Machine Drain Pan	
10443			20762	1 8	
10453	3/4" w/2.5" Shank, 4" Probe - Lead Free		20786	Low Profile Washer Drain Pan, White	
10463	T & P Valve-3/4" w/1" Probe-Card		20788	Low Profile Washer Drain Pan, Pewter	
10471	T & P Valve-3/4" w/4" Probe-Box		20800	WH Drain Pan, 20", PVC/Aluminum	
10473	T & P Valve-3/4" w/4" Probe-Card		20801	Unpunched WH Drain Pan, 20", PVC/Aluminum	
10491	T & P Valve-3/4" w/2-1/2" Shank-Box	,	20806	WH Drain Pan, 20", CPVC/Aluminum	
10493	T & P Valve-3/4" w/2-1/2" Shank 4" Probe		20810	WH Drain Pan, 26", PVC/Aluminum	
10493	T & P Valve-3/4" w/2-1/2" Shank-Card		20811	Unpunched WH Drain Pan, 26", PVC/Aluminum	
10533	WH Connector Kit, Gas or Electric-18"x3/4"/Copper		20813	WH Drain Pan, 26", 3" deep, PVC/Aluminum	
10552	T&P Valve Remover, Universal		20816	WH Drain Pan, 26"/Aluminum	
10602	Dielectric Nipples/3" long-Bulk		20830	WH Drain Pan, 24", PVC/Aluminum	
10622	Dielectric Nipples/2.5" long-Bulk		20831	Unpunched WH Drain Pan, 24", PVC/Aluminum	
10623	Dielectric Nipples/2.5" long-2/card		20833	WH Drain Pan, 24", 3" deep, PVC/Aluminum	
10634	5" Dielectric Nipples 3/4" x 3/4" NPT 5" long		20836	WH Drain Pan, 24", CPVC/Aluminum	
10735	Flexible Water Connector-15"/Stainless Steel	,	20840	WH Drain Pan, 22", PVC/Aluminum	
10747	Flexible Water Connector-18"/Stainless Steel		20841	Unpunched WH Drain Pan, 22", PVC/Aluminum	
10755	Flexible Water Connector-24"/Stainless Steel		20846	WH Drain Pan, 22", CPVC/Aluminum	
10862	Runoff Tube, Side Mount		20850	WH Drain Pan, 28", PVC/Aluminum	
10952	Runoff Tube, Center Top Mount		20851	WH Drain Pan, 28", CPVC/Aluminum	
10955	Runoff Tube, Center Top Mount-14" H / 59" V		20860	WH Drain Pan, 30", PVC/Aluminum	
10962	Runoff Tube, Top Mount		20861	Unpunched WH Drain Pan, 30", PVC/Aluminum	
10965	Runoff Tube, Top Mount-9.5" H/ 59" V		20866	WH Drain Pan, 30", CPVC/Aluminum	
11061	Flared Dip Tube w/ Gasket		20868	WH Drain Pan, 32", PVC/Aluminum	
11062	Dip Tube, Flared		20870	WH Drain Pan, 32", CPVC/Aluminum	
11162	Dip Tube, Threaded		20922	WH Drain Pan, 24" Square/Aluminum	
11163	50.5" Threaded Dip Tube w/5" Nipple		20932	WH Drain Pan, 30" Square/Aluminum	
11231	Gas Water Heater Stands-21"x21"		22505	90° Water Hose Elbow	
11235	Gas Water Heater Stands-24"x24"		22735	25 ft Fresh Water Hose	
11260 11266	WH Drain Pan, 20", PVC/Plastic WH Drain Pan, 20", CPVC/Plastic		22863 22873	25 ft Contractor Hose	
11360	WH Drain Pan, 24", PVC/Plastic		22883	100 ft Contractor Hose	
11366	WH Drain Pan, 24", CPVC/Plastic		22910	12 ft Heated Drinking Water Hose	
11400	WH Drain Pan, 26", PVC/Plastic		22911	25 ft Heated Drinking Water Hose	
11406	WH Drain Pan, 26", CPVC/Plastic		22912	50 ft Heated Drinking Water Hose	
11410	WH Drain Pan, 28", PVC/Plastic		23303	Backflow Preventer, 1/2"	
11416	WH Drain Pan, 28", CPVC/Plastic		23402	Backflow Preventer, 3/4"	
11420	WH Drain Pan, 30", PVC/Plastic		23503	Dielectric Union 3/4" FIP	,
11426	WH Drain Pan, 30", CPVC/Plastic		25553	Level, Curved Ball (Graduated)	
11427	WH Drain Pan, 32", PVC/Plastic		30027	Boiler Antifreeze, 1 gallon	
11429	WH Drain Pan, 32", Plastic		30027	Boiler Antifreeze, 55 gallon	
11430	Tankless Water Heater Drain Pan, PVC, Aluminum		30029	Boiler Antifreeze, 5 gallon	
11432	Tankless Water Heater Drain Pan, CPVC, Aluminum		30254	Windshield Washer Concentrate, 16 oz	
11442	Drain Pan Fitting Kit 1"/1.5" CPVC		30256	Windshield Washer Concentrate, 32 oz	
11452	Drain Pan Fitting Kit 1"/1.5" PVC		30297	Xtreme Blue™ Washer Fluid/+32°	
11460	WH Drain Pan, 22", PVC/Plastic		30527	Ice Cutter™ Washer Fluid, 1 gallon	
11466	WH Drain Pan, 22", CPVC/Plastic		30757	Easy Going -50 Antifreeze, 1 gallon	
11470	Tankless Water Heater Drain Pan, PVC/Plastic	. 19	30758	Easy Going -50 Antifreeze, 55 gallon	28
11476	Tankless Water Heater Drain Pan, CPVC/Plastic		30759	Easy Going -50 Antifreeze, 5 gallon	
11480	WH Corner Drain Pan, 24", PVC/Plastic		30807	Arctic Ban -50 Antifreeze, 1 gallon	
11486	WH Corner Drain Pan, 24", CPVC/Plastic		30808	Arctic Ban -50 Antifreeze, 55 gallon	
11502	Brass WH Drain Valve w/Recirculation Elbow		30809	Arctic Ban -50 Antifreeze, 5 gallon	
11505	WH Drain Valve - Brass 4-3/8" Shank		30907	Xtreme Blue™ Washer Fluid/-20°	
11512	Water Heater Drain Valve/Brass-Bulk	, 31	30917	Xtreme Blue™ Washer Fluid/-25°	29
11513	Water Heater Drain Valve/Brass-Card	17	30977	Xtreme Blue™ Washer Fluid/+20°	
11522	Water Heater Drain Valve/Plastic-Bulk	, 31	30987	Xtreme Blue™ Washer Fluid/0°	
11523	Water Heater Drain Valve/Plastic-Card	, 35	31177	-25° Rain Cutter™ Washer Fluid, 1 gallon	
11533	Anode Rod with Drain - for Atwood water heaters	. 16	31178	-25° Rain Cutter™ Washer Fluid, 55 gallon	29
11543	WH Drain Valve - Plastic 3" Shank		31187	+32° Rain Cutter Washer Fluid	
11553	Anode Rod for Atwood Water Heaters		32037	0° Rain Cutter™ Washer Fluid	
11563	Anode Rod for Suburban Water Heaters16		33118	Boiler AL Antifreeze, 55 gallon	
11572	Anode Rod, 5/8" x 42"/Aluminum		33119	Boiler AL Antifreeze, 5 gallon	
11582	Anode Rod, 3/4" x 42"/Aluminum		33128	Boiler Antifreeze, Ready-To-Use, 55 gallon	
11593	Anode Rod for Atwood Water Heaters-10 gallon	. 16	33129	Boiler Antifreeze, Ready-To-Use, 5 gallon	28

## Numerical Index 33325-70040

33325	PG38 Fire Sprinkler Antifreeze, 275 gallon		51924	Currituck Tumbler Handle-30 oz-Pink	3
33327	PG38 Fire Sprinkler Antifreeze, 1 gallon	29	51925	Currituck Tumbler Handle-30 oz-Blue	3
33328	PG38 Fire Sprinkler Antifreeze, 55 gallon	29	51926	Currituck Tumbler Handle-30 oz-Orange	3
33329	PG38 Fire Sprinkler Antifreeze, 5 gallon	29	51927	Currituck SS Food Container-12 oz-Orange	3
33335	GL48 Fire Sprinkler Antifreeze, 275 gallon	29	51928	Currituck SS Food Container-12 oz-Seafoam	3
33337	GL48 Fire Sprinkler Antifreeze, 1 gallon	29	51929	Currituck SS Food Container-12 oz-Raspberry	3
33338	GL48 Fire Sprinkler Antifreeze, 55 gallon	29	51930	Currituck SS Food Container-12 oz-Charcoal	3
33339	GL48 Fire Sprinkler Antifreeze, 5 gallon	29	51931	Currituck SS Food Container-18 oz-Orange	3
35106	Inhibitor Re-Charge for Boiler Antifreeze	28	51932	Currituck SS Food Container-18 oz-Seafoam	3
36011	Boiler Antifreeze Test Strips		51933	Currituck SS Food Container-18 oz-Raspberry	3
36103	Blow Out Plug Plastic		51934	Currituck SS Food Container-18 oz-Charcoal	
39144	Easy Slip Sewer Elbow		51935	Currituck SS Bottle-12 oz-Standard Mouth-Orange	
39163	Easy Slip Internal Hose Coupler		51936	Currituck SS Bottle-12 oz-Standard Mouth-Raspberry	
39173	Easy Slip Straight Hose Adapter		51937	Currituck SS Bottle-12 oz-Standard Mouth-Seafoam	
39413	Straight Sewer Hose Adapter		51938	Currituck SS Bottle-12 oz-Standard Mouth-Charcoal	
39463	RV Sewer Cap w/Hose Connector		51939	Currituck SS Bottle-20 oz-Standard Mouth-Orange	
39551	Easy Slip Ready To Use Sewer Kit		51940	Currituck SS Bottle-20 oz-Standard Mouth-Raspberry	
39553	Twist It Clamp 3"		51941	Currituck SS Bottle-20 oz-Standard Mouth-Seafoam	
39621	HTS 10' Heavy Duty Sewer Hose		51942	Currituck SS Bottle-20 oz-Standard Mouth-Charcoal	
39631	HTS 20' Heavy Duty Sewer Hose		51943	Currituck SS Bottle-24 oz-Wide Mouth-Orange	
39761	RhinoFLEX Kit		51944	Currituck SS Bottle-24 oz-Wide Mouth-Raspberry	
40043	TastePure KDF Water Filter		51945	Currituck SS Bottle-24 oz-Wide Mouth-Raspberry  Currituck SS Bottle-24 oz-Wide Mouth-Seafoam	
			51945	Currituck SS Bottle-24 oz-Wide Mouth-Charcoal	
40055	3/4" Brass Water Pressure Regulator				
40103	Holding Tank Rinser		51947	Currituck SS Bottle-36 oz-Wide Mouth-Orange	
40143	3/4" Plastic Water Pressure Regulator		51948	Currituck SS Bottle-36 oz-Wide Mouth-Raspberry	
40206	TastePure Drinking Water Freshener 16 oz		51949	Currituck SS Bottle-36 oz-Wide Mouth-Seafoam	
40221	TST Singles		51950	Currituck SS Bottle-36 oz-Wide Mouth-Charcoal	
40252	TST Grey Water Odor Control 32 oz		51956	Currituck SS Growler-64 oz-Stainless Steel	
40274	RV & Marine Toilet Tissue, 4/pk,2ply, 500 sheets		51957	Currituck SS Food Container-12 oz-Stainless Steel	
41008	Black Streak Remover, Pro-Strength 32 oz		51969	Currituck Tumbler Handle-12 oz-Black	
41024	Awning Cleaner, Pro-Strength 32 oz		51970	Currituck Tumbler Handle-12 oz-Pink	
41189	TST Orange Drop-Ins, 15/bag		51971	Currituck Tumbler Handle-12 oz-Blue	
41192	TST Orange Power Holding Tank Chemical		51972	Currituck Tumbler Handle-12 oz-Orange	
42061	De-Flapper		51978	Currituck Cold Pack-Small	
42123	Gutter Extensions, 4 pack		51979	Currituck Cold Pack-Medium	
42563	RV Awning Stabilizer Kit	36	51980	Currituck Cold Pack-Large	
42733	RV Fabric Awning Hooks	36	51985	Currituck SS Bottle-36 oz-Wide Mouth-Stainless Steel	3
42993	Collapsible Bucket-Blue		51986	Currituck SS Bottle-24 oz-Wide Mouth-Stainless Steel	3
42994	Collapsible Bucket-Camouflage	9	51987	Currituck SS Bottle-20 oz-Standard Mouth-Stainless Steel	3
43041	15' Sidewinder Sewer Hose Support	36	51988	Currituck SS Bottle-12 oz-Standard Mouth-Stainless Steel	3
43511	Mini-Dish Drainer	36	51989	Currituck SS Food Container-18 oz-Stainless Steel	3
44412	Wheel Chock	36	55163	PowerGrip 15M/30F amp 12" Elec.Adptr	36
44560	Stabilizer Jacks 4/Box	36	55173	PowerGrip 50M/30F amp 18" Adptr	
44573	Tri-Leveler, Yellow	36	55183	PowerGrip 30M/50F amp 18" Elec.Adptr	36
51091	Portable Fire Ring	26	55191	PowerGrip 30 amp 25' Ext. Cord w/ Handles	36
51700	Currituck Cooler-50 qt-White/Gray	3	55223	15M / 30F amp Power Grip Adapter	36
51701	Currituck Cooler-50 qt-White/Cyan	3	55233	30M / 15F amp Power Grip Adapter	36
51702	Currituck Cooler-50 qt-Cyan/Gray	3	57416	Butane Fuel, 78 gram	27
51703	Currituck Cooler-50 qt-Gray/Magenta	3	57433	GM3 GasMatch, 14-3/4"	27
51704	Currituck Cooler-50 qt-Olive/Orange	3	57453	GM4 GasMatch	27
51710	Currituck Cooler-30 qt-White/Gray		57473	GM9 GasMatches	27
51711	Currituck Cooler-30 qt-White/Cyan		57496	Butane Fuel, 165 Grams	
51712	Currituck Cooler-30 gt-Cyan/Gray		57533	GM12 Multi-Sparker	
51713	Currituck Cooler-30 qt-Gray/Magenta		57543	GM3X GasMatch, 26" - 15" flex extender	
51714	Currituck Cooler-30 qt-Olive/Orange		57549	GM3X GasMatch, 26" - 15" flex extender - w/o butane	
51790	Currituck Cooler Rod Holder		57561	GM12X Multi-Sparker	
51791	Currituck Cooler Cup Holder		57684	GM3XE GasMatch, 40-3/4" - 36" flex extender	
51792	Currituck Cooler Divider-30 qt		58031	Little Red Campfire	
51792	Currituck Cooler Divider-50 qt		58035	Big Red Campfire	
51794	Currituck Cooler Cutting Board-30 qt		58041	Propane Campfire	
51795	Currituck Cooler Cutting Board-50 qt		59213	Propane Adapter (for use with 1-lb bottle)	
	Currituck Slider Lid-12 & 20 oz.		61226	·	
51848 51840	Currituck Slider Lid-12 & 20 02			RV Products Display	
51849			61585	Water Heater Repair Parts Display	
51860	Currituck SS Tumbler-12 oz-with Slider Lid		61595	Water Heater Display (TOD)	
51861	Currituck SS Tumbler-20 oz-with Slider Lid		61605	Range Accessories Display	
51862	Currituck SS Tumbler-30 oz-with Slider Lid		61675	Water Heater Display (Apcom)	
51863	Currituck SS Curricoozie Can Holder		65401	Freeze-Check Refractometer	
51919	Currituck Tumbler Handle-20 oz-Black		70040	Water Heater Troubleshooting Manual	1
51920	Currituck Tumbler Handle-20 oz-Pink				
51921	Currituck Tumbler Handle-20 oz-Blue	3			

# Index

A		P	
Anode Rods and Accessories	16	Plumber's Packs	9
Dielectric Unions	16	Propane Campfires	26
Residential Water Heater Anode Rods	16	Big Red Campfire	26
Runoff Tubes	16	Little Red Campfire	26
RV & Marine Water Heater Anode Rods	16	Portable Fire Ring	26
Water Inlet Dip Tubes	16	Portable Propane Campfire	
Antifreeze for Boiler Systems		Propane Adapter	
Boiler Antifreeze Test Strips		· F · · · · F · · · · · · · · · · · · ·	
FreezeCheck Refractometer		R	
Inhibitor Re-Charge for Boiler Antifreeze			
Antifreeze for Fire Sprinkler Systems		Range, Electric, Drip Pans and Bowls	23
Antifreeze for Potable Water Systems		Range, Gas, Reflector Drip Pans	
Antineeze for Folable Water Systems	20	Range Knobs	
В		Range Repair Parts	
D .		Refractometer	
Bake & Broil Elements	24, 25		
Bucket, Collapsible	,	S	
Bulk Parts Program			
Duik Farts Frogram		Sparker Igniters	27
C		T	
Currituck Products	3, 42	The area contact (2) and the contact of the contact	
Cooler Accessories	3	Thermostat Kit with Jumper Wire	
Coolers 3, 42		Top Burners for Electric Ranges	
Stainless Steel Bottles	3, 42	Deluxe Plug-In Universal	
Stainless Steel Food Containers		Economy Plug-In Universal	
Stainless Steel Tumblers		GE/Hotpoint Plug-In	
Tumbler Accessories	,	GE/Hotpoint w/Porcelain Connector	22
		T & P Valves	15
D		Troubleshooting Manuals  Water Heater Manual	1
Dielectric Nipple	15		
Dishwasher Drain Pan		W	
Displays	,		
Range Accessories	32	Washing Machine Drain Pans	
RV Products		Washing Machine Hoses	21
Water Heater Repair		Water Heater Accessories	
Water Heater Repair (Apcom)		Water Heater Connectors & Kits	14
Water Heater Repair (Thermodisc)		Compression Fittings	14
Drain Pans and Fittings		Connectors	14
Drain Valves and Water Hoses		Water Heater Connector Kits	14
		Water Heater Element Conversion Kit	7
Backflow Preventers		Water Heater Element Gaskets	7
Contractor Water Hoses		Water Heater Elements	6. 7. 8
Heated Drinking Water Hoses		All-Stainless Elements Ultra LWD	, ,
Water Heater Drain Valve		Duron® LWD and Ultra LWD	
Water Pressure Regulators	17	High Watt Density	
		Instantaneous/Tankless Elements HWD	
G		Lime Life-Ultra LWD	,
Control Testing	10		
Gas Leak Testing		Low Watt Density	
Gas Matches		Marathon Elements ULWD	
Gas Water Heater Parts & Accessories		Water Heater Element Wrenches	
Gas Control		Water Heater Repair	
Gasket Replacement Kit (FVIR)		Water Heater Element Quick Change	
Gas Water Heater Stand		Water Heater Repair Kits	
Thermocouples	13	Water Heater Thermostats	10, 11, 12
Universal Gas Control Wrench	13	Apcom Style	10
		Therm-O-Disc Style	
Н		Water Heater Tester	12
		Windshield Washer Fluid	29
Heat Traps	15		





See page 3 for all sizes and color combinations.

### **CURRITUCK WATER BOTTLES**



### **CURRITUCK TUMBLERS**



