



3600 Twin Row Pivot Fold Planters: Hydraulic Requirements

| Planter Configuration | Requirements | | Description |
|---|--------------|--------|---|
| 3600 Twin Row Base Machine - Conventional/Vacuum Meters »External case drane required for vacuum hydraulic circuit | 3 SCV | 30 gpm | #1 SCV: Planter lift |
| | | | #2 SCV: Row markers/fold (with 12v control console) |
| | | | #3 SCV: Vacuum fan |
| 3600 Twin Row Base Machine - Conventional/Vacuum Meters Hydraulic Seed Rate Control »External case drain required for vacuum hydraulic circuit | 4 SCV | 40 gpm | #1 SCV: Planter lift |
| | | | #2 SCV: Row markers/fold (with 12v control console) |
| | | | #3 SCV: Vacuum fan |
| | | | #4 SCV: Hydraulic seed rate control |
| 3600 Twin Row Base Machine - Conventional/Vacuum Meters Hydraulic Seed Rate Control »Tractor Mounted PTO Hydraulic Pump | 3 SCV | 25 gpm | #1 SCV: Planter lift |
| | | | #2 SCV: Row markers/fold (with 12v control console) |
| | | | #3 SCV: Hydraulic seed rate control |
| 3600 Twin Row Base Machine - Bulk Fill/Mechanical Meters »External case drain required for vacuum hydraulic circuit | 3 SCV | 25 gpm | #1 SCV: Planter lift |
| | | | #2 SCV: Row markers/fold (with 12v control console) |
| | | | #3 SCV: Bulk fill system |
| 3600 Twin Row Base Machine - Bulk Fill/Mechanical Meters Hydraulic Seed Rate Control »External case drain required for vacuum hydraulic circuit | 4 SCV | 30 gpm | #1 SCV: Planter lift |
| | | | #2 SCV: Row markers/fold (with 12v control console) |
| | | | #3 SCV: Hydraulic seed rate control |
| | | | #4 SCV: Bulk fill system |
| 3600 Twin Row Base Machine - Bulk Fill/Vacuum Meters »External case drain required for vacuum hydraulic circuit | 4 SCV | 40 gpm | #1 SCV: Planter lift |
| | | | #2 SCV: Row markers/fold (with 12v control console) |
| | | | #3 SCV: Vacuum fan |
| | | | #4 SCV: Bulk fill system |