



Tractor Hydraulic Capacities

| Manufacturer | Tractor Model | Working Pressure | GPM Total Flow (unless noted) | # of SCVs Standard | # of SCVs Optional |
|-----------------|---------------|------------------|---------------------------------------|--------------------|--------------------|
| AGCO Challenger | MT475B | 2900 | 26.4 | 2 | 3,4 |
| AGCO Challenger | MT475B | 2900 | 29 (pump flow) | 2 | 3,4 |
| AGCO Challenger | MT525B | 2900 | 29 (39 optional on model 2007-2013) | 2 | 3,4 |
| AGCO Challenger | MT535 | 2900 | 29 | NA | NA |
| AGCO Challenger | MT535B | 2900 | 29 (39 optional on model 2004 - 2013) | 2 | 3,4 |
| AGCO Challenger | MT545 | 2900 | 29 | NA | NA |
| AGCO Challenger | MT545B | 2900 | 29 | 2 | 4 |
| AGCO Challenger | MT555B | 2900 | 29 (39 optional on model 2007-2013) | 4 | NA |
| AGCO Challenger | MT565 | 2900 | 29/39 | NA | NA |
| AGCO Challenger | MT565B | 2900 | 29 (39 optional on model 2007-2013) | 4 | NA |
| AGCO Challenger | MT575B | 2900 | 29/39 | 4 | 5 |
| AGCO Challenger | MT635 | 2900 | 29/39 | NA | NA |
| AGCO Challenger | MT635B | 2900 | 39 | 4 | 5,6 |
| AGCO Challenger | MT645 | 2900 | 29/39 | NA | NA |
| AGCO Challenger | MT645B | 2900 | 39 | 4 | 5,6 |
| AGCO Challenger | MT645C | 2900 | 46.2 | 4 | 5,6 |
| AGCO Challenger | MT655 | 2900 | 29/39 | NA | NA |
| AGCO Challenger | MT655B | 2900 | 39 | 4 | 5,6 |
| AGCO Challenger | MT655C | 2900 | 46.2 | 4 | 5,6 |
| AGCO Challenger | MT665 | 2900 | 29/39 | 4 | NA |
| AGCO Challenger | MT665B | 2900 | 39 | 4 | 5,6 |
| AGCO Challenger | MT665C | 2900 | 46.2 | 4 | 5,6 |
| AGCO Challenger | MT675C | 2900 | 46.2 | 4 | 5,6 |

| Manufacturer | Tractor Model | Working Pressure | GPM Total Flow (unless noted) | # of SCVs Standard | # of SCVs Optional |
|-----------------|---------------|------------------|-------------------------------|--------------------|--------------------|
| AGCO Challenger | MT685C | 2901 | 46.2 | 4 | 5,6 |
| AGCO Challenger | MT735 | 2900 | 43.5 | NA | NA |
| AGCO Challenger | MT745 | 2900 | 43.5 | NA | NA |
| AGCO Challenger | MT745B | 2900 | 43.5 | 4 | 5,6 |
| AGCO Challenger | MT755 | 2900 | 43.5 | NA | NA |
| AGCO Challenger | MT755B | 2900 | 43.5 | NA | NA |
| AGCO Challenger | MT755C | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT765 | 2900 | 43.5 | NA | NA |
| AGCO Challenger | MT765B | 2900 | 43.5 | 4 | 5,6 |
| AGCO Challenger | MT765C | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT835 | 2900 | 43.5/59 | NA | NA |
| AGCO Challenger | MT835B | 2900 | 43.5/59 | 4 | 6 |
| AGCO Challenger | MT835C | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT845 | 2900 | 43.5/59 | NA | NA |
| AGCO Challenger | MT845B | 2900 | 43.5/59 | 4 | 6 |
| AGCO Challenger | MT845C | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT855 | 2900 | 43.5/59 | NA | NA |
| AGCO Challenger | MT855B | 2900 | 43.5/59 | 4 | 6 |
| AGCO Challenger | MT855C | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT865 | 2900 | 43.5/59 | NA | NA |
| AGCO Challenger | MT865B | 2900 | 43.5/59 | 4 | 6 |
| AGCO Challenger | MT865C | 2900 | 43.35/59 | 4 | 5,6 |
| AGCO Challenger | MT875 | 2900 | 43.5/59 | NA | NA |
| AGCO Challenger | MT875B | 2900 | 43.5/59 | 4 | 6 |
| AGCO Challenger | MT875C | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT945B | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT945C | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT955B | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT955C | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT965B | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT965C | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Challenger | MT975B | 2900 | 43.5/59 | 4 | 5,6 |

| Manufacturer | Tractor Model | Working Pressure | GPM Total Flow (unless noted) | # of SCVs Standard | # of SCVs Optional |
|----------------------|---------------|------------------|-------------------------------|--------------------|--------------------|
| AGCO Challenger | MT975C | 2900 | 43.5/59 | 4 | 5,6 |
| AGCO Massey Ferguson | MF8120 | 2900 | 29 (pump flow) | 3 | NA |
| AGCO Massey Ferguson | MF8140 | 2900 | 29 (pump flow) | 3 | NA |
| AGCO Massey Ferguson | MF8150 | 2900 | 29 (pump flow) | 3 | NA |
| AGCO Massey Ferguson | MF8160 | 2900 | 29 (pump flow) | 3 | NA |
| AGCO Massey Ferguson | MF8170 | NA | NA | 4 | NA |
| AGCO Massey Ferguson | MF8220 | 2900 | 27.7 (pump flow) | 3 | NA |
| AGCO Massey Ferguson | MF8240 | 2900 | 27.7 (pump flow) | 3 | NA |
| AGCO Massey Ferguson | MF8245 | 2900 | 29/39 | 4 | NA |
| AGCO Massey Ferguson | MF8250 | 2900 | 29 | 3 | NA |
| AGCO Massey Ferguson | MF8260 | 2900 | 29/39 | 4 | NA |
| AGCO Massey Ferguson | MF8270 | 2900 | 29/39 | 4 | NA |
| AGCO Massey Ferguson | MF8280 | 2900 | 29/39 | 4 | NA |
| AGCO Massey Ferguson | MF8450 | 2900 | 39 | 4 | 5 |
| AGCO Massey Ferguson | MF8460 | 2900 | 39 | 4 | 5 |
| AGCO Massey Ferguson | MF8470 | 2900 | 39 | 4 | 5 |
| AGCO Massey Ferguson | MF8480 | 2900 | 39 | 4 | 5 |
| AGCO Massey Ferguson | MF8650 | 2900 | 46.2 | 4 | 5,6 |
| AGCO Massey Ferguson | MF8660 | 2900 | 46.2 | 4 | 5,6 |
| AGCO Massey Ferguson | MF8670 | 2900 | 46.2 | 4 | 5,6 |
| AGCO Massey Ferguson | MF8680 | 2900 | 46.2 | 4 | 5,6 |
| AGCO Massey Ferguson | MF8690 | 2900 | 46.2 | UP TO 6 | UP TO 6 |
| CIH | MAGNUM 180 | 3050 | 39.6 | 3 | 4,5 |
| CIH | MAGNUM 190 | 3050 | 39.6 | 3 | 4,5 |
| CIH | MAGNUM 210 | 3050 | 39.6 | 3 | 4,5 |
| CIH | MAGNUM 215 | 3050 | 44/59/75 | 3 | 4,5 |
| CIH | MAGNUM 225CVT | NA | NA | 3 | 4,5 |
| CIH | MAGNUM 235 | NA | 44/59/75 | 4 | 5,6 |
| CIH | MAGNUM 245 | 3050 | 44/59/75 | 3 | 4,5 |
| CIH | MAGNUM 260 | NA | 44/59/75 | 4 | 5,6 |
| CIH | MAGNUM 275 | 3050 | 44/59/75 | 3 | 4,5 |
| CIH | MAGNUM 290 | NA | 44/59/75 | 4 | 5,6 |

| Manufacturer | Tractor Model | Working Pressure | GPM Total Flow (unless noted) | # of SCVs Standard | # of SCVs Optional |
|--------------|---------------------|------------------|-------------------------------|--------------------|--------------------|
| CIH | MAGNUM 305 | 3050 | 44/59/75 | 3 | 4,5 |
| CIH | MAGNUM 315 | NA | 44/59/75 | 4 | 5,6 |
| CIH | MAGNUM 335 | 3050 | 46/62/78 | 3 | 4,5 |
| CIH | MAGNUM 340 | NA | 44/59/75 | 4 | 5,6 |
| CIH | MX135 | 2950 | 28.9 | 2 | 3,4 |
| CIH | MX150 | 2950 | 31.6 | 2 | 3,4 |
| CIH | MX170 | 2950 | 31.6 | 2 | 3,4 |
| CIH | MX180 | 2900 | 30 | 2 | NA |
| CIH | MX200 | 2900 | 30 | 3 | NA |
| CIH | MX210 | 2950 | 38.6/53.1 | 3 | 4,5 |
| CIH | MX220 | 2900 | 30 | 3 | NA |
| CIH | MX230 | 2950 | 38.6/53.1 | 3 | 4,5 |
| CIH | MX240 | 2900 | 30 | 3 | NA |
| CIH | MX245 | NA | 38/58 | 3 | 4,5 |
| CIH | MX255 | 2950 | 38.6/53.1 | 3 | 4,5 |
| CIH | MX270 | 2900 | 30 | 3 | NA |
| CIH | MX275 | NA | 44/59/75 | 3 | 4,5 |
| CIH | MX285 | 2950 | 38.6/53.1 | 3 | 4,5 |
| CIH | MX305 | NA | 38/58 | 3 | 4,5 |
| CIH | MXM120 | 2750 | 44 | 2 | 3,4,5 |
| CIH | MXM130 | 2750 | 44 | 2 | 3,4,5 |
| CIH | MXM130 | 2750 | 44 | 2 | 3,4,5 |
| CIH | MXM140 | 2750 | 44 | 2 | 3,4,5 |
| CIH | MXM155 | 2750 | 44 | 2 | 3,4,5 |
| CIH | MXM175 | 2750 | 31.7/48.7 | 4 | 5 |
| CIH | MXM190 | 2750 | 31.7/48.7 | 4 | 5 |
| CIH | PUMA 115 | 2750 | 43.7 | 2 | 3,4 |
| CIH | PUMA 125 | 2750 | 43.7 | 2 | 3,4 |
| CIH | PUMA 130 ELECTRONIC | NA | 29/32 (pump flow) | 3 | 4,5 |
| CIH | PUMA 130 MECHANICAL | NA | 29/32 (pump flow) | 3 | 4 |
| CIH | PUMA 140 | 2750 | 43.7 | 2 | 3,4 |
| CIH | PUMA 145 ELECTRONIC | NA | 29/32 (pump flow) | 3 | 4,5 |

| Manufacturer | Tractor Model | Working Pressure | GPM Total Flow (unless noted) | # of SCVs Standard | # of SCVs Optional |
|--------------|----------------------|------------------|-------------------------------|--------------------|------------------------------------|
| CIH | PUMA 145 MECHANICAL | NA | 29/32 (pump flow) | 3 | 4 |
| CIH | PUMA 155 | 2750 | 43.7 | 2 | 3,4 |
| CIH | PUMA 160 ELECTRONIC | NA | 29/32 (pump flow) | 3 | 4,5 |
| CIH | PUMA 160 MECHANICAL | NA | 29/32 (pump flow) | 3 | 4 |
| CIH | PUMA 165 | 2750 | 48.7 | 3 | 4,5 |
| CIH | PUMA 165 CVT | NA | 56.6/62 | NA | NA |
| CIH | PUMA 170 ELECTRONIC | NA | 49/52/57 | 3 | 4,5 |
| CIH | PUMA 170 MECHANICAL | NA | 49/52/57 | 3 | 4 |
| CIH | PUMA 180 | 2750 | 48.7 | 3 | 4,5 |
| CIH | PUMA 180 CVT | NA | 56.6/62 | NA | NA |
| CIH | PUMA 185 ELECTRONIC | NA | 49/52/57 | 3 | 4,5 |
| CIH | PUMA 185 MECHANICAL | NA | 49/52/57 | 3 | 4 |
| CIH | PUMA 195 | 2750 | 48.7 | 3 | 4,5 |
| CIH | PUMA 195 CVT | NA | 56.6/62 | NA | NA |
| CIH | PUMA 200 ELECTRONIC | NA | 49/52/57 | 3 | 4,5 |
| CIH | PUMA 200 MECHANICAL | NA | 49/52/57 | 3 | 4 |
| CIH | PUMA 210 | 2750 | 48.7 | 3 | 4,5 |
| CIH | PUMA 210 CVT | NA | 56.6/62 | NA | NA |
| CIH | PUMA 225 | NA | 56/62 | 3 | 4,5 |
| CIH | PUMA 225 CVT | NA | 48.7 | NA | NA |
| CIH | PUMA 230 | NA | 56.6/62 | 3 | 4,5 |
| CIH | STEIGER 335 | NA | 40/55/90 (pump flow) | 4 | 5 w/3pt hitch 5-9 w/o 3pt hitch |
| CIH | STEIGER 350 | NA | 40/55/108 | 4 | 5,6,7,8 |
| CIH | STEIGER 385 QUADTRAC | NA | 40/55/90 | 4 | 5 w/3pt hitch 5-9 w/o 3pt hitch |
| CIH | STEIGER 400 | NA | 42/56/113 | 4 | 5,6,7,8 |
| CIH | STEIGER 435 QUADTRAC | NA | 40/55/90 | 4 | 5 w/3pt hitch 5-9 w/o 3pt hitch |
| CIH | STEIGER 450 QUADTRAC | NA | 42/56/113 | 4 | 5,6,7,8 |
| CIH | STEIGER 485 QUADTRAC | NA | 40/55/90 | 4 | 5 w/3pt hitch 5-9 w/o 3pt hitch |
| CIH | STEIGER 500 QUADTRAC | NA | 42/56/113 | 4 | 5,6,7,8 |

| Manufacturer | Tractor Model | Working Pressure | GPM Total Flow (unless noted) | # of SCVs Standard | # of SCVs Optional |
|--------------|----------------------|------------------|-------------------------------|--------------------|------------------------------------|
| CIH | STEIGER 530 QUADTRAC | NA | 42/57/94 (pump flow) | 4 | 5 w/3pt hitch 5-9 w/o 3pt hitch |
| CIH | STEIGER 535 QUADTRAC | NA | 42/57/94 | 4 | 5 w/3pt hitch 5-9 w/o 3pt hitch |
| CIH | STEIGER 550 QUADTRAC | NA | 42/56/113 | 4 | 5,6,7,8 |
| CIH | STEIGER 600 QUADTRAC | NA | 42/56/113 | 4 | 5,6,7,8 |
| CIH | STEIGER STX335 | NA | 40/55/90 | NA | NA |
| CIH | STX275 LS | 2950 | 40/55 | NA | NA |
| CIH | STX280 LS | 3050 | 40/55 | NA | NA |
| CIH | STX325 LS | 2950 | 40/55 | NA | NA |
| CIH | STX330 LS | 3050 | 40/55 | NA | NA |
| CIH | STX375 LS | 2950 | 40/55 | NA | NA |
| CIH | STX380 QUADTRAC | 3050 | 40/55 | NA | NA |
| CIH | STX385 QUADTRAC | NA | 40 | NA | NA |
| CIH | STX425 LS | 2950 | 40/55 | NA | NA |
| CIH | STX430 QUADTRAC | 3050 | 40/55 | NA | NA |
| CIH | STX435 QUADTRAC | NA | 40 | NA | NA |
| CIH | STX440 LS | 2950 | 40/55 | NA | NA |
| CIH | STX450 LS | 2950 | 40/55 | NA | NA |
| CIH | STX480 QUADTRAC | 3050 | 40/55 | NA | NA |
| CIH | STX485 QUADTRAC | NA | 40 | NA | NA |
| CIH | STX500 LS | 2950 | 42/57 | NA | NA |
| CIH | STX530 QUADTRAC | 3050 | 42/57 | NA | NA |
| CIH | STX535 LS | NA | 42 | NA | NA |
| John Deere | 8110 | NA | 30 (pump flow) | 3 | 4,5 |
| John Deere | 8120 | 2900 | 33.5/42.5 | 5 | NA |
| John Deere | 8130 | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8200 | 2900 | 30 (SCV) | 3 | 4,5 |
| John Deere | 8210 | 2900 | 30 (pump flow) | 3 | 4,5 |
| John Deere | 8220 | 2900 | 33.5/42.5 | 5 | NA |
| John Deere | 8230 | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8300 | 2900 | 30 (scv flow) | 3 | 4,5 |

| Manufacturer | Tractor Model | Working Pressure | GPM Total Flow (unless noted) | # of SCVs Standard | # of SCVs Optional |
|--------------|---------------|------------------|-------------------------------|--------------------|--------------------|
| John Deere | 8310 | 2900 | 33.5 | 3 | 4,5 |
| John Deere | 8320 | 2900 | 33.5/42.5 | 5 | NA |
| John Deere | 8330 | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8400 | 2900 | 30 (scv flow) | 3 | 4,5 |
| John Deere | 8410 | 2900 | 33.5 | 3 | 4,5 |
| John Deere | 8420 | 2900 | 33.5/42.5 | 5 | NA |
| John Deere | 8440 | 2250 | 33 (pump flow) | 2 | NA |
| John Deere | 8450 | 2250 | 32 (pump flow) | 2 | 3,4 |
| John Deere | 8520 | 2900 | 33.5/42.5 | 5 | NA |
| John Deere | 8530 | 2900 | 60 | 3 | 4,5 |
| John Deere | 8560 | 2530 | 33 | NA | NA |
| John Deere | 8570 | 2530 | 44.8 (pump flow) | 3 | 4,5 |
| John Deere | 8630 | 2250 | 33 (pump flow) | 2 | NA |
| John Deere | 8640 | 2250 | 33 (pump flow) | 2 | NA |
| John Deere | 8650 | 2250 | 32 (pump flow) | 2 | 3,4 |
| John Deere | 8760 | 2530 | 33.3 | 3 | NA |
| John Deere | 8770 | 2530 | 44.8 (pump flow) | 3 | 4,5 |
| John Deere | 8850 | 2250 | 44 (pump flow) | 3 | 4 |
| John Deere | 8870 | 2530 | 44.8 (pump flow) | 3 | 4,5 |
| John Deere | 8960 | 2530 | 33.3 (pump flow) | 3 | NA |
| John Deere | 8970 | 2530 | 44.8 (pump flow) | 3 | 4,5 |
| John Deere | 9100 | 2900 | 44 | 3 | 4,5 |
| John Deere | 9120 | 2900 | 44/48 | 4 | 5 |
| John Deere | 9200 | 2900 | 44 | 3 | 4,5 |
| John Deere | 9220 | 2900 | 44/48 | 4 | 5 |
| John Deere | 9300 | 2900 | 44 | 3 | 4,5 |
| John Deere | 9320 | 2900 | 44/48 | 4 | 5 |
| John Deere | 9330 | 2900 | 44/48/78 | 4 | 5,6 |
| John Deere | 9400 | 2900 | 44 | 2 | 3,4,5 |
| John Deere | 9420 | 2900 | 44/48 | 4 | 5 |
| John Deere | 9430 | 2900 | 44/48/78 | 4 | 5,6 |
| John Deere | 9520 | 2900 | 48 | 4 | 5 |

| Manufacturer | Tractor Model | Working Pressure | GPM Total Flow (unless noted) | # of SCVs Standard | # of SCVs Optional |
|--------------|---------------|------------------|-------------------------------|--------------------|--------------------|
| John Deere | 9530 | 2900 | 48/78 | 4 | 5,6 |
| John Deere | 9620 | NA | 48/78 | 4 | 5 |
| John Deere | 9630 | 2900 | 48/78 | 4 | 5,6 |
| John Deere | 8110T | 2900 | 33.5/42.5 | 3 | 4,5 |
| John Deere | 8120T | 2900 | 33.5/42.5 | 5 | NA |
| John Deere | 8200T | 2900 | 30/38 (pump flow) | 3 | 4,5 |
| John Deere | 8210T | 2900 | 33.5/42.5 | 3 | 4,5 |
| John Deere | 8220T | 2900 | 33.5/42.5 | 5 | NA |
| John Deere | 8225R | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8230T | 2900 | 33.5/42.5 | 3 | 4,5 |
| John Deere | 8235R | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8245R | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8260R | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8270R | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8285R | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8295R | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8295RT | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8300T | 2900 | 30/38 (pump flow) | 3 | 4,5 |
| John Deere | 8310R | 2900 | 60/44 | 3 | 4,5 |
| John Deere | 8310RT | 2900 | 60 | 3 | 4,5 |
| John Deere | 8310T | 2900 | 33.5/42.5 | 3 | 4,5 |
| John Deere | 8320R | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8320RT | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8320T | 2900 | 33.5/42.5 | 5 | NA |
| John Deere | 8330T | 2900 | 33.5/42.5 | 3 | 4,5 |
| John Deere | 8335R | 2900 | 60 | 3 | 4,5 |
| John Deere | 8335RT | 2900 | 60 | 3 | 4,5 |
| John Deere | 8345R | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8345RT | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8360R | 2900 | 60 | 3 | 4,5 |
| John Deere | 8360RT | 2900 | 60 | 3 | 4,5 |
| John Deere | 8400T | 2900 | 30/38 (pump flow) | 3 | 4,5 |

| Manufacturer | Tractor Model | Working Pressure | GPM Total Flow (unless noted) | # of SCVs Standard | # of SCVs Optional |
|--------------|---------------|------------------|-------------------------------|--------------------|--------------------|
| John Deere | 8410T | 2900 | 33.5/42.5 | 3 | 4,5 |
| John Deere | 8420T | 2900 | 33.5/42.5 | 5 | NA |
| John Deere | 8430 4WD | 2250 | 18 | NA | NA |
| John Deere | 8430 ROW | 2900 | 44/60 | 3 | 4,5 |
| John Deere | 8430T | 2900 | 33.5/42.5 | 3 | 4,5 |
| John Deere | 8520T | 2900 | 33.5/42.5 | 5 | NA |
| John Deere | 9220 AG | 2900 | 78 | 4 | 5 |
| John Deere | 9230 HI FLOW | 2900 | 44/48/78 | 4 | 5,6 |
| John Deere | 9300T | 2900 | 35 | NA | NA |
| John Deere | 9320 HI FLOW | 2900 | 78 | 4 | 5 |
| John Deere | 9320T | 2900 | 44/48 | 4 | 5 |
| John Deere | 9360R | 2900 | 44/48/78 (pump flow) | 4 | 5,6 |
| John Deere | 9400T | 2900 | NA | NA | NA |
| John Deere | 9410R | 2900 | 44/48/78 (pump flow) | 4 | 5,6 |
| John Deere | 9420 HI FLOW | 2900 | 78 | 4 | 5 |
| John Deere | 9420T | 2900 | 44/48 | 4 | 5 |
| John Deere | 9430T | 2900 | 48 (pump flow) | NA | NA |
| John Deere | 9460R | 2900 | 44/48/78 (pump flow) | 4 | 5,6 |
| John Deere | 9460RT | 2900 | 44/48/78 (pump flow) | 4 | 5,6 |
| John Deere | 9510R | 2900 | 48/78 (pump flow) | 4 | 5,6 |
| John Deere | 9510RT | 2900 | 48/78 (pump flow) | 4 | 5,6 |
| John Deere | 9520 HI FLOW | 2900 | 78 | 4 | 5 |
| John Deere | 9520T | 2900 | 48 | 4 | 5 |
| John Deere | 9530T | 2900 | 48 (pump flow) | NA | NA |
| John Deere | 9560R | 2900 | 48/78 (pump flow) | 4 | 5,6 |
| John Deere | 9560RT | 2900 | 48/78 (pump flow) | 4 | 5,6 |
| John Deere | 9620T | 2900 | 48 | 4 | 5 |
| John Deere | 9630T | 2900 | 48 | NA | NA |
| New Holland | T8010 | NA | 44/75 | 3 | 4,5 |

| Manufacturer | Tractor Model | Working Pressure | GPM Total Flow (unless noted) | # of SCVs Standard | # of SCVs Optional |
|--------------|---------------|------------------|-------------------------------|--------------------|--------------------|
| New Holland | T8020 | NA | 38.6 pump flow) | 3 | 4,5 |
| New Holland | T8030 | NA | 38.6 pump flow) | 0 | 1,2,3,4,5 |
| New Holland | T8040 | NA | 38.6 pump flow) | 0 | 1,2,3,4,5 |
| New Holland | T8050 | NA | 44/75 | 3 | 4,5 |
| New Holland | T9020 | NA | 40/55/90 | 4 | 5,6,7,8,9 |
| New Holland | T9030 | NA | 40/55/90 | 4 | 5,6,7,8,9 |
| New Holland | T9040 | NA | 40/55/90 | 4 | 5,6,7,8,9 |
| New Holland | T9050 | NA | 40/55/90 | 4 | 5,6,7,8,9 |
| New Holland | T9060 | NA | 42/57/94 | 4 | 5,6,7,8,9 |
| New Holland | TG210 | 2950 | 38.6/68 (pump flow) | 3 | 4,5 |
| New Holland | TG230 | 2950 | 38.6/68 (pump flow) | 3 | 5 |
| New Holland | TG255 | 2950 | 38.6/68 (pump flow) | 3 | 5 |
| New Holland | TG275 | 2950 | 38.6/70 | 3 | 5 |
| New Holland | TG285 | 2950 | 38.6/68 (pump flow) | 3 | 5 |
| New Holland | TJ275 | 2950 | 40/55 | 4 | 9 |
| New Holland | TJ325 | 2950 | 40/90 | 4 | 5,6,7,8,9 |
| New Holland | TJ375 | 2950 | 40 | 4 | 5,6,7,8,9 |
| New Holland | TJ425 | 2950 | 40/90 | 4 | 5,6,7,8,9 |
| New Holland | TJ450 | 2950 | 40 | 4 | 5,6,7,8,9 |