

4000 SERIES

FEATURES & OPTIONS

● = Standard ● = Optional

Feature/Option	4800
Planter Frame/Toolbar	
Front Fold Frame	●
Flexibility - 15° Up 15° Down	●
Row Markers	●
Hydraulic Weight Transfer	●
Number of Rows per Wing	8
Two-point, Category 5 Hitch	●
Telescoping Drawbar Hitch	●
PTO Hydraulic Package	●
Seed Handling	
66 L Row Unit Hoppers	●
105 L Row Unit Hoppers	●
2,114 L Bulk Fill Hoppers	●
Bulk Fill Scale Package	●
Transmission/Drive System	
Ground Contact Drive	●
Blue Drive Electric Drive	●
Displays & Control	
Blue Vantage Display (standard with Blue Drive)	●
ISOBUS Electronics Package	●
Ag Leader InCommand 1200	●
Ag Leader 6000 GPS Receiver	●
Control Box	●
Electric Single Row Clutches	●

● = Standard ● = Optional

Feature/Option	4800
Row Units	
Rubber V Closing Wheels	●
Cast Iron Closing Wheels	●
Spiked Closing Wheels	●
Heavy Duty Down Pressure Springs	●
Pneumatic Down Pressure	●
Row Unit Mounted No Till Coulters	●
Residue Wheels	●
Granular Chemical Attachments	●
Metering	
True Rate™ Vacuum Meter	●
Mechanical Finger Pickup	●
Brush Meter	●
Fertilizer	
Liquid Fertilizer Packages	●
Dry Fertilizer Packages	●
Miscellaneous	
Transport Lights and Signs	●
Auxiliary Work Light Package	●
Safety Chain (Drawbar Hitch)	●
Parking Jack	●
Rear Trailer Hitch	●

3000 SERIES**FEATURES & OPTIONS**

● = Standard ● = Optional

Feature/Option	3700	3600	3500	3200	3110	3030	3000
Planter Frame/Toolbar							
Frame Styles	Front Fold	Pivot Fold	Pivot Fold	Wing Fold	Rigid/Mounted	Wing	Rigid
Flexibility	Center Flex 15° up / 15° down	Wing Flex 7° up / 7° down	Rigid	Center Flex 13° up / 12° down	Rigid	Rigid	Rigid
Split Rows	-	●	●	-	-	-	●
Even Row Split Row	-	●	●	-	-	-	-
Twin Rows	-	-	●	-	-	-	-
Row Markers	●	●	●	●	●	●	●
Hydraulic Weight Transfer	-	●	-	-	-	-	-
Hitch	Clevis	Clevis	Clevis	Clevis	3-point	Clevis	Clevis
2-point Adapter	-	●	●	-	-	-	-
Planter Mounted Hydraulic Pump	● (w/vac meters) ● (w/mech meters)	●	●	-	-	-	●
Seed Handling							
Row Unit Seed Hoppers	● ¹	● ²	●	●	●	●	●
880 L Bulk Fill Hoppers	-	-	● ²	-	-	-	-
1,410 L Bulk Fill Hoppers	-	● ²	-	-	-	-	-
1,940 L Bulk Fill Hoppers	● ¹	-	-	-	-	-	-
Bulk Fill Scale Package	●	● ²	-	-	-	-	-
Transmission / Drive System							
Variable Hydraulic Drive	●	●	-	-	-	-	-
Ground Contact Drive	●	●	●	●	●	●	●
Displays and Controls							
KPM III Electronic Seed Monitor	●	●	●	●	●	●	●
ISOBUS Electronics Package	●	●	●	●	-	-	-
Ag Leader InCommand 1200	●	●	●	●	-	●	-
GPS Autoswath or Manual Control	●	●	●	●	-	●	-
Electric Single Row Clutches	●	●	●	●	-	-	-

1. Not all configurations are compatible with each other.

2. Not available with bulk fill equipped with split rows.

3. Only available with pump and openers with split rows.

4. Not available with split rows.

5. Not available with bulk fill, split rows.

6. Not available on 12 row with row unit hoppers.

3000 SERIES

FEATURES & OPTIONS (cont'd)

● = Standard ● = Optional

Feature/Option	3700	3600	3500	3200	3110	3030	3000
Row Units							
Rubber V Closing Wheels	●	●	●	●	●	●	●
Cast Iron Closing Wheels	●	●	●	●	●	●	●
Spiked Closing Wheels	●	●	●	●	●	●	●
Heavy Duty Down Pressure Springs	●	●	●	●	●	●	●
Pneumatic Down Pressure	●	●	●	-	-	-	-
Row Unit Mounted No Till Coulters	●	●	●	●	●	●	●
Residue Wheels	●	●	●	●	●	●	●
Granular Chemical Attachments	●	●	●	●	●	●	●
Metering							
True Rate™ Vacuum Meter	● ¹	● ³	●	●	●	●	●
Mechanical Finger Pickup	● ¹	●	●	●	●	●	●
Brush Meter	● ¹	●	●	●	●	●	●
Fertilizer							
Liquid Fertilizer Packages	● ¹	●	●	●	-	●	●
Dry Fertilizer Packages	-	● ⁵	●	-	-	-	●
Double Disc Opener Package	-	● ⁵	●	●	-	●	●
Notched Single Disc Opener Package	-	●	●	●	-	●	●
Heavy-Duty Single Disc Opener Package	-	● ⁵	●	●	-	●	●
Liquid Fertilizer Tube In-Furrow	●	●	●	●	-	●	●
Liquid Fertilizer Pump Packages	● ¹	● ⁴	●	●	-	●	● ³
Miscellaneous							
Transport Lights and Signs	●	●	●	●	●	●	●
Auxiliary Work Lights	-	●	●	-	-	-	-
Safety Chain	●	●	●	●	●	●	●
Parking Jack	●	●	●	●	●	●	●
Rear Trailer Hitch	●	●	●	-	-	-	-

1. Not all configurations are compatible with each other.

2. Not available with bulk fill equipped with split rows.

3. Only available with pump and openers with split rows.

4. Not available with split rows.

5. Not available with bulk fill, split rows.

MODEL DIMENSIONS AND WEIGHTS

Dimensions	4800	3700				3600				3500		
	24R 70 CM	24R 76 CM	24R 70 CM	24R 56 CM	24R 51 CM	16 ROW 76 CM	16 ROW 70 CM	12 ROW 76 CM	12 ROW 70 CM	8 ROW 70 CM	8 ROW 76 CM	6 ROW 76 CM
Length												
Planting - Row Unit Hoppers	–	8.3 m	8.3 m	8.3 m	8.3 m	7.3 m	7.3 m	6.4 m	6.4 m	6.1 m	6.0 m	6.0 m
Planting - Bulk Fill Hoppers	9.2 m	8.3 m	–	8.3 m	8.3 m	7.3 m	7.3 m	6.4 m	6.4 m	6.1 m	6.0 m	–
Transport - Row Unit Hoppers	–	9.8 m	9.8 m	9.8 m	9.8 m	14.3 m	13.3 m	11.2 m	10.5 m	7.6 m	8.1 m	7.2 m
Transport - Bulk Fill Hoppers	13.2 m	9.8 m	–	9.8 m	9.8 m	14.3 m	13.3 m	11.2 m	10.5 m	7.6 m	8.1 m	–
Width												
Planting - Row Unit Hoppers	–	14.6 m	14.6 m	14.6 m	13.4 m	12.5 m	11.7 m	9.5 m	9.0 m	6.1 m	6.7 m	5.1 m
Planting - Bulk Fill Hoppers	17.5 m	14.6 m	–	14.6 m	13.4 m	12.5 m	11.7 m	9.5 m	9.0 m	6.1 m	6.7 m	–
Transport - Row Unit Hoppers	–	4.0 m	4.0 m	4.0 m	4.0 m	3.4 m	3.2 m	3.4 m	3.2 m	3.1 m	3.4 m	3.4 m
Transport - Bulk Fill Hoppers	4.7 m	4.0 m	–	4.0 m	4.0 m	3.4 m	3.2 m	3.4 m	3.2 m	3.1 m	3.4 m	–
Height												
Planting - Row Unit Hoppers	–	–	–	–	–	–	–	–	–	2.5 m	–	–
Planting - Bulk Fill Hoppers	3.1 m	2.6 m	–	2.6 m	2.6 m	2.5 m	2.5 m	2.5 m	2.5 m	2.6 m	2.5 m	–
Transport - Row Unit Hoppers	–	3.3 m	3.3 m	3.3 m	3.3 m	3.5 m	3.5 m	3.5 m	3.5 m	3.4 m	3.2 m	3.2 m
Transport - Bulk Fill Hoppers	3.9 m	4.0 m	–	4.0 m	4.0 m	3.8 m	3.8 m	3.8 m	3.8 m	3.7 m	3.7 m	–
Weight (empty)												
Base machine - Row Unit Hoppers ¹	–	8,525-9,160 kg	8,300-9,070 kg	8,525-9,160 kg	8,300-9,070 kg	7,135-7,350 kg	7,135-7,350 kg	5,795-5,980 kg	5,795-5,980 kg	3,100-3,300 kg	2,670-2,845 kg	2,340-2,470 kg
Base machine - Bulk Fill Hoppers ¹	14,075 kg	9,025-9,660 kg	8,935-9,525 kg	9,025-9,660 kg	8,935-9,525 kg	7,075-7,730 kg	7,075-7,730 kg	6,615-6,915 kg	6,615-6,915 kg	3,600-3,800 kg	3,138-4,940 kg	–
Hitch - Bulk Fill Hoppers	4,500 kg	–	–	–	–	–	–	–	–	–	–	–

Dimensions	3200		3030	3110				3000			
	12 ROW 70 CM	12 ROW 76 CM	8 ROW 76 CM	8 ROW 70 CM	8 ROW 76 CM	6 ROW 70 CM	6 ROW 76 CM	8 ROW 70 CM	8 ROW 76 CM	6 ROW 70 CM	6 ROW 76 CM
Length											
Planting - Row Unit Hoppers	5.4 m	5.4 m	6.8 m	1.6 m	1.6 m	1.6 m	1.6 m	3.5 m / 4.2 m ¹	3.5 m / 4.2 m ¹	3.5 m / 4.2 m ¹	3.5 m / 4.2 m ¹
Transport - Row Unit Hoppers	5.4 m	5.4 m	6.6 m	1.6 m	1.6 m	1.6 m	1.6 m	3.5 m / 4.2 m ¹	3.5 m / 4.2 m ¹	3.5 m / 4.2 m ¹	3.5 m / 4.2 m ¹
Width											
Planting - Row Unit Hoppers	9.6 m	9.6 m	5.5 m	6.7 m	6.7 m	4.5 m	4.5 m	6.7 m	6.7 m	4.5 m	4.5 m
Transport - Row Unit Hoppers	4.9 m	4.9 m	3.0 m	6.7 m	6.7 m	4.5 m	4.5 m	6.7 m	6.7 m	4.5 m	4.5 m
Height											
Planting - Row Unit Hoppers	–	–	2.8 m	–	–	–	–	–	–	–	–
Transport - Row Unit Hoppers	2.8 m	2.8 m	3.2 m	–	–	–	–	–	–	–	–
Weight (empty)											
Base machine - Row Unit Hoppers ²	3,400-3,660 kg	3,400-3,660 kg	3,500-3,760 kg	1,400-1,545 kg	1,400-1,545 kg	1,125-1,255 kg	1,125-1,255 kg	2,210-2,515 ¹ kg	2,210-2,515 ¹ kg	1,750-1,995 ¹ kg	1,750-1,995 ¹ kg

1. with Double-Frame

2. Base machine weight depends on how machine is equipped (meters, drives, hoppers, etc.)