



# Country Club<sup>®</sup>

## FERTILIZER



**GREENS GRADE FORMULA**  
**FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF**  
**COVERS 12,000 SQ. FT.**

# 8-4-24



**GUARANTEED ANALYSIS**

Total Nitrogen .....	8%
2.9% Ammoniacal Nitrogen	
1.6% Water Insoluble Nitrogen*	
0.8% Urea Nitrogen	
2.7% Other Water Soluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	4%
Soluble Potash (K <sub>2</sub> O) .....	24%
Magnesium (Mg) .....	0.6%
0.6% Water Soluble Magnesium (Mg)	
Sulfur (S) .....	9.0%
9.0% Combined Sulfur (S)	
Iron (Fe) .....	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn) .....	0.25%
0.25% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than .....	2.0%
*4.3% Slowly Available Nitrogen from Methylene Ureas.	



F699 **21-35603**

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

**Notice:** This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

**DIRECTIONS FOR USE**

On established turf, use in fall or spring at the rate of 4.2 lbs. per 1,000 sq. ft. or 182 lbs. per acre to apply 1 lb. potash or 1/3 lb. nitrogen per 1,000 sq. ft. Applications made during the summer should be watered in to prevent turf damage. Apply anytime as a soil application at the rate of 6.3 lbs. per 1,000 sq. ft. and work in to a depth of at least 2 inches. Supplemental applications of lawn fertilizer are needed to acheive a minimum of 1 lb. nitrogen per 1,000 sq. ft.

**SUGGESTED SPREADER SETTINGS**

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (1#K)	Half (½#K)		Ground MPH	PTO RPM		Regular (1#K)	Half (½#K)
Cyclone®	3		8 ft.	4	3	Prizelawn BF & CBR III	3		8 ft.	J	E
Earthway® Rotary	3		8 ft.	14	12	Prizelawn CBR II	3		8 ft.	4	2½
Ezee Flow (109)	5	540	30 ft.	C2	A3	Prizelawn LF-1	3		8 ft.	2½	2
Gandy®	3			30	28	ProScape® SS	3		8 ft.	J	E
Lely (HR, 1250, 1500, 2010)	5		39 ft.	5II	3½II	Republic® Rotary	3		6 ft.	3	2
Lely (W)	5	425	39 ft.	5II	3½II	Scotts® AccuPro®	3		8 ft.	H	F
Lesco® (Letter Dial)	3		8 ft.	H	E	Scotts® (Rotary) R7X	3		8 ft.	F	D
Lesco® (Numeric Dial)	3		8 ft.	16	11	Scotts® (Rotary) R8A	3		8 ft.	K	I
Ortho® Rotary	3		6 ft.	3	2	Spyker	3		8 ft.	4	3
PennMulch® HVO	3		8 ft.	J	E	Vicon (all models)	5	540	35 ft.	24	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit [www.LebanonTurf.com/turf](http://www.LebanonTurf.com/turf)

**Fertilizer may cause irritation of eyes, nose, throat and skin.**  
**In case of contact with skin or eyes, flush with plenty of water;**  
**for eyes, get medical attention.**

**KEEP OUT OF REACH OF CHILDREN.**  
**CAUTION**

# LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St • Lebanon, PA 17042

**50 Lbs. (22.68 kg) Net Weight**

# GREENS GRADE FORMULA

FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF


COVERS 12,000 SQ. FT.

# 8-4-24



## GUARANTEED ANALYSIS

Total Nitrogen .....	8%
2.9% Ammoniacal Nitrogen	
1.6% Water Insoluble Nitrogen*	
0.8% Urea Nitrogen	
2.7% Other Water Soluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	4%
Soluble Potash (K <sub>2</sub> O) .....	24%
Magnesium (Mg) .....	0.6%
0.6% Water Soluble Magnesium (Mg)	
Sulfur (S) .....	9.0%
9.0% Combined Sulfur (S)	
Iron (Fe) .....	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn) .....	0.25%
0.25% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than .....	2.0%
*4.3% Slowly Available Nitrogen from Methylene Ureas.	



F699 **21-35603**

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

**Notice:** This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

## DIRECTIONS FOR USE

On established turf, use in fall or spring at the rate of 4.2 lbs. per 1,000 sq. ft. or 182 lbs. per acre to apply 1 lb. potash or 1/3 lb. nitrogen per 1,000 sq. ft. Applications made during the summer should be watered in to prevent turf damage.

Apply anytime as a soil application at the rate of 6.3 lbs. per 1,000 sq. ft. and work in to a depth of at least 2 inches. Supplemental applications of lawn fertilizer are needed to achieve a minimum of 1 lb. nitrogen per 1,000 sq. ft.

## SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (1#K)	Half (½#K)		Ground MPH	PTO RPM		Regular (1#K)	Half (½#K)
Cyclone®	3		8 ft.	4	3	Prizelawn BF & CBR III	3		8 ft.	J	E
Earthway® Rotary	3		8 ft.	14	12	Prizelawn CBR II	3		8 ft.	4	2½
Ezee Flow (109)	5	540	30 ft.	C2	A3	Prizelawn LF-1	3		8 ft.	2½	2
Gandy®	3			30	28	ProScape® SS	3		8 ft.	J	E
Lely (HR, 1250, 1500, 2010)	5		39 ft.	5II	3½II	Republic® Rotary	3		6 ft.	3	2
Lely (W)	5	425	39 ft.	5II	3½II	Scotts® AccuPro®	3		8 ft.	H	F
Lesco® (Letter Dial)	3		8 ft.	H	E	Scotts® (Rotary) R7X	3		8 ft.	F	D
Lesco® (Numeric Dial)	3		8 ft.	16	11	Scotts® (Rotary) R8A	3		8 ft.	K	I
Ortho® Rotary	3		6 ft.	3	2	Spyker	3		8 ft.	4	3
PennMulch® HVO	3		8 ft.	J	E	Vicon (all models)	5	540	35 ft.	24	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit [www.LebanonTurf.com/turf](http://www.LebanonTurf.com/turf)

**Fertilizer may cause irritation of eyes, nose, throat and skin.  
In case of contact with skin or eyes, flush with plenty of water;  
for eyes, get medical attention.**

**KEEP OUT OF REACH OF CHILDREN.  
CAUTION**

# **LebanonTurf**

**For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)**

**Lebanon Seaboard Corporation**

1600 E. Cumberland St • Lebanon, PA 17042

**50 Lbs. (22.68 kg) Net Weight**