



GHS Safety Data Sheet PROFILE Products, LLC

NeutraLime™ Liquid

MSDS Number: LIM016 Revision Date: 1/1/14

Page 1 of 4

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PROFILE Products, LLC 750 LAKE COOK ROAD SUITE 440 BUFFALO GROVE, IL 60089

Phone: (847) 215-1144
Fax: (847) 215-0577
Email: profileproducts.com
Web: www.profileproducts.com

Product Name: NeutraLime™ Liquid

Revision Date: 1/1/14
MSDS Number: LIM016
CAS Number: Not applicable
Product Use: Neutralizing Agent

HAZARDS IDENTIFICATION

Skin Contact: May cause irritation, normal washing

Eye Contact: Normal washing

NFPA: Health = 1, Fire = 0, Reactivity = 0



Health hazards: Chronic exposure to any nuisance dust may cause respiratory problems. No effects of acute exposure to material.

COMPOSITION/INFORMATION ON INGREDIENTS





GHS Safety Data Sheet PROFILE Products, LLC

NeutraLime™ Liquid

MSDS Number: LIM016 Revision Date: 1/1/14

Page 2 of 4

Cas # Perc. Chemical Name

1317653 | N/A | Limestone

14808607 | .1% - 1.5% | Silica, crystalline quartz

4 FIRST AID MEASURES

Inhalation: Do not breathe dust, move to open air with fresh air.

Skin Contact: Wash with warm soapy water.

Eye Contact: Immediately flush with water. If irritation continues, consult a physician.

Ingestion: Do not give any medication unless specified by a physician.

5 FIRE FIGHTING MEASURES

Flammability: N/A
Flash Point: N/A
Flash Point Method: N/A
Burning Rate: N/A
Autoignition Temp: N/A

Non-flammable

6 ACCIDENTAL RELEASE MEASURES

Remove major portions to waste disposal and sweep, vacuum or flush remainder with water.

7 HANDLING AND STORAGE

Storage Requirements: Keep away from acids.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equip: HMIS PP, E | Safety Glasses, Gloves, Dust Respirator

Respiratory: Approved respirator if spraying

Skin: Protective Gloves Eye: Safety Glasses





GHS Safety Data Sheet PROFILE Products, LLC

NeutraLime™ Liquid

MSDS Number: LIM016 Revision Date: 1/1/14

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Aqueous slurry

Spec Grav./Density:2.71Odor:OdorlessBoiling Point:N/AFreezing/Melting Pt.:N/ApH:9 - 10Vapor Density:N/A

10 STABILITY AND REACTIVITY

Stability: Stable product

Conditions to Avoid: N/A

Materials to Avoid: Will react with strong acids to produce carbon dioxide.

Hazardous Decomposition: N/A

Hazardous Polymerization: This material will not polymerize.

11 TOXICOLOGICAL INFORMATION

12 ECOLOGICAL INFORMATION

13 DISPOSAL CONSIDERATIONS

Unused Product: Dispose in accordance with local, state and federal regulations for non-toxic solid waste.

14 TRANSPORT INFORMATION

DOT Class: Not regulated #





GHS Safety Data Sheet PROFILE Products, LLC

NeutraLime™ Liquid

MSDS Number: LIM016 Revision Date: 1/1/14

Page 4 of 4

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Limestone (1317653 n/a%) MASS, OSHAWAC, PA, TXAIR

*Silica, crystalline quartz (14808607 .1-1.5%) MASS, NRC, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List NRC = Nationally Recognized Carcinogens OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

CERCLA = Superfund clean up substance CSWHS = Clean Water Act Hazardous substances EHS302 = Extremely Hazardous Substance EPCRAWPC = EPCRA Water Priority Chemicals HAP = Hazardous Air Pollutants NJEHS = NJ Extraordinarily Hazardous Substances NJHS = NJ Right-to-Know Hazardous Substances OSHAPSM = OSHA Chemicals Requiring process safety management SARA313 = SARA 313 Title III Toxic Chemicals