LidoChem, Inc.

Performance Nutrition Division 20 Village Court Hazlet, NJ 07730

Phone#:(732) 888 8000 Fax#: (732) 264 2751

EMERGENCY NUMBER: After hours, holidays, and all other non-business address,

call CHEMTREC at 800 424 9300

LidoQuest 18-3-6

MATERIAL SAFETY DATA SHEET

MSDS#: 1027

Product Code: LQ18-3-6
Date Printed: 11/19/10

Review/Revision Date: 02/25/10

Page: 1 of 3

Section I - Product Identification

Trade Name: LidoQuest 18-3-6

Chemical Description: Nitrogen, Phosphate and Potassium

Chemical Activity:

DOT Shipping Name: Fertilizing Compound, NOI, Liquid

Section II - Hazardous Identity Information and Emergency Overview

Not considered a hazardous product. Product is dark reddish brown liquid and is not flammable or reactive.

Route(s) Of Entry: Inhalation, Ingestion and Dermal.

Potential Health Eye: Cause irritation, redness, pain Skin: Causes irritation, redness, itching and pain. Inhalation: Causes irritation to the

Effects: gastrointestinal tract. Ingestion: Causes irritation to the gastrointestinal tract, headache, confusion and electrolyte

depletion.

Signs & Symptoms Eye redness and itching Skin itching and redness

Of Exposure: Coughing and shortness of breath if inhaled. Vomiting, diarrhea and nausea if ingested.

Carcinogenicity Not considered a carcinogen.

Mutagenicity:

Section III - Physical and Chemical Properties

Boiling Point: $>H_2O$ **pH:** 9.8 +/-0.3

Melting Point: N/Ap

Appearance Dark reddish brown liquid with slight ammonia odor

Specific Gravity: 1.28 @ 65°F And Odor:

Section IV - Fire and Explosion Data

Flash Point: Not Established LEL: N/A
Flammable Limits: Not Estblished UEL: N/A

Extinguisher This product is noncombustible. Use carbon dioxide or dry chemical for small fires and water fog or foam (alcohol,

Media: polymer, or ordinary) for large fires.

Special Fire As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Evacuate nonessential personnel

Fighting Procedures: from the fire area. Firefighters should wear full-face, self contained breathing apparatus and impervious protective

clothing. Contain any liquid run off.

Unusual Fire And Not considered a fire hazard. When involved in a fire, does not contribute any unusual hazards.

Explosion Hazards:

LidoQuest 18-3-6 MSDS Page: 2 of 3

Section V - First Aid Data

Ingestion: DO NOT INDUCE VOMITING. Give several glasses of water or milk. If vomiting occurs, keep head below hips to reduce risk of aspiration. Give fluids again. Contact Poison Control Center immediately. Never give anything to eat or drink to someone who is unconscious, having convulsions, or unable to swallow.

Eyes: Flush eyes with large quantities of running water for a minimum of 15 minutes. If victim is wearing contact lenses, remove them. Hold eyelids apart during the flushing to ensure rinsing of entire surface of the eye and lids with water. DO NOT let victim rub eye(s). Do not attempt to neutralize with chemical agents. Get medical attention if eye irritation occurs.

Skin: Immediately wash with soap and water for a minimum of 15 minutes. Oils/ointments should not be used at this time. Wash clothing before reuse. Get immediate medical attention if irritation occurs.

Inhalation: Remove to fresh air. If breathing becomes difficult, oxygen may be given, preferably with a physician's advice. If not breathing, give artificial respiration. Get medical attention.

Section VI - Stability and Reactivity

Stability: This product is stable at ambient temperatures and atmospheric pressures. It is not self-reactive and is not sensitive to

physical impact.

Hazardous Decomposition product is Ammonium and nitrogen oxide.

Decomposition:

Incompatible Not available.

Materials:

Conditions To Contact with steel and aluminum produces hydrogen.

Avoid:

Hazardous None known.

Combustion

Products:

Polymerization Hazardous polymerization is not expected to occur.

Conditions To

Avoid:

Section VII - Precautions for Safe Handling

Steps To Be Taken In Consult with environmental regulatory agencies for acceptable procedures of disposal. Stop source of spill. Collect liquid Case Material Is or absorb onto absorbent material and package for disposal. Wash residue away with water and detergent. Do not contaminate drain. Wear appropriate personal protective gear during cleanup.

Released Or Spilled:

Handling And Storage Store in a plastic or stainless steel container, well ventilated, dry place. **Precautions:**

Section VIII - Disposal Information

Waste Disposal In unused condition, this product is not considered to be a RCRA defined hazardous waste by characteristics/listings. It is Methods: the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristic/listing. Dispose in accordance with all local, state and federal regulations. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise LidoQuest 18-3-6 MSDS Page: 3 of 3

inappropriate.

Container Disposal Containers should be cleaned of residual product before disposal. Empty containers should be disposed of in accordance

Information: with all applicable laws and regulations.

Section IX - Exposure Control & Personal Protection

Skin Protection: Skin contact with this product should be minimized through the use of suitable protective clothing and gloves selected

with regard for use condition exposure potential.

Respiratory When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne

Protection: concentrations and in accordance with the latest OSHA standard (29 CFR 1910.134) and/or ANSI Z88.2 recommendations.

Eye Protection: Eye and face protection requirements will vary dependent upon work environment conditions and material handling

practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material. It is generally regarded as good practice to wear a minimum of safety glasses with side shields when working in industrial

environments.

Other Protection: Minimize breathing of vapor mist. Avoid contact with skin. Remove contaminated clothing; launder before reuse.

Cleanse skin thoroughly after contact, before meals and end of work period.

Hygienic All food and smoking materials should be kept in a separate area away from the storage/use location. Eating, drinking and

Practices: smoking should be prohibited in areas where there is a potential for significant exposure to this material. Before eating,

drinking or smoking, hands and face should be thoroughly washed.

Section X - Transport Information/Regulatory Comments

DOT Hazard Class: Not regulated by D.O.T.

OSHA Status: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910,1200.

TSCA Status: Listed/Reportable

State Right To Know Laws:

The following ingredients are disclosed for compliance with State Right to Know Laws:

CAS#	Chemical Name	State RTK
60-00-4 7778-77-0	Ethylendiamine tetraacetic Acid Potassium Nitrate	NJ NJ

California Proposition 65:

This product contains a chemical (or chemicals) known to the State of California to cause cancer and birth defects or other reproductive harm.

Michigan Critical Materials:

This product does not contain ingredients listed on the Michigan Critical Materials Register.

Key Legend Information:

N/Av: Not Available N/Ap: Not Applicable OSHA: Occupational Saftey and Health Administration Lower Explosive Limit (LEL) Uper Explosive Limit (UEL)

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein. This Material Safety Data Sheet was prepared to comply with OSHA Hazard Communication standard. (29 CFR 1910.1200). This supersedes any previous information. All LidoChem, Inc. MSDS's are reviewed every three years or sooner if necessary. Please check the Review Date on Page 1 for most current version. Please request a new MSDS from LidoChem, Inc. if the date is older than 3 years.

NOTICE: OSHA STANDARD 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a Hazard Communication Program including training, labeling, Material Safety Data Sheets, and access to written records. We request that you, and it is your legal duty, make all information in this Material Safety Data Sheet available to your employees.