



WWW.CERESTURF.COM

Ceres Turf, Inc.
P.O. Box 12447
Wilmington, NC 28405

***Bedknives, Reels
and Specialty Parts***


+1 (910) 256 • 8974
TOLL FREE (866) 929 • 9916

2025
CATALOG



PHOENIX EXTREME™

A NEW STANDARD



Reference code **Xblade1**
for an introductory discount.

Phoenix-X

- Years in Development
- 14 months in Testing
- Unbelievably Flat
- Absolutely Straight
- Stainless Steel - No Rust
- Stainless Steel Screws Included
- Incredible Price/Performance Value

BEDKNIVES

Part No.	OEM P/N	Description	Holes	Min. Cut Height *	Works with	Price
32PX-261	NA	Phoenix-X 21" Ultra Micro Cut Bedknife, 13-Hole for Toro	13	*0.087" / 2.21mm	Greensmaster 1000/2000, Flex21/2100, eFlex2100, Greensmaster 3000,3100, 3200 Series SPA and DPA Cutting Units, Greensmaster 3300/3320/3400/3420 Tri Flex DPA Cutting Units	\$91.65
32PX-262	93-4262	Phoenix-X 21" Micro Cut Bedknife, 13-Hole for Toro	13	0.098" / 2.49mm		\$91.65
32PX-263	93-4263	Phoenix-X 21" Tournament Bedknife, 13-Hole for Toro	13	0.115" / 2.92mm		\$91.65
32PX-264	93-4264	Phoenix-X 21" Low Cut Bedknife, 13-Hole for Toro	13	0.135" / 3.43mm		\$91.65
32PX-303	108-4303	Phoenix-X 21" Extended Micro Cut Bedknife, 13-Hole for Toro	13	0.098" / 2.49mm		\$91.65
32PX-392	94-6392	Phoenix-X 21" High Cut Bedknife, 13-Hole for Toro	13	0.175" / 4.45mm		\$91.65

* Depending on the cutting head setup, additional grinding may be required to achieve 0.087" HOC

Dare to compare our Phoenix-X against any premium bedknife and discover your new 'go to' bedknife.

Use discount code: **Xblade1** for a **40% DISCOUNT** (\$54.99USD)

The Phoenix-X sets a new standard in precision with an edge-to-edge straightness that is unmatched in the turf industry. They are as near perfect as can be achieved today. Our standard is to have less than 0.004+/- variance, edge to edge. This is a new standard in the turf industry and is available now with our **Phoenix-X** line.

Phoenix-X bedknives offer a number of advantages. **Phoenix-X** bedknives are made from a new and remarkable alloy with significant chromium, resulting in a bedknife that is effectively stainless steel. Gone are the days of 'frozen' bedknives, where the screw head fails.

Finally, they have been optimized with a hardness that is matched to reels that are commonly used today. Thus, they will not prematurely wear out a reel but complement its performance. Our **Phoenix-X** bedknife is the ultimate in terms of precision, quality and performance.

TOLL FREE 866-929-9916 PHN 910-256-8974

TORO® BEDKNIVES (will fit)

Part #	OEM P/N	Description	Holes	Min. Cut Height	Works On
GREENS BEDKNIVES					
32P-261-18	98-7261	Phoenix Super 18" Micro Cut Max Drag Clearance	11	0.098" / 2.49mm	Greensmaster 800, Flex 18/1800, eFlex 1800/1820
32-261	98-7261	18" Micro Cut	11	0.115" / 2.92mm	
32P-261	NA	Phoenix Super 21" Micro Cut Max Drag Clearance	13	0.098" / 2.49mm	Greensmaster 1000/2000, Flex 21/2100, eFlex 2100, Greensmaster 3000, 3100, 3200 Series SPA and DPA Cut- ting Units, Greensmaster 3300/3320/3400/3420 Tri Flex DPA Cutting Units
32P-262	93-4262	Phoenix 21" Micro Cut	13	0.098" / 2.49mm	
32P-303	108-4303	Phoenix Extended 21" Micro Cut	13	0.098" / 2.49mm	
32-262	93-4262	21" Micro-Cut	13	0.115" / 2.92mm	
32P-263	93-4263	Phoenix 21" Tournament Cut	13	0.115" / 2.92mm	
32-263	93-4263	21" Tournament	13	0.125" / 3.18mm	
32P-264	93-4264	Phoenix 21" Low Cut	13	0.135" / 3.43mm	
32-264	93-4264	21" Low-Cut	13	0.135" / 3.43mm	
32P-392	94-6392	Phoenix 21" High Cut	13	0.175" / 4.45mm	
32-015	93-9015	26" Low Cut	16	0.125" / 3.18mm	Greensmaster 1600/2600



Part #	OEM P/N	Description	Holes	Min. Cut Height	Works On
--------	---------	-------------	-------	-----------------	----------

FAIRWAY BEDKNIVES

32P-167	121-3167/ 130-4745	Phoenix 18" Low Cut Fairway	6	0.250" / 6.35mm	Reelmaster 3550D Edge Series DPA
32-396	94-6396	21" High Cut	7	0.198" / 5.03mm	Greensmaster 300-Series 4-Bolt Cutting Unit
32-610	63-8610	21" Fairway Cut	7	0.250" / 6.35mm	Reelmaster 223D/5100D/5200D/ 5300D/5400D
32-350	100-3350	21" High Cut "Heavy Duty"	7	0.375" / 9.53mm	
32P-096	108-9096	Phoenix Fairway 22" Low Cut	8	0.250" / 6.35mm	Reelmaster 5210/5410/5510/5610, 5500D/6500D/6700D SPA Cutting Unit- sand 6500D/6700D DPA Cutting Units
32-096	108-9096	22" Fairway Cut	8	0.375" / 9.53mm	
32-890	72-0480/ 59-5890	30" Fairway Cut	10	0.375" / 9.53mm	Reelmaster 335D/3500D/450D/ 4000D/4500D
32-079	94-5079	32" Low Cut	12	0.375" / 9.53mm	Reelmaster 216/216D/2000D/230 0D/2600D/3100D and Grounds Pro 2000/2000D; SPA Cutting Units

BEDKNIFE SCREWS

32-4910	M57-4910	100 Bedknife Screws	Stainless Steel Screws		
---------	----------	------------------------	------------------------	--	--

JOHN DEERE® BEDKNIVES (will fit)

JOHN DEERE® BEDKNIVES
(will fit)

Part #	OEM P/N	Description	Holes	Min. Cut Height	Works On
30P-944	MT6944	Phoenix 18" Super Tournament	11	0.098" / 2.49mm	180 A/B/C / SL Walking Greens Mower and 18" QA5
30-846	MT4846	18" Tournament	11	0.115" / 2.92mm	
30P-351	MT7351 UC28163	Phoenix 22" Super Tournament Max Drag Clearance	13	0.098" / 2.49mm	Any 22" QA5, 2400 and 2700, 220 A/B/C/SL Walk-behind Greensmower, 2243 and 2500 Professional Greensmower, 3215A and 3235A Lightweight Fairway Mower, 7500 and 8500 Fairway Mower
30P-869	ET4869	Phoenix 22" Super Tournament	13	0.098" / 2.49mm	
30P-534	ET17534 UC18869	Phoenix 22" Tournament	13	0.115" / 2.92mm	
30-534	ET17534 UC18869	22" Tournament	13	0.115" / 2.92mm	
30P-533	ET17533 UC18873	Phoenix 22" Standard	13	0.135" / 3.43mm	
30-533	ET17533 UC18873	22" Standard	13	0.125" / 3.18mm	
30P-532	ET17532 UC28156	Phoenix 22" HighCut	13	0.175" / 4.45mm	
30-532	ET17532 UC28156	22" High Cut	13	0.135" / 3.43mm	
30P-767	ET17767 UC23562	Phoenix 22" Fairway	13	0.270" / 6.86mm	
30-767	ET17767 UC23562	22" Fairway	13	0.350" / 8.89mm	

(will fit) **JOHN DEERE® BEDKNIVES**



JOHN DEERE® BEDKNIVES
(will fit)

Part #	OEM P/N	Description	Holes	Min. Cut Height	Works On
30P-928	MT1928	Phoenix 22" Standard Cut Fairway	9	0.240" / 6.10mm	3215A, 3235A, 3225C Lightweight Fairway Mower, 7700, 8700 Fairway Mower
30-751	ET17751 UC23563	22" Standard	9	0.375" / 9.53mm	
30P-947	MT6947	Phoenix 26" Standard Cut	15	0.135" / 3.43mm	John Deere 260 B/C/SL, 260B/C Walk-Behind Greensmower
30-947	MT6947	26" Standard Bedknife	15	0.125" / 3.18mm	
30-946	MT6946	26" Fairway	15	0.189" / 4.80mm	
30-752	ET17752 UC23481	26" Standard Fairway	10	0.375" / 9.53mm	2653/2653A Professional Utility Mower, 2700

BEDKNIFE SCREWS

30-7194	M21-7194	100 Bedknife Screws	Stainless Steel Screws		
30-5055		25 Bedknife Screws w/ Nut	Fairway mower screw and nut for 30P-928, 30-751 & 30-752		

TOLL FREE 866-929-9916 PHN 910-256-8974



JACOBSEN® BEDKNIVES (will fit)

JACOBSEN® BEDKNIVES

(will fit)

Part #	OEM P/N	Description	Holes	Min. Cut Height	Works On
31-902	4118902	18" Medium Section	11	0.250" / 6.35mm	Eclipse 118/118F, GK518, SLF-1880
31-888	5002888	18" Super Tournament	11	0.125" / 3.18mm	
31-476	503476	19" Tournament	11	0.125" / 3.18mm	PGM 19
31-984	2810984	19" Super Tournament	11	0.115" / 2.92mm	
31P-887	5002887	22" Phoenix Super Tournament	13	0.098" / 2.49mm	Eclipse 122/122F; PGM22, GK522, E-Walk, GKIV (+), Eclipse 322, GKV, GKVI, GP400, G-Plex III
31-887	5002887	22" Super Tournament	13	0.115" / 2.92mm	
31P-479	503479	22" Phoenix Tournament	13	0.115" / 2.92mm	
31-479	503479	22" Tournament	13	0.125" / 3.18mm	
31P-478	503478	22" Phoenix Low Profile	13	0.135" / 3.43mm	
31-478	503478	22" Low Profile	13	0.135" / 3.43mm	
31-477	503477	22" High Profile	13	0.175" / 4.45mm	
31-460	503460	22" Heavy Section	13	0.325" / 8.26mm	GKV, GKVI, LF-128, LF-135, LF-550, LF-570, LF3400, LF3800, LF4675, LF4677
31-413	5000413	26" Low Profile	11	0.135" / 3.43mm	Eclipse 126, GK526
31-550	503550	30" Heavy Section	13	0.250" / 6.35mm	Tri King 30"

BEDKNIFE SCREWS

31-9138	100 Bedknife Screws	Stainless Steel Screws
---------	---------------------	------------------------



Part #	OEM P/N	Description	Works On
--------	---------	-------------	----------

TORO® MACHINES

32-R6097	93-6097 / 127-2182 / 132-7313 (EdgeSeries)	5" x 21", 11 Blade 12.7cm x 53.3cm, 11 Blade	Greensmaster 1000, 1010, and 2000 Intergral Cutting Units
32-R7635	107-7635 / 127-2176	5" x 21", 11 Blade 12.7cm x 53.3cm, 11 Blade	Greensmaster Flex 21 (2011 and older)
32-R4289	115-4289 / 127-2177	5" x 21", 14 Blade 12.7cm x 53.3cm, 14 Blade	
32-R4104	119-4104 / 127-2201 / 137-8512 (EdgeSeries Reel +)	5" x 21", 11 Blade 12.7cm x 53.3cm, 11 Blade	Greensmaster Flex / eFlex 2100 and 2120 (2012 and newer)
32-R4105	119-4105 / 127-2202 / 137-8513 (EdgeSeries Reel +)	5" x 21", 14 Blade 12.7cm x 53.3cm, 14 Blade	
32-R5792	105-5792 / 127-2194	5" x 21", 11 Blade 12.7cm x 53.3cm, 11 Blade	Greensmaster 3000, 3100, and 3200 DPA Cutting Units (2011 and older)
32-R0649	14-0649 / 130-0093	5" x 21", 8 Blade 12.7cm x 53.3cm, 8 Blade	Reelmaster 5200, 5300, and 5400 4 Bolt Cutting Units
32-R9071	108-9071 / 127-2065 / 137-8416 (Reel +)	5" x 22", 8 Blade 12.7cm x 55.9cm, 8 Blade	Reelmaster 5210 and 5410 DPA Cutting Units
32-R9073	108-9073 / 127-2084 / 137-8432 (Reel +)	7" x 22", 8 Blade 17.8cm x 55.9cm, 8 Blade	Reelmaster 5510, 5610, 6500, and 6700 DPA Cutting Units
32-R9074	108-9074 / 127-2085 / 137-8433 (Reel +)	7" x 22", 11 Blade 17.8cm x 55.9cm, 11 Blade	
32-R3485	99-3485 / 130-4136	7" x 32", 8 Blade 17.8cm x 81.3cm, 8 Blade	Reelmaster 2000D, 3100D, 2600D, 2300D, 216

JOHN DEERE® REELS (will fit)



JOHN DEERE® REELS
(will fit)

Part #	OEM P/N	Description	Works On
--------	---------	-------------	----------

JOHN DEERE® MACHINES

30-R2883	AMT2883	5" x 22", 7 Blade 12.7cm x 55.9cm, 7 Blade	2243 and 2500 Professional Greensmower; 3215A, 3235A, 7500, and 8500 Lightweight Fairway Mower
30-R2885	AMT2885	5" x 22", 11 Blade 12.7cm x 55.9cm, 11 Blade	
30-R2886	AMT2886	5" x 22", 11 Blade 12.7cm x 55.9cm, 11 Blade	
30-R9350	TCA19350	5" x 22", 7 Blade 12.7cm x 55.9cm, 7 Blade	180A, 220, 220A Walk-Behind Greensmower
30-R9351	TCA19351	5" x 22", 11 Blade 12.7cm x 55.9cm, 11 Blade	220 E-Cut Walk-Behind Greensmower; 2500B and 2500E Riding Greensmower; 7500 and 8500 Fairway Mower
30-R3621	TCA23621	5" x 22", 14 Blade 12.7cm x 55.9cm, 14 Blade	
30-R2893	AMT2893	7" x 22", 8 Blade 17.8cm x 55.9cm, 8 Blade	
30-R2894	AMT2894	7" x 22", 10 Blade 17.8cm x 55.9cm, 10 Blade	3215A/B, 3225B/C, 3235 A/B/C, 7700, and 8700 Lightweight Fairway Mowers
30-R9353	TCA19353	7" x 22", 8 Blade 17.8cm x 55.9cm, 8 Blade	
30-R9354	TCA19354	7" x 22", 10 Blade 17.8cm x 55.9cm, 10 Blade	
30-R2871	AMT2871	7" x 26", 8 Blade 17.8cm x 66.0cm, 8 Blade	2653, 2653A, and 2653B Professional Utility Mower
30-R9356	TCA19356	7" x 26", 8 Blade 17.8cm x 66.0cm, 8 Blade	2653B and 7200 Trim and Surrounds Mower, 8900A Large Area Reel Mower



Part #	OEM P/N	Description	Works On
--------	---------	-------------	----------

JACOBSSEN® MACHINES

31-R3053	5003053	5" x 22", 7 Blade 12.7cm x 55.9cm, 7 Blade	Eclipse 322, GP400, G-Plex, and E-Plex; LF-128 (Left), LF-3400 (Left), LF-4675 (Left), LF-510 (Left), LF-550 (Left), and LF-550H (Left)
31-R3054	5003054	5" x 22", 7 Blade 12.7cm x 55.9cm, 7 Blade	GK 5 and GK 6 Electric; LF-128 (Right), LF- 3400 (Right), LF-4675 (Right), LF-510 (Right), LF-550 (Right), and LF-550H (Right)
31-R3453	5003453	5" x 22", 11 Blade 12.7cm x 55.9cm, 11 Blade	Eclipse 322, GP400, G-Plex, and E-Plex; LF-128 (Left), LF-3400 (Left), LF-4675 (Left), LF-510 (Left), LF-550 (Left), and LF-550H (Left)
31-R3454	5003454	5" x 22", 11 Blade 12.7cm x 55.9cm, 11 Blade	GK 5 and GK 6 Electric; LF-128 (Right), LF- 3400 (Right), LF-4675 (Right), LF-510 (Right), LF-550 (Right), and LF-550H (Right)
31-R0148	5000148	5" x 22", 11 Blade 12.7cm x 55.9cm, 11 Blade	GK 500-22"
31-R1101	5001101	5" x 22", 11 Blade 12.7cm x 55.9cm, 11 Blade	Eclipse 322, Eclipse 122F, G-Plex 3, E-Plex, GP400, GK 4 (Left, 2 required)
31-R1102	5001102	5" x 22", 11 Blade 12.7cm x 55.9cm, 11 Blade	GK 4 (Right, 1 required); GK 5 and GK 6
31-R3652	5003652	5" x 26", 7 Blade 12.7cm x 66.0cm, 7 Blade	GK 500-26"
31-R2087	5002087	7" x 26", 7 Blade 17.8cm x 66.0cm, 7 Blade	TR 3 26" (Left) and Tri King 26" (Left)
31-R2088	5002088	7" x 26", 7 Blade 17.8cm x 66.0cm, 7 Blade	TR 3 26" (Right) and Tri King 26" (Right)
31-R0472	2810472	7" x 22", 11 Blade 17.8cm x 55.9cm, 11 Blade	LF-135, LF-3407, LF-3800, LF4677, LF570, LF570H

ROTARY MOWER BLADES



ROTARY MOWER BLADES

Oregon #	OEM P/N	Machine	Length	Arbor
----------	---------	---------	--------	-------

TORO® MACHINES

OR94-052	107-0235-03	Toro 3500D/3505D/4000D/4500D/4700D	27" 68.6cm	1/2" 12.7mm
OR96-741	104-5183	Toro 3500D/3505D/4000D/4500D/4700D	27" 68.6cm	1/2" 12.7mm
OR94-045	92-5608	Toro 4000D/4100D/4110D/4300D	21 11/16" 55.1cm	1/2" 12.7mm
OR96-708	107-0241	Toro 4000D/4100D/4110D/4300D	21 11/16" 55.1cm	1/2" 12.7mm
OR94-055	105-7718 & 108-1114	Toro (60" cut) Turbo Force Deck	20 1/2" 52.1cm	5/8" 15.9mm
OR94-011	29-5530	Toro 72" cut Heavy Duty Left Hand	25" 63.5cm	3/4" 19.1mm
OR94-074	110-0621	Toro Groundsmaster 3280-D3320	24 1/2" 62.2cm	1/2" 12.7mm
OR94-071	110-0622 & 110-0624	Toro Groundsmaster 3280-D3320	24 1/2" 62.2cm	1/2" 12.7mm

Oregon #	OEM P/N	Machine	Length	Arbor
----------	---------	---------	--------	-------

JOHN DEERE® MACHINES

OR580823	TCU27401	John Deere 7400, 9009	27" 68.6cm	7/8" 22.2mm
OR580820	TCU27876	John Deere 7400, 9009	27" 68.6cm	7/8" 22.2mm
OR96-811	GC00175	John Deere 8800, 3245 Series	20.675" 52.4cm	3/8" 9.5mm
OR92-114	TCU15882	John Deere 1453 72" cut, 7-Iron deck	25" 63.5cm	7/8" 22.2mm
OR396-743	EPC201693 & M141669	John Deere 1453 72" cut, 7-Iron deck	25" 63.5cm	7/8" 22.2mm

Mulching Blades

Made by Oregon, Portland, OR USA



ROTARY MOWER BLADES



ROTARY MOWER BLADES

Oregon #	OEM P/N	Machine	Length	Arbor
----------	---------	---------	--------	-------

JACOBSEN® MACHINES

OR91-591	4137186	Jacobsen AR-5/522	22 5/16" / 56.7cm	1/2" / 12.7mm
OR91-364	JT391040	Jacobsen HR511, Right Hand cut, 3 Per Deck	23" / 58.4cm	1/2" / 12.7mm
OR91-363	JT391039	Jacobsen HR511, Left Hand cut, 4 Per Deck	23" / 58.4cm	1/2" / 12.7mm

LASTEC® MACHINES

OR96-347	063265 & P322	Lastec 61" cut 2261/2661/2861/2961 and EF 100 Series	21" / 53.3cm	5/8" / 15.9mm
----------	------------------	---	--------------	---------------

SCAG MACHINES

OR96-347	3 Blades for 60" Cut, G3		21" 53.3cm	5/8" 15.9mm
OR596-347	3 Blades for 60" Cut, G5		21" 53.3cm	5/8" 15.9mm

EXMARK MACHINES

OR792-025	103-6383	3 Blades for 60" Cut	20.5" 52.1cm	15/16" 23.8mm
OR792-030	103-6402	3 Blades for 52" Cut	18" 45.7cm	15/16" 23.8mm

Mulching Blades

Made by Oregon, Portland, OR USA

TOLL FREE 866-929-9916 PHN 910-256-8974

OTHER PRODUCTS AVAILABLE

We are very proud to make available the following quality brands. If you wish to place an order, please provide the correct OEM part number and quantity for pricing to sales@ceresturf.com



No-Snag Rake Prong

Part #	Number
4-175A	As required



Closed Spoon Tines



Part #	Description	Length	ID	OD	Wall
1E-757575	1 bolt mount	7.5" / 190.5mm	.550" / 15.0mm	.790" / 20.1mm	0.120" / 3.0mm
1E-108510	2 bolt mount	8.5" / 215.9mm	.550" / 15.0mm	.790" / 20.1mm	0.120" / 3.0mm

Star Verti-Cut Blade



4-SVCB2	Star Verti-Cut Blade for John Deere & Toro	5" w/ 1.125" Hex Hole 127mm w/ 28.6mm Hex Hole	1mm
4-MT6987	John Deere Fairway Verti-Cut Blade OEM MT6987	7" w/ 1.375" Hex Hole 177.8mm w/34.9mm Hex Hole	2.5mm

Socket Driver Tools



(SOCKET ONLY, WRENCH NOT INCLUDED)

Part #	Description
4S-D101	John Deere Mowers
4S-J101	Jacobsen Greensmower
4S-J102	Jacobsen Fairway Mowers
4S-T101	Toro

SPECIALTY PARTS

Grinding Wheels



Part #	Description	Diameter	Depth	Arbor
9GW211111	Dressing Stick for Vulcan Grinding Wheels			
4H-515	Herculean Grinding Wheel Arbor - Bernhard Anglemaster 1000/2000	5.0" 12.7cm	1.5" 38.1mm	0.75" 19.05mm
4H-612	Herculean Grinding Wheel Arbor - for Foley, SIP, and Neary machines	6.0" 15.2cm	1.0" 25.4mm	1.25" 31.8mm
4H-6135	Herculean Grinding Wheel Arbor - Bernhard 4000, OEM A6507	6.0" 15.2cm	1.0" 25.4mm	1.38" 35mm
4H-6158	Herculean Grinding Wheel Arbor - Foley machines	6.0" 15.2cm	1.0" 25.4mm	0.625" 15.9mm
4H-6235	Herculean Grinding Wheel Arbor - Bernhard Anglemaster 3000/40000/4000DX	6.0" 15.2cm	2.0" 50.8mm	1.38" 35mm

Premium Lapping Compound

Part #	Description
4G-50	Premium Lapping Compound - 50 grit / 30 lbs.
4G-80	Premium Lapping Compound - 80 grit / 30 lbs.
4G-100	Premium Lapping Compound - 100 grit / 30 lbs.
4G-120	Premium Lapping Compound - 120 grit / 30 lbs.
4G-180	Premium Lapping Compound - 180 grit / 30 lbs.
4G-220	Premium Lapping Compound - 220 grit / 30 lbs.





WARRANTY

If a warranty issue is suspected, the first step is to save all the parts and packaging and then notify either the Ceres Turf Dealer or Distributor who sold you the parts or contact us directly at 1-866-929-9916 or 1-910-256-8974.

1. DO NOT try to return anything without an RA number! We will likely ask you to return the defective parts (and any unused parts) for testing. You must first receive a **RETURN AUTHORIZATION NUMBER** which must be displayed clearly on the outside of the box. If the part(s) are judged defective a full refund will be issued.
2. Save all packaging material.
3. Protect the suspect parts from any additional damage after use.
4. DO NOT RETURN ANY PARTS TO CTI WITHOUT an RA NUMBER!

Please refer to our full Warranty Policy at: <http://www.ceresturf.com/product-warranty>



NOTES

[illegible]




PINEHURST, NORTH CAROLINA IS NOT JUST A LOCATION, BUT A PLACE WHERE DREAMS ARE WRAPPED IN TRADITION LIKE NO OTHER; THE HOME OF GOLF IN THE UNITED STATES. THERE IS A CONVERGENCE OF HISTORY, CUSTOM, SOUTHERN HOSPITALITY, AND ELEGANCE IN THE FINEST TRADITIONS OF GOLF. CERES COTTAGE IS IN THE VILLAGE OF PINEHURST, NC NESTLED AMID THE PINES ON HISTORIC PINEHURST NUMBER SIX. A PLACE WHERE DREAMS ARE MADE AND LOST...HOPES FULFILLED AND DASHED...SKILLS BUILT AND TESTED, ALL FOR THE LOVE OF THE GAME.

CERES TURF HAS TRIED TO ENCAPSULATE THE ESSENCE OF PINEHURST INTO A COTTAGE FOR OUR FRIENDS AND FAMILY. YOU ARE PART OF THE CERES TURF FAMILY IF YOU ARE AN AUTHORIZED DEALER REPRESENTATIVE OR CERES TURF CUSTOMER WHO VALUES THE QUALITY OF OUR PRODUCTS. WE HAVE TAKEN GREAT EFFORT TO CRAFT A COTTAGE WHERE FELLOWSHIP, COMRADERY, AND THE BONDS OF OLD AND JUST MADE FRIENDS ARE FORGED INTO MEMORIES FOR A LIFETIME. COME BE OUR GUEST AND EXPERIENCE THE OPTIMUM IN COMFORT, UNSURPASSED FOOD, PAMPERED ABUNDANCE, AND BUILD YOUR OWN MEMORIES AMID THE PINES.



YOU ARE INVITED TO STEP INTO THE CERES TURF FAMILY TRADITION AT **CERES COTTAGE** IF YOU WILL RESPECT OUR COTTAGE, THE VILLAGE, AND THE GAME OF GOLF.

FOR MORE INFORMATION, GO TO WWW.CERESCOTTAGE.COM





CERES COTTAGE

PINEHURST, NC

