


# **ELECTRONIC COPY**

## LG414001952


# IGI GEMOLOGICAL REPORT IGI LABORATORY GROWN DIAMOND GRADING REPORT 05/04/2020 **IGI** Report Number LG414001952 Shape and Cutting Style PRINCESS CUT 5.58 X 5.54 X 3.84 MM Measurements **GRADING RESULTS** Carat Weight 1.05 CARAT


Polish Symmetry Fluorescence

Comments: This Chemical Vapor Deposition (CVD) laboratory grown diamond is classified as Type IIa









### **KEY TO SYMBOLS**

Red symbols indicate internal characteristics. Green symbols indicate external characteristics.

This Report is subject to the terams and conditions

© IGI 2000, edition 2019 all rights reserved.

# **EDUCATIONAL AND SCIENTIFIC LABORATORY** FOR THE IDENTIFICATION AND GRADING OF DIAMONDS AND COLORED STONES

## **GRADING SCALES**

COLOR GRADING SCALE	CL		NC	FT	VLT	LT
	COLORLE D-F	ss	NEAR COLORLESS G-J	FAINT K-M	VERY LIGHT N-R	LIGHT S-Z
CLARITY (10x) GRADING SCALE	FL	IF	vvs	vs	SI	1
	FLAWLESS INTERNALLY FLAWLESS		VERY VERY SLIGHTLY INCLUDED	VERY SLIGHTLY INCLUDED	SLIGHTLY INCLUDED	INCLUDED

The laboratory grown diamond described in this Report (Report) has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (I.G.L.). A laboratory grown diamond is one that has essentially the same chemical, physimeasuring device, Diamond Sure™, Diamond View™, Spectraphotometer and such other nstruments and/or processes as deemed appropriate by I.G.I. This Report includes ad-vanced security features. A duly accredited gemologist or jeweler can advise you with re-

Weight
THIS REPORT IS NEITHER A GUARANTEE, VALUATION, NOR APPRAISAL OF THE GEMISTONE DESCRIBED HEREIN, PLEASE REVIEW THE LIMITATIONS AND RESTRICTIONS SET FORTH ONLINE, FOR 
ADDITIONAL INFORMATION, IMPORTANT LIMITATIONS AND DISCLAIMERS, PLEASE GO TO 
WWW.IGI.ORG OR CALL 1-888-BUY-IGIS.

© INTERNATIONAL GEMOLOGICAL INSTITUTE, INC






LASERSCRIBE SM









Comments: This Chemical Vapor Deposition (CVD) laboratory grown diamond is classified as Type IIa



