



# Design

**Gregory Edwards** 

## **Application**

Walls

### **Characteristics**

Content: 65% Cellulose, 35% Latex Finish: PFAS-Free Protective Topcoat

Backing: None

Reference Dimension: 10' H x 26' 8" W (305cm x

813cm)

Traffic: Moderate Traffic

Customs: Repeatable, Scalable

Country of Origin: USA

Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls. Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

#### Price

Installation is sized, priced and produced on a project-specific basis.

#### Maintenance

W-Clean with water-based cleanser.

### **Testing**

Flammability: AS/NZS 3837 Adhered ASTM E 84 Adhered CAN ULC S102 Adhered ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



### **Environmental**

Greenguard Gold Certified LBC Red List Free Contains Bio-Based Content FR Free Free of Intentionally Added PFAS

#### Brief

An abstraction of the graffiti-covered, vinyl-sided buildings in the artist's Brooklyn neighborhood, Exterior View is based on a series of four works composed of disassembled vinyl slats that are individually painted and reassembled for a randomized, collage-like effect. Rendering the material qualities of spray paint and vinyl siding, Edwards implies a façade that is not entirely urban nor suburban, unique nor modular.

### Warranty

3 years. See Terms and Conditions for more information.

© 2018 Gregory Edwards, Maharam under license

Last updated April 1, 2024