





001

Design

Matt Connors

Application

Walls

Characteristics

Content: 65% Cellulose, 35% Latex
Finish: PFAS-Free Protective Topcoat
Backing: None
Reference Dimension: 10' H x 16' 8" W (305cm x 508cm)
Traffic: Moderate Traffic
Customs: Repeatable, Scalable
Country of Origin: USA
Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls.
Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

Price

Installation is sized, priced and produced on a project-specific basis.

Maintenance

W-Clean with water-based cleanser.



Testing

Flammability: ASTM E 84 Adhered
CAN ULC S102 Adhered
ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



Environmental

Greenguard Gold Certified
LBC Red List Free
Contains Bio-Based Content
FR Free
Free of Intentionally Added PFAS

Brief

A digital composition based on sixteen paintings by Matt Connors, Legerdemain combines two types of seemingly disparate marks: structural elements such as clean lines and framing devices with spontaneous applications of dripped, brushed, gestural, saturated, or transparent paint. As though freshly revealed, the forms create the illusion of being simultaneously fluid and fixed, absorbent and permeable, light and solid.

Warranty

3 years. See Terms and Conditions for more information.

© 2018 Matt Connors, Maharam under license

Last updated April 1, 2024