



## Design

Harmen Liemburg

# **Application**

Walls

### **Characteristics**

Content: 65% Cellulose, 35% Latex Finish: PFAS-Free Protective Topcoat

Backing: None

Reference Dimension:  $10' \text{ H} \times 15' \text{ W} (305 \text{cm} \times 457 \text{cm})$ 

Traffic: Moderate Traffic Customs: Repeatable, Scalable

Country of Origin: USA

Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls. Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

### Price

Installation is sized, priced and produced on a project-specific basis.

#### Maintenance

W-Clean with water-based cleanser.

### **Testing**

Flammability: AS/NZS 3837 Adhered ASTM E 84 Adhered CAN ULC S102 Adhered ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



#### **Environmental**

Greenguard Gold Certified LBC Red List Free Contains Bio-Based Content FR Free Free of Intentionally Added PFAS

#### Brief

Cuckoo was inspired by and named for the naturalist M. A. Koekkoek, Dutch for "cuckoo," and his watercolor illustrations of local ecosystems. Harmen Liemburg introduces chicanery to dry scientific illustration by borrowing elements from comic books in this irreverent take on traditional toile de Jouy.

### Warranty

3 years. See Terms and Conditions for more information.

#### Disclaimer

This artwork contains language or imagery that may not be suitable for all audiences.

© 2010 Harmen Liemburg, Maharam under license

Last updated April 1, 2024