



## Design

Robert Lazzarini

# **Application**

Walls

## **Characteristics**

Content: 65% Cellulose, 35% Latex Finish: PFAS-Free Protective Topcoat

Backing: None

Reference Dimension:  $10' 10'' H \times 26' 8'' W (330 cm \times 10') 10'' H \times 26' W (330 cm \times 10') 10'' H \times 26' W (300 cm \times 10') 10'' H \times 26' W (300 cm \times 10') 10'' H \times 26' W (300 cm \times 10') 10'' H \times 26' W (300 cm \times 10') 10'' H \times 26' W (300$ 

813cm)

Traffic: Moderate Traffic

Customs: Scalable
Country of Origin: USA

Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls. Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

#### Price

Installation is sized, priced and produced on a project-specific basis.

#### Maintenance

W-Clean with water-based cleanser.

## **Testing**

Flammability: AS/NZS 3837 Adhered ASTM E 84 Adhered CAN ULC S102 Adhered ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



## **Environmental**

Greenguard Gold Certified LBC Red List Free Contains Bio-Based Content FR Free

Free of Intentionally Added PFAS

#### Brief

The paradox of being both real and unreal, fixed and in flux, disrupts the viewer's normal process of perception. Chain-Link Fence is based on a photograph of a section of actual fence, meticulously re-created then distorted through 3-D rendering and digitally reconstructed.

## Warranty

3 years. See Terms and Conditions for more information.

#### Disclaimer

This artwork contains language or imagery that may not be suitable for all audiences.

© 2011 Robert Lazzarini, Maharam under license

Last updated April 1, 2024