

# MAINTEX



**FACILITY SOLUTIONS**

# Sani-Cide Plus

## Product Information

- EPA Registered - Sanitizer & Disinfectant
- Use in three-compartment sink for sanitizing ware wash items such as utensils and other food contact articles.
- Kills 99.9% of foodservice germs like E. Coli, Salmonella, Listeria & Norovirus

### Disinfectant - Sanitizer - Fungicide - Virucide\* - Deodorizer

**Sani-Cide Plus** is a No Rinse sanitizer formula. Cleans<sup>3</sup>, disinfects and deodorizes in one labor saving step<sup>5</sup>. Sanitizes 99.9% of Staphylococcus aureus, Klebsiella pneumoniae and Klebsiella aerogenes in 3 minutes. Sani-Cide Plus has been cleared under 40 CFR 180.940 (a) for use on food Processing Equipment and Utensils in Dairies and Public Eating Establishments and Hard, Non-porous, Food Contact Surfaces, Food Processing Equipment and Utensils in Food Processing Plants and other food-contact articles at a concentration of 150 – 400 ppm active. Sani-Cide Plus is a disinfectant, sanitizer, fungicide, virucide, deodorizer for use in all federally inspected meat and poultry plants, hospitals, institutional and industrial facilities. Kills 99.99% of Foodservice Germs.

#### DIRECTIONS:

It is a violation of Federal Law to use this product inconsistent with its labeling. As a sanitizer, the following dilutions may be used below:

**Sanitizer:** 2 oz per 7 3/4 gallons of water (0.25 oz per gallon of water) 150 ppm active quat for use on food contact surfaces in 400 ppm hard water .

**Sanitizer:** 2 oz per 5 3/4 gallons of water (0.34 oz per gallon of water) 200 ppm active quat for use on food contact surfaces in 500 ppm hard water.

**Sanitizer:** 2oz per 2 7/8 gallons of water (0.68 oz per gallon of water) 400ppm active quat for use on food contact surfaces in 1000 ppm hard water.

#### For Use as a One-Step Cleaner and Disinfectant Against Bacteria and Viruses by

**Electrostatic Spraying<sup>3,5</sup>:** Electrostatic spray application is for efficacy claims with a 10 minute contact time and 450 ppm concentration. This application method is not to be used to treat hard, non-porous surfaces for sanitization or fungicidal claims. Ensure bystanders and pets are not present in the room during application. Clean visibly dirty surfaces prior to spraying. Wear a N95 filtering facepiece respirator or half face respirator with a N95 filter and eye protection (goggles, face shield or safety glasses) when spraying. Select a spray nozzle that produces spray droplet particles with a volume median diameter (VMD) ≥80 µm. Place the electrostatic spray function in the ON position for electrostatic spray models that have the functionality to toggle ON/OFF. Hold the sprayer nozzle 1-2 feet away from the target surface. Starting at the highest point and working down to the lowest point, spray target surfaces using a smooth methodical "S" pattern. To avoid leaving gaps in sprayed surfaces, overlap previously treated surfaces when moving onto subsequent sections. The target surface must remain visibly wet for 10 minutes. Re-apply product as necessary to keep surface visibly wet for the duration of the contact time. Wipe surfaces dry or allow to air dry. Allow the treated room to remain unoccupied for 15 minutes before reentering.

#### Efficacy - see efficacy sheet for additional claims

Sanitizer	Contact Time	Virucide	Contact Time
Campylobacter jejuni	1 min	Human Coronavirus	1 min
Escherichia coli	1 min	Adenovirus Type 5	10 min
Escherichia2 coli	1 min	Adenovirus Type 7 V	10 min
Escherichia coli	1 min	Hepatitis B Virus (HBV)	10 min
Listeria monocytogenes	1 min	Hepatitis C Virus (HCV)	10 min
Salmonella enterica	1 min	Herpes Simplex Type 1	10 min
Shigella sonnei	1 min	Herpes Simplex Type 2	10 min
Staphylococcus aureus CAMRSA	1 min	Human Immunodeficiency Virus (HIV)	10 min
Staphylococcus aureus CAMRSA	1 min	Infectious Bronchitis	10 min
Staphylococcus aureus MRSA	1 min	Influenza A2/ Hong Kong	10 min
Yersinia enterocolitica	1 min	SARS Associated Human Coronavirus	10 min
Klebsiella Pneumoniae	3 min	Vaccinia Virus (Pox Virus)	10 min
Staphylococcus aureus	3 min		



1 Gallon	145604
5 Gallons	145605
55 Gallons	145655

#### TECHNICAL SPECS:

pH	6 - 8
Fragrance	Neutral
Color	Red
Specific Gravity	0.99
Chemical Base	Quaternary
Foam Characteristic	Med
Solubility in Water	Complete

See SDS for complete product information.



Nonfood Compounds  
Program List D2  
170794

# MAINTEX

www.maintex.com

13300 E. Nelson Avenue  
City of Industry, CA 91746  
(800) 446-1888

13575 Gregg Street  
Poway, CA 92064  
(800) 261-4456

Disclaimer This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Maintex Inc. assumes no responsibility for personal injury or property damage to the Vendee, Users or Third Parties caused by the material. Such Vendees or Users assume all risks associated with the use of this material. The contents of this document are subject to change without notice.

EPA Registration Number: 6836-70-6885