

VACMASTER® 15T TIER III DIESEL ABRASIVE VACUUMS





PART NUMBERS AND SCHEMATICS GUIDE

Company Profile

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

The Marco Difference

- Industry Experience With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a "Center of Competence." As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- Manufacturing Excellence Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the "Gold Standard" for performance, safety, and quality.
- Legendary Customer Service Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- Product Availability We stock over 10,000 SKU's and have more than 45 shipping locations to serve North
 American and International markets for all major brands of blasting and coating equipment. As the largest provider of
 surface preparation and protective coatings equipment in the world, our inventory levels and product availability are
 unmatched.
- Logistics Services Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move more than 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- Technology Leadership Our website provides: Operator's Manuals, Part Numbers and Schematics Guides, SDS information, and Features & Specifications Guides, providing access to information 24/7. Our Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

Vision Statement

Marco is the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Mission Statement

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries. We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

Quality Statement

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.

Management Philosophy

We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

TABLE OF CONTENTS

Company Profile	2
Table of Contents	7
Part Numbers	4
Specifications	Ę
Assembly Part Numbers and Schematics	6
Front Assembly	6
Rear Assembly	8
Right Side Front Assembly	1(
Right Side Center Assembly1	12
Right Side Rear Assembly	4
Left Side Front Assembly	16
Left Side Center Assembly	18
Left Side Rear Assembly	2(
Double Lock Valve Assembly	22
Fuel Tank	23
Fan Belt Assembly	24
Intake Filter Housing	2!
Vacuum Light Bar	26
Pneumatic Piston Vibrators	27
Pulser System Assembly	28
Filter Bag Pulsers	3(
Emergency-Stop Stations	31
Compressor Assembly	32
Compressor Governor	34
Vacuum Hose Support Bracket	3!
Trailer	36
Wear Plates and Baffles	38
Hydraulic Hoses	1(
Literature References	13



Complete unit with tier III diesel engine no longer available. See Tier 4 options.

SPECIFICATIONS

Performance: MAX 2367 CFM

Filter Cartridge Style: Acrylic-Coated Filter Bags

37 Required

Filter Cleaning: Pulse System, 25–30 second intervals. Pulse Duration: 200–350 millisecond

Vacuum 27" Hg

Ducting Connections: 6" I.D. Inlet with 4" adapter

Inspection Ports: One 10" Viewable to Filters with access ports to hopper

Material Removal: Automatic Direct Dump

Blower: Rotary lobe, positive displacement with jet inlet

Engine: Diesel, Tier III, 174 Horsepower

Fuel Capacity: Capacity: 116 Gallons Type: Diesel

Air Compressor: On Board 13 CFM

Electrical System: 12-Volt DC

Engine Protection: Engine Monitoring System with automatic shutdown

Fluid Specifications: Hydraulic Oil: H46 or equivalent, 2 gallon capacity

Diesel Fuel: See Engine Operator's Manual for type

Grease/Lubricator: Shell Alvania Grease EP or equivalent Alcohol Evaporator: Alcohol 99 Isopropyl, 32 oz. capacity

Vibrator Lubricator: 4 oz. pneumatic air tool oil Blower Oil: ROOTS™ synthetic lubricating oil

Unit Dimensions: Weight: 11,250 pounds (empty)


Length: 19' 7"
Width: 7' 10"
Height: 11' 6"
Raised Height: 19'
Dump Clearance: 8'

ASSEMBLY PART NUMBERS AND SCHEMATICS

Front Assembly

Item #	Part #	Description
Fig. 1		
1	10103494	Perkins Engine 174 Hp Tier III
2	10104455	Trailer
3	10103986	Clutch
4	10103972	Engine Control Panel
5	10104821	Wema Analog Fuel Level Gauge
6	10103974 10103970	Key Switch Perkins Key
7	10103969	Murphy PowerView
8	10103440R	3/4-10 UNC Grade 8 Draw Bolt (Two Required)
9	10103418	3/4" Washer - Grade 8 (Four Required)
10	10103420	3/4-10 UNC Grade 8 Nut (Four Required)
11	10104820	Pressure Gauge
_	10104126	Oil Filter
_	10103958	Primary Fuel Filter
_	10104117	Secondary Fuel Filter
_	10106547	Fuel Filter Water Bowl
_	10104130	Outer Air Filter
_	10104131	Inner Air Filter
_	1091147	Vacmaster® Abrasive Vacuum Label Sheets


Figure 1: Front Assembly



Rear Assembly

Item #	Part #	Description	_ltem #	Part #	Description
Fig. 2			27	1012323	1/4-20 Zinc Lock Nut
1	10104673	0-50" Differential			with Nylon Insert
		Pressure Gauge			(Two Required)
2	10105189	Wear Door Liner	28	10104670	Solenoid
3	10104665	APV Series Piston	29	1019024	Breather Vent
		Vibrator	30	10104676	Series MPR Mini
4	10104506	Dump Door	0.4	401.00000	Pressure Relief
5	10104411	Vacuum Hopper Cone	31	10L803035	1/2" Close Nipple
6	10106511	Vacuum Wear Door Assembly (Includes Item	32	1019025	1/2" Straight Conduit Body
		#'s: 18, 19, 48, 49, and	33	10104703	Cord Grip, 1/2" Nylon
_		50)			.247 Diameter
7	10104638	Bulldog Trailer Jack	34	10104678	1/8" Pressure Gauge 100
8	10104439	Hatch	0.5	4000050	PSI
9	10105334	Vacuum Light Bar	35	1080050	1/4" Ball Valve
10	10104498	Vacuum Header	36	20PFHA60SG0406	1/4" (F) x 3/8" (F) Swivel
11	10104459	Blower Exhaust Silencer	37	20PFHA24SA0404	Union (Two Required)
12	10104461	Blower Intake Silencer	31	20PFHA243A0404	1/4" Hex Nipple (Three Required)
13	20PFHA60UA0406	1/4" (M) x 3/8" (F) 90°	38	1014239	1/8" x 1/8" 90° Fitting
4.4	40404007	Swivel (Two Required)	39	1011210	1/4" NPT x 1 1/2" Nipple
14	10104667	2.5" Pneumatic Cylinder	40	20PFHA60SA0806	1/2" (M) x 3/8" (F) Swivel
15	10104668	Piston Rod Clevis	10	20111111000710000	Union
16	10104507	Dump Arm	41	1011819	1/2" Street Elbow
17	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Four Required)	42	20100571	1/2" NPT 3-Way Brass Ball Valve
18	10101942	3/8" Flat Washer – Galvanized	43	1011818	1/2" x 1/4" Galvanized
		(10 Required)			Bushing
19	10101936	3/8" Lock Washer – Zinc	44	10104486	Vacuum Lid Overcenter
		(10 Required)	4.5	40404000	Clamp (12 Required)
20	1012318	3/8-16 Hex Nut	45	10101938	3/8-16 Hex Nut – Galvanized
		(Four Required)			(Six Required)
21	10104512	Dump Door Gasket	46	10104705	3/8-16 FH SQ Neck x 1"
_	10104511	Dump Door Internal Plate		.0.000	Bolt Zinc (Six Required)
22	20100160	1/2-13 x 4-1/2" Zinc Hex	47	10104679	3/8" (M) Swivel Recoil
22	20100100	Bolt	40	40404007	AH 225 psi
23	10100674	1/2" Flat Washer	48	10104637	6" Bandlock Clamp
		(Two Required)	49	10104636	6" 90° Elbow
24	20100124	1/2-13 Hex Lock Nut -	50	10104502	Dump Section Gasket
		Zinc	51	10104503	Vacuum Discharge Tube
25	20PFHA25UA0404	1/4" Male 90° Elbow		10106513	6" Gasket
26	1019044	1/4-20 x 1-3/4" Zinc Bolt			
		(Two Required)			


Figure 2: Rear Assembly



Right Side Front Assembly

Item #	Part #	Description
Fig. 3		
1	10104559	Vacuum Butterfly Cover
2	10104493	Vacuum Aux Header
3	10104456	Blower Top Shaft Left Discharge
4	10104071	E-Stop Control Station
5	10104579	Vacuum Belt Guard Cover
6	10104673	0–50" Differential Pressure
7	10104614	10" x 8" x 4" Nema 4 Enclosure
8	10104615	8" x 4" x 5" Fiberglass Latch Enclosure
9	10104674	Lubricator 1/2" NPT 156 CFM (See Figure 5)
10	10VH620B	6" I.D. Vacuum Hose 20' Section
11	20RCG5050	1/2" NPT x .5–.625 Diameter Cord Grip
12	20100125	1/4-20 x 3/4" Zinc Hex Bolt (Eight Required)
13	10104703	1/2" NPT x .2–.47 Diameter Nylon Cord Grip (Three Required)
14	20RST9050	90° Liquid Tite Connection Fitting
15	10104692	12-Volt Pilot Light – Red
16	20RST50	Straight Liquid Tite Connection Fitting (Two Required)
17	10104686	10 Amp Circuit Breaker
18	10103305	Selector Switch – 2-Way (Three Required)
19	10106818	Vacuum Control Timer
20	10104109	6 Amp 50-Volt Rectifier
21	10105193	Enclosure Panel
22	20PFHA25VJ02	1/8" Female Tee (Two Required)
23	10104672	Differential Pressure Switch
24	20100579	1/4" O.D. Tube x 1/8" NPT PTC Swivel (Four Required)
25	20PFBA31095614	1/4" Tube x 1/4" NPT 90° Fitting (Two Required)
26	10104677	Liquid Filled Vacuum Gauge
27	1011844	1/4" Pipe Tee – Galvanized
28	10104073	Panel Lock Nut – 1/2"
29	10101940	1/4" Flat Washer – Galvanized (Eight Required)
30	10101939	1/4-20 Stainless Steel Lock Nut with Nylon Insert (Eight Required)
31	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union (Four Required)
32	10103631	3/8" Barb x 3/8" NPTF Brass (Seven Required)
33	1011809	3/8" NPT Tee (Two Required)
34	1011209	3/8 NPT Close Nipple
35	1011747	3/8-16 x 1" Bolt – Zinc (Four Required)
36	10101942	3/8" Flat Washer – Galvanized (Four Required)
37	10101936	3/8" Lock Washer – Zinc (Four Required)
38	10101938	3/8-16 Hex Nut – Galvanized (Four Required)
39	20PFHA60SA0606	Union Swivel 3/8" (M) x 3/8" (F) (Two Required)
40	10104048	6-32 x 3/8" L Pan Head Machine Screw (Three Required)
. •		
41	10108373	1/8" Inline Air Filter

Figure 3: Right Side Front Assembly




Right Side Center Assembly

	Part #	Description
Fig. 4		
1	10104703	Nylon Cord Grip (Two Required)
2	20000031	8-32 x 1-1/2" Machine Screw (Two Required)
3	10105897	Terminal Box
4	10101943	1/2-13 x 1-3/4" Hex Bolt (Eight Required)
5	10100674	1/2" Flat Washer (16 Required)
6	10100675	1/2" Lock Washer (Eight Required)
7	10101941	1/2-13 Hex Nut (Eight Required)
8	10104774	10-3/4 I.D. Hose (Two Required)
9	10103416	Banding Clamp (Four Required)
10	10104715	7/8-9 X 2" Grade 5 Bolt
11	10104716	7/8" Flat Washer - Zinc
12	10104717	7/8" Lock Washer - Zinc
13	20100195	3/8-16 X 1" Bolt (Two Required)
14	10103400	3/8-16 X 3/4" Bolt (Four Required)
15	1035045	5/16-18 x 1" Bolt (Six Required)
16	10103235	Cover
17	10104610	Compressed Air Tank
18	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union (Three Req)
19	10104618	Pressure Manifold
20	20PFHA60SA0604	3/8" (M) x 1/4" (F) Swivel Union (Two Required)
21	1028617	3/8-16 x 1-3/4" Shoulder Bolt (Four Required)
22	10101942	3/8" Flat Washer (48 Required)
23	10101936	3/8" Lock Washer - Zinc (15 Required)
24	1012318	3/8-16 Hex nut (15 Required)
25	10104681	1/2" NPT Pressure Relief Valve
26	10DSHP75	3/4" Square Head Pipe Plug (<i>Two Required</i>)
12	Vacmaster® 15T Tier II	I Diesel Abrasive Vacuums

Item #	Part #	Description
27	1011217	1/4" x 2" Nipple
28	1011832	1/4" 90° Elbow
29	10SME025	1/4" NPT x 1/4" (F)
20	100ME020	Straight Swivel
30	20PFHA60SA0606	3/8" (M) x 3/8" (F) Swivel Union
31	20100195	3/8-16 x 1" Bolt (12 Required)
32	20PFHA24SB0806	1/2" x 3/8" Reducing Bushing (Three Required)
33	10104611	Air Dryer
34	1012326	1/4" (M) x 1/4" (F) 90° Swivel Union
35	20PFHA60SA0806	1/2" (M) x 3/8" (F) Swivel Union
36	10104612	Alcohol Evaporator
37	10105838	1/2" x 168" Stainless Steel Braided Hose Assembly with 1/2" (M) NPT Ends
38	10104684	3/8" x 2' Braided Hose
39	10104683	3/8" x 4-1/2' Braided Hose
40	20PFHA60UA0808	1/2" (M) x 1/2" (F) 90° Swivel Union
41	10105779	Hydraulic Power Unit
42	10105782	SAE 6 x JIC 8 Elbow (Two Required)
43	10104714	3/4-10 x 1-5/8" Bolt (Eight Required)
44	10100596	3/4" Lock Washer (Eight Required)
45	10100704	3/4" Flat Washer (Eight Required)
46	10107990	Blower Intake Silencer Adapter
47	10107985	Silencer Ehaust Elbow
_	10106896	Blower Oil 100 For below 0° F
_	10106897	Blower Oil 150 For 0 – 32° F
	10105254	Blower Oil 220 For 32 – 90° F
_	10106898	Blower Oil 320 For above 90° F
_	10105292	Alcohol 99 Isopropyl
_	10106512	Desiccant Element Kit


Figure 4: Right Side Center Assembly



Right Side Rear Assembly

Item #	Part #	Description	Item #	Part #	Description
Fig. 5			27	10103624	1" Rubber Cushioned
1	10104559	Vacuum Butterfly Cover			Loop Clamp
2	10101942	3/8" Flat Washer - Galvanized	28	1028617	3/8-16 x 1-3/4" Shoulder Bolt
		(Five Required)	29	10101936	3/8" Lock Washer - Zinc
3	10103400	3/8-16 x 3/4" Bolt	30	1012318	3/8-16 Hex Nut
4	40404554	(Four Required)	31	10104597	Airline Drain
4	10104554	Butterfly Cover Mount Weldment	32	20RCG5050	1/2" Npt x .5—.625 Diameter Cord Grip
5	10104537	12" Butterfly	0.0	404040=4	(Two Required)
6	10107175	6.5" Extension Spring	33	10104671	Vibrator Solenoid
7	10104668	Piston Rod Clevis	34	20PFHA60UA0406	1/4" (M) x 3/8" (F) 90°
8	10104538	Vacuum Butterfly	25	10104703	Swivel (Two Required) 1/2" Npt x .2—.47
9	10104543	Cylinder Weldment Butterfly Actuating Arm	35	10104703	Diameter Nylon Cord
10	20100125	1/4-20 x 3/4" Zinc Hex			Grip (Three Required)
10	20100125	Bolt	36	10101939	1/4-20 Stainless Steel
11	10104667	2.5" Pneumatic Cylinder			Lock Nut with Nylon
12	1011824	1/4" Street Elbow			Insert (Four Required)
13	1011217	Galvanized 1/4" x 2"	37	10101940	1/4" Flat Washer -
.0		Nipple			Galvanized (Four
14	10104669	Solenoid For Butterfly	00	00400405	Required)
15	20PFHA60UA0406	1/4" (M) x 3/8" (F) 90° Swivel	38	20100125	1/4-20 x 3/4" Zinc Hex Bolt (Four Required)
16	10105287	Humphrey Din Connector	39	10101942	3/8" Flat Washer -
17	10104706	3/8-16 x 2-1/2" Thread			Galvanized (Eight Required)
		Stud	40	10101938	3/8 -16 Hex Nut
18	10100674	1/2" Flat Washer (Eight Required)	40	10101300	Galvanized (Four Required)
19	20100124	1/2-13 Hex Lock Nut	41	1011747	3/8-16 x 1" Bolt - Zinc
00	0005114001140000	(Eight Required)	71	1011747	(13 Required)
20	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union	42	10104546	Vacuum Inlet Elbow
21	20PFHA60SA0606	Union Swivel 3/8" (M) x	43	10104496	Vacuum Inlet Insert
۷۱	20FF11A003A0000	3/8" (F) (Three Required)	44	10104550	Vac Inlet Adapter
22	1011209	3/8 NPT Close Nipple	45	10107797	4" Quick Disconnect
23	20PFHA25UG0606	3/8" Street Elbow	40	40407470	Coupling Assy
24	20PFHA24SB0806	1/2" x 3/8" Reducing	46	10107176	6.5" Long Extension Spring - Zinc
25	10104674	Bushing (Two Required)	47	10107204	Remote Control Pendant
25	10104674	Lubricator, 1/2" NPT 156 CFM			
26	1080060	3/8" NPT Full Port Brass Ball Valve (Two Required)			


Figure 5: Right Side Rear Assembly



Left Side Front Assembly

Item #	Part #	Description
Fig. 6		
1	10104457	Intake Filter Housing (See Figure 12)
2	10104640	6" Double Bolt Clamp
3	10VH620B	6" I.D. x 20' Vacuum Hose
4	10104082	Jack Stand (Four Required)
5	10103342	Battery Box
6	10104273	Document Holder
7	10104608	Support Arm
8	10105896	Tool Box
9	10104704	116 Gallon Rectangle Fuel Tank (See Figure 10)
10	10104708	Straight Grease Zerk - 1/4"-28
11	10106402	5/8-11 Grease Zerk Thru Bolt
12	10106403	3/16" x 5/8" Dowel Pin
13	10101061	5/8" Lock Washer
14	10104600	Vacuum Pin Cap
15	10104602	Vacuum Shoulder Pin
_	10103343	Battery Cables, 156" Long
_	10103341	Battery (not shown)


Figure 6: Left Side Front Assembly



Left Side Center Assembly

Item #	Part #	Description
Fig. 7		
1	10101943	1/2-13 x 1-3/4" Hex Bolt (12 Required)
2	10100674	1/2" Flat Washer (24 Required)
3	10100675	1/2" Lock Washer (12 Required)
4	10101941	1/2-13 Hex Nut - (12 Required)
5	10101927	1/2-13 x 3" Galvanized Hex Bolt (Four Required)
6	10104584	Silencer Mount Weldment
7	10104461	Blower Intake Silencer
8	10104459	Blower Exhaust Silencer
9	10104824	8" Raincap

Figure 7: Left Side Center Assembly



Left Side Rear Assembly

Item #	Part #	Description
Fig. 8		
1	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Eight Required)
2	10101942	3/8" Flat Washer - Galvanized (40 Required)
3	10101936	3/8" Lock Washer - Zinc (11 Required)
4	1012318	3/8 -16 Hex Nut (11 Required)
5	10104472	Vacuum Lid Lift
6	10104434	Vacuum Top Section
7	10104638	Bulldog Trailer Jack
8	10104728	Lift Arm Support Bracket (Two Required)
9	10104729	Lift Arm Support Bracket Pin (Two Required)
10	10104608	Support Arm Outer (Two Required)
_	10104605	Support Arm Inner (Two Required) (not shown)
11	10103308	Elbow - 90° - JIC 8 x SAE 10 (Four Required)
12	10104645	Hopper Lift Cylinders (Two Required)
13	10104646	Lift Cylinder Clevis (Two Required)
14	10104647	1" x 3-1/8" Pin (Two Required)
15	10105290	3/16" x 1-5/8" Pin
16	10104486	Over Center Clamp (12 Required)

Figure 8: Left Side Rear Assembly




Figure 9: Double Lock Valve Assembly

Fig. 9 1	Item #	Part #	Description
2 10103309 Elbow - 90° - JIC 8 x SAE 8 (Two Required)	Fig. 9		
, ,	1	10104650	Double Lock Valve
0 40405004 HO 0 T /T D / D	2	10103309	Elbow - 90° - JIC 8 x SAE 8 (Two Required)
3 10105081 JIC 8 Tee (Two Required)	3	10105081	JIC 8 Tee (Two Required)
4 10104651 Union - Straight SAE 8 x JIC 8 (Two Required)	4	10104651	Union - Straight SAE 8 x JIC 8 (Two Required)
5 10103613 Union - Straight SAE 8 x SAE 8	5	10103613	Union - Straight SAE 8 x SAE 8
6 10105288 Flow Restrictor SAE 8	6	10105288	Flow Restrictor SAE 8
7 10105286 5/16-18 x 2-1/2" Grade 5 Zinc Bolt (Two Required)	7	10105286	5/16-18 x 2-1/2" Grade 5 Zinc Bolt (Two Required)
8 10L805014 5/16" Lock Washer (Two Required)	8	10L805014	5/16" Lock Washer (Two Required)
9 1035046 5/16-18 Nut (Two Required)	9	1035046	5/16-18 Nut (Two Required)






Figure 10: Fuel Tank




Item #	Part #	Description
Fig. 10	,	
1	10104704	116 Gallon Rectangle Fuel Tank
2	10103423	3/8" I.D. Fuel Hose (Per Foot)
3	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union
4	10103631	3/8" Barb x 3/8" NPT Brass Female Fitting
5	10103617	Withdraw Tube - 16"
6	20PFHA60SA0606	3/8" (M) x 3/8" (F) Swivel Union
7	10103618	Straight - 3/8" NPT x 1/2"
8	10104064	Oetiker Clamp For 1/2" Hose
9	10103619	1/2" Flexible Fuel Line (Per Foot)
10	10104065	Oetiker Clamp - 3/8" I.D. Hose
11	10103968	Locking Fuel Cap with Keys
12	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Two Required)
13	10101942	3/8" Flat Washer - Galvanized (Two Required)
	10104631	Fuel Tank Rubber Cushioning Pad (not shown)
_	10103620	3/8" Inline Filter (not shown)

Figure 11: Fan Belt Assembly




Item #	Part #	Description
Fig. 11		
1	1012318	3/8" Galvanized Hex Nut (Four Required)
2	10101936	3/8" Zinc Lock Washer (Four Required)
3	10101942	3/8" Galvanized Flat Washer (15 Required)
4	10104573	Vacuum Belt Guard Mount
5	10104576	Belt Guard Clamp
6	1028617	3/8-16 x 1-3/4" Shoulder Bolt (Two Required)
7	1011747	3/8-16 x 1" Bolt (Four Required)
8	10104641	12.5" 5V 5 Groove Sheave
9	10104642	8.5" 5V 5 Groove Sheave
10	10104644	5VX 1180 Banded Belt
11	10103485	Bushing 2.5" Bore
12	10104643	Bushing 2" Bore
13	10103643	5/8" Key Cut (Two Required)
14	10100675	1/2" Lock Washer (Six Required) (Included with Item 12)
15	10102820	1/2-13 x 2-3/4" Gade 5 Bolt (Six Required) (Included with Item 12)
16	10103400	3/8-16 x 3/4" Bolt (Three Required)
17	10104579	Belt Guard Cover
18	10104577	Belt Guard Back

Figure 12:Intake Filter Housing




Item #	# Part #	Description	
Fig. 1	Fig. 12		
1	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Six Required)	
2	10106508	Intake Filter Housing Cap	
3	10104727	Air Filter Housing Gasket	
4	10101936	3/8" Lock Washer - Zinc (Four Required)	
5	10101938	3/8-16 Hex Nut - Galvanized (Four Required)	
6	10107984	Intake Filter Housing	
7	10100704	3/4" Flat Washer (Six Required)	
8	10100596	3/4" Lock Washer (Six Required)	
9	10104714	3/4-10 x 1-5/8" Zinc Bolt (Six Required)	
10	10L363	1/2" Npt Full Port Ball Valve	
11	10L803035	Galvanized 1/2" Close Nipple	
12	10100674	1/2" Flat Washer	
13	10102005	Rubber Washer 1.25 O.D. x .375 I.D. x .13	
14	10101941	1/2-13 Hex Nut - Galvanized	
15	1011820	1-1/4" x 1/2" Bushing - Galvanized	
_	10102253	Filter Cartridge	

Figure 13: Vacuum Light Bar



Item #	Part #	Description		
Fig. 13	Fig. 13			
1	10105334	Vacuum Light Bar (Includes Item #2)		
2	10104086	2" Round LED Red Clearance Light (Three Required)		
3	10104703	Cord Grip, Nylon 1/2" NPT .247 Diameter		
4	10101942	3/8" Flat Washer - Galvanized (Four Required)		
5	10101936	3/8" Lock Washer - Zinc (Two Required)		
6	1011747	3/8-16 x 1" Bolt (Two Required)		
7	1012318	3/8-16 Hex Nut (Two Required)		

Figure 14: Pneumatic Piston Vibrators



Item #	Part #	Description
Fig. 14		
1	20100124	1/2-13 Hex Lock Nut - Zinc (Two Required)
2	10100674	1/2" Flat Washer (Two Required)
3	20PFHA60UA0406	1/4" (M) x 3/8" (F) 90° Swivel Union
4	10104665	APV Series Piston Vibrator

Pulser System Assembly

Fig. 15 1 10101942 3/8" Flat Washer - Galvanized (Eight Required) 2 10101936 3/8" Lock Washer - Zinc (Four Required)	
2 10101936 3/8" Lock Washer - Zinc (Four Required)	
1 /	
3 1011747 3/8-16 x 1" Bolt (Four Required)	
4 10101938 3/8-16 Hex Nut (Four Required)	
5 20PFHA60UA0606 3/8" (M) x 3/8" (F) 90° Swivel Union	
6 10104498 Vacuum Header	
7 10103736 T-Bolt Hose Clamp For 1" I.D. (10 Required)	
8 10106509 Air Hose 1" I.D. 200 PSI- Red	
9 10104500 3/4" NPT x 1-1/2" Toe Nipple (Five Required)	
10 10105287 Din Connector (Included with Item #16) (Five Required)	
11 10104666 3/4" Diaphragm Valve with Solenoid (Five Required)	
— 10107192 Pilot Valve Repair Kit	
— 10107193 Diaphragm Repair Kit	

Figure 15: Pulser System Assembly






Figure 16: Filter Bag Pulsers



Item #	Part #	Description
Fig. 16		
1	10103736	T-Bolt Hose Clamp For 1" I.D. (10 Required)
2	10106509	1" 75W Marine Hose - 100 PSI(Five Required)
3	10104562	Pulser System Short Blowpipe (Two Required)
4	10104565	Pulser System Medium Blowpipe (Two Required)
5	10104680	1" Flexible Tubing For Blowpipes (Two Required)
6	10104567	Pulser System Long Blowpipe (Three Required)
7	10104633	Vacuum Baghouse Filter (37 Required)
_	10104634	Vacuum Baghouse Filter Cage (37 Required)

Figure 17: Emergency-Stop Stations



Item #	Part #	Description
Fig. 17	7	
_	10107200	Remote Emergency-Stop Station (Includes Item #'s: 2, 4, 5, and 6 (100'))
1	1015552	Female Twist Lock Plug Two Prong
2	10104071	E-Stop Control Station
3	1015551	Male Twist Lock Plug Two Prong
4	10104703	Cord Grip, Nylon 1/2"-NPT .247 Diameter
5	10104063	Legend Plate - Emergency Stop
6	1015540	16/2 Xtreme Duty Power Cord - Red
_	1015009	8-32 x 1" Pan Head Phillips Screw (Four Required)
_	20000021	8-32 Zinc Nut (Four Required)
_	20000018	#8 Zinc Lock Washer (Four Required)
_	20000019	#8 Zinc Flat Washer (Four Required)

Compressor Assembly

Item #	Part #	Description
Fig. 18		
_	10105814	Compressor 3054 Kit
1	10106030	Compressor to PTO Adapter
2	10106031	M8 x 80 Bolt (Four Required)
3	10106032	SAE A O-Ring
4	10101062	5/8-11 Hex Nut
5	10101061	5/8" Lock Washer
6	10106033	Compressor Gear
7	10106034	Compressor
8	10106035	SAE A 2-Bolt Cover with O-Ring
9	10106036	M8 x 16MM Bolt (Two Required)
10	20PFHA60SA0204	1/8" (M) x 1/4" (F) Swivel Union
11	10106037	M8 x 25MM Bolt (Two Required)
12	10106042	PTO O-Ring
13	10101941	1/2-13 Hex Nut (Two Required)
14	10106038	Metric Straight to NPT
15	10103615	M10 x 25MM Zinc Bolt (Two Required)
16	10106039	Compressor Bracket
17	10101002	1/2" x 1" 90° Elbow
18	10106040	Metric Straight to 1/2" Hose Barb (Two Required)
19	10PAF025	1/4" x 1/4" Push-On Fitting
20	20PFHA60UA0808	1/2" (M) x 1/2" (F) 90° Swivel Union
21	10000057	1/2" x 1/2" Street Elbow (Two Required)
22	10L803035	1/2" Close Nipple
23	10105870	Filter Assembly (Includes 10106362)
24	10106041	Metric Straight to NPT
_	10106362	5 Micron Filter Element (Replacement Filter for 10105870)
_	10108485	Crank Case Back Cover
_	10108487	Cylinder Head Kit
_	10108489	Valve Plate Kit (Includes: Inlet Reed, Cylinder Head Gasket, Delivery Reeds, Delivery Bridges, Nuts)
_	10108490	Piston Connecting Rod (Includes: Connecting Rod, Bolts)
_	10108491	Piston Kit (Includes: Tapered Scraper Rings, Scraper Ring, Circlips, Piston, Piston Pin)
_	10108492	Gasket Kit (Includes: Inlet Reed, Cylinder Head Gasket, Sump Gasket, O-Rings, Delivery Reed)
_	10108493	General Service Kit (Includes: Inlet Reed, Cylinder Head Gasket, Sump Gasket, O-Rings, Delivery Reeds, Complete Cylinder Head)

Figure 18: Compressor Assembly




Figure 19: Compressor Governor

Item #	Part #	Description
Fig. 19		
1	10PAF025	1/4" x 1/4" Push on Fitting (Four Required)
2	20PFHA60SA0204	1/8" (M) x 1/4" (F) Swivel Union
3	20PFHA25VJ02	1/8" Female Tee (Two Required)
4	1035046	5/16-18 Nut (Two Required)
5	10L805014	5/16" Lock Washer (Two Required)
6	1012905	1/8" Breather Muffler
7	10105816	Compressor Governor
8	1014112	5/16-18 x 3-1/4" Hex Bolt (Two Required)
9	10105717	1/8" Hollow Hex Pipe Plug Male (Four Required)
10	20PFHA24SA0202	1/8" Hex Nipple (Two Required)





Figure 20: Vacuum Hose Support Bracket


Item #	Part #	Description	
Fig. 20	Fig. 20		
1	10105264	Vacuum Hose Bracket	
2	1011747	3/8-16 x 1" Bolt - Zinc	
3	10101942	3/8" Flat Washer - Galvanized	
4	10101936	3/8" Lock Washer - Zinc	
5	10101938	3/8-16 Hex Nut - Galvanized	
6	10106374	1.9" Diameter Conveyor Roller - 9" Long	



Trailer

Item #	Part #	Description
Fig. 21		
_	10104455	7 Ton Double Axle Trailer
1	10104082	10,000# Heavy Spring Loaded Jack (Four Required)
2	10104087	2" Round LED Amber Clearance Light (Two Required)
3	10104088	2" Round Rubber Grommet (Six Required)
4	10104089	16" - 8 Hole Pattern Rim with Tire (Five Required)
5	10106084	7,000# Axle With Electric Brakes, Complete With Hubs And Springs 89" HF x 71" SC
6	10104079	Pintle Hitch with Flat Plate
7	10104085	Oval Rubber Grommet (Two Required)
8	10104084	Oval LED Red Tail Light (Two Required)
9	10104086	2" Round LED Red Clearance Light (Four Required)
10	10106086	Axle Hub Only - No Bearings or Seal (Two Required)
11	10106087	Left-Hand Electric Brake Assembly (Two Required)
12	10106088	Right-Hand Electric Brake Assembly (Two Required)
13	10104096	Tire - ST235/80R/16 - 10-ply (Five Required)
14	10106085	Axle Beam/Tube Only
15	10105746	5/8 x 2-1/2" Grade 8 Bolt (16 Required)
16	10105747	5/8 Reverse Lock Nut (16 Required)
17	10103398	5/8" Flat Washer (40 Required)
18	10103397	5/8 x 2" Grade 8 Bolt (4 Required)
19	10103393	5/8 Reverse Lock Nut (4 Required)
20	10107126	16" x 6" - 8-Hole White Rim
_	10105826	Redline 12V - 5AH Battery Sealed
_	10104081	Breakaway Kit
—	10104142	Wire Harness - Complete (Front, Middle & Rear)
_	10105827	Breakaway Switch with Pin
_	10104769	3/8" x 41" Safety Chain with Hook
_	10103879	2" x 6" x 6" Red/White Conspicuity Tape
_	10105829	Cable With Plug
_	10105826	Redline 12V - 5AH Battery Sealed

Figure 21: Trailer



Wear Plates and Baffles

Item #	Part #	Description		
Fig. 22	Fig. 22			
1	10101942	3/8" Flat Washer – Galvanized (12 Required)		
2	10101936	3/8" Lock Washer – Zinc (12 Required)		
3	10101938	3/8-16 Hex Nut (12 Required)		
4	1011747	3/8-16 x 1" Bolt (15 Required)		
5	10104489	Vacuum Wear Plates (Four Required)		
6	10104490	Vacuum Baffle (Three Required)		
7	10104705	3/8-16 x 1" Bolt Zinc (16 Required)		

Figure 22: Wear Plates and Baffles





Figure 23: Hydraulic Hoses

Item #	Part #	Description		
Fig. 23	3			
1	10104664	3/8" X 8' - 2600 PSIHydraulic Hose		
2	10104663	3/8" X 5' - 2600 PSIHydraulic Hose		



OPTIONAL ACCESSORIES

	VACUUM HOSE						
Part Numbers	Vacuum Hose I.D.	Length	Vacuum HG	Cover Material	Reinforcement Material	Liner	Hose Color
10VH11250	1-1/2"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Black
10VH225	2"	25 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH250	2"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH200	2"	100 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH2550	2-1/2"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH325	3"	25 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH350	3"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH300	3"	100 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH425	4"	25 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH450	4"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH400	4"	100 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH525	5"	25 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH550	5"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH500	5"	100 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH625	6"	25 Ft.	25"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH650	6"	50 Ft.	25"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH600	6"	100 Ft.	25"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH825	8"	25 Ft.	25"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH850	8"	50 Ft.	25"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue

OPTIONAL ACCESSORIES

Part	VACUUM HOSE REDUCERS		
 Numbers	Size		
10106712	8" x 4"		
 10106716	6" x 4"		
10106872	6" x 5"		

	Part	WYE ADAPTERS		
	Numbers	Size		
Y	10106719	4" x 2" x 2"		
T	10107485	6" x 2" x 2"		
Y	10106723	6" x 4" x 4"		
T	10106727	8" x 4" x 4"		

	VACUUM HOSE MENDERS			
Part Numbers	Vacuum Hose I.D.	Mender Length	Thickness	Material
10HM2	2"	8"	1/8"	Steel
10HM3	3"	9"	1/8"	Steel
10HM4	4"	10"	1/8"	Steel
10HM5	5"	11"	1/8"	Steel
10HM6	6"	12"	1/8"	Steel
10HM8	8"	14"	1/8"	Steel

LITERATURE REFERENCES

Vacmaster® 15T Tier III Diesel Abrasive Vacuums

105M132	Features & Specifications Guide – Vacmaster® 15T Tier III Diesel Abrasive Vacuums
106M132	Part Numbers & Schematics Guide – Vacmaster® 15T Tier III Diesel Abrasive Vacuums
1090132	Operator's Manual – Vacmaster® 15T Tier III Diesel Abrasive Vacuums
109V044	Operator's Manual - Perkins® Engine
109V039	Operator's Manual - Murphy PowerView®
109V521	Operator's Manual - Blower
109V582	Operator's Manual - Behnke Trailer

GLOBAL HEADQUARTERS

 3425 East Locust Street Davenport, IA 52803

ph: 800.BLAST.IT (800.252.7848)

ph: 563.324.2519 fax: 563.324.6258

REGIONAL BRANCH OFFICES

- lowa Davenport
- Louisiana Gonzales Lafayette
- Ohio Youngstown
- Texas
 Beaumont
 Corpus Christi
 Deer Park



ABRASIVES

BLASTING

COATING

DUST COLLECTORS

ENGINEERED SYSTEMS

RENTAL

SAFETY

SERVICE, REPAIR, & MODERNIZATION

VACUUMS

40+ NATIONWIDE SHIPPING LOCATIONS



- ★ Marco Regional Branch Offices and Shipping Locations
- Direct Shipping Locations

CONTACT MARCO

800.BLAST.IT (800.252.7848) 563.324.2519

FAX: 563.324.6258

WWW.MARCO.US SALES@MARCO.US