

# Child Immunization Clinic

Friday, May 6 @ 3pm- 7pm

Mooresville High school (Enter Door 1)



**Cost:** If you have Medicaid there is no out-of-pocket cost to you. If you don't have insurance, there is no cost for the vaccine; however, there is an administration fee of \$10 per vaccine. We do accept Anthem insurance. Other insurances are not accepted at this time. **Please REGISTER by calling 317-528-6374** to ensure we have enough vaccine. High school juniors may bring vaccination paperwork signed by a parent/guardian. Younger children must be accompanied by a parent/guardian.

2016-2017 School Year School Immunization Requirements				
<b>3 to 5 Years Old</b>	<b>3 Hep B</b> (Hepatitis B) <b>4 Dtap</b> (Diphtheria/Tetanus/Pertussis) <b>1 MMR</b> (Measles/ Mumps/Rubella)		<b>3 Polio</b> (Inactivated Polio) <b>1 Varicella</b> (Chicken Pox)	
<b>K to 2<sup>nd</sup> Grade</b>	<b>3 Hep B</b> <b>2 Hep A ( Hepatitis A)</b>	<b>4 Polio</b>	<b>2 Varicella</b>	<b>5 DTap</b> <b>2 MMR</b>
<b>3<sup>rd</sup> to 5<sup>th</sup> Grade</b>	<b>3 Hep B</b>	<b>4 Polio</b>	<b>2 Varicella</b>	<b>5 DTap</b> <b>2 MMR</b>
<b>6<sup>th</sup> to 11<sup>th</sup> Grade</b>	<b>3 Hep B</b> <b>1 Tdap</b> (Tetanus/Diphtheria/Pertussis)	<b>2 MMR</b>	<b>2 Varicella</b> <b>1 MCV4</b> (Meningococcal Conjugate)	<b>5 Dtap</b> <b>4 Polio</b>
<b>12<sup>th</sup> Grade</b>	<b>3 Hep B</b> <b>5 DTap</b>	<b>2 MMR</b> <b>1 Tdap</b>	<b>2 Varicella</b> <b>4 Polio</b>	<b>2 MCV4</b>

**Vaccines offered:** DTap, Polio, Tdap, MMR, Meningococcal, Hepatitis A, Hepatitis B, Varicella, HPV, and new Meningococcal Group B.

**Who should get the HPV vaccine?** All girls and boys who are age 9 to 26 years old should get the recommended series of HPV vaccine. The vaccine is given in a 3-shot series.

**Why is it important to have them vaccinated?** HPV is a very common virus; nearly 80 million people—about one in four—are currently infected in the United States. About 14 million people, including teens, become infected with HPV each year. HPV infection can cause cervical, vaginal and vulvar cancers in women; penile cancer in men; and anal cancer, cancer in the back of the throat (oropharynx), and genital warts in both men and women.

**Why is the vaccine recommended at such a young age?** HPV vaccine produces a higher immune response in preteens than it does in older teens and young women.

**Serogroup B Meningococcal Vaccine** (age 16 to 23 years old) should be vaccinated with a serogroup B meningococcal vaccine (Bexsero®) preferably at age 16 to 18 years old. It is a two-dose series. Meningococcal disease can spread from person to person through close contact (coughing or kissing) or lengthy contact, especially among people living in the same household. Even when it is treated, meningococcal disease kills 10 to 15 infected people out of 100. And of those who survive, about 10 to 20 out of every 100 will suffer disabilities such as hearing loss, brain damage, amputations, nervous system problems, or severe scars from skin grafts.

**Contact information:** If you plan to have your child vaccinated, please call so we can ensure we bring enough vaccines. If you have questions or want to know what vaccines your child may need, or if they qualify, please call (317) 528-6374 or email [Alyson.Hartzell@franciscanalliance.org](mailto:Alyson.Hartzell@franciscanalliance.org) or [Marinita.Mikits@franciscanalliance.org](mailto:Marinita.Mikits@franciscanalliance.org).