

PURINA® CORNERSTONE® AMPLI-CALF® BVT 60

NET WEIGHT SHOWN ON BAG AND/OR INVOICE
0011519 (bagged) 0023309 (bulk)

PURINA® CORNERSTONE® AMPLI-CALF® BVT 60

AR

MEDICATED

DAIRY/DAIRY BEEF STARTER COMPLETE

FOR INCREASED RATE OF WEIGHT GAIN IN PASTURE CATTLE (SLAUGHTER,
STOCKER, FEEDER CATTLE AND DAIRY AND BEEF REPLACEMENT HEIFERS).
FOR CONTROL OF COCCIDIOSIS CAUSED BY EIMERIA BOVIS AND EIMERIA
ZUERNII.

CAUTION: USE ONLY AS DIRECTED

ACTIVE DRUG INGREDIENTS

LASALOCID

60.0 G/T

GUARANTEED ANALYSIS

CRUDE PROTEIN	(MIN)	20.0000%
CRUDE FAT	(MIN)	2.0000%
CRUDE FIBER	(MAX)	8.0000%
ACID DETERGENT FIBER	(ADF) (MAX)	12.0000%
CALCIUM	(CA) (MIN)	.9000%
CALCIUM	(CA) (MAX)	1.4000%
PHOSPHORUS	(P) (MIN)	.5000%
SELENIUM	(SE) (MIN)	.3000PPM
VITAMIN A	(MIN)	3000.00IU/LB

INGREDIENTS

GRAIN PRODUCTS, PLANT PROTEIN PRODUCTS, PROCESSED GRAIN BY-PRODUCTS, ROUGHAGE
PRODUCTS, CALCIUM CARBONATE, MOLASSES PRODUCTS, LIGNIN SULFONATE, SALT,
FRUCTOOLIGOSACCHARIDE, MONOCALCIUM PHOSPHATE, DICALCIUM PHOSPHATE, DRIED
SACCHAROMYCES CEREVISIAE FERMENTATION, VEGETABLE FAT PRODUCT (FEED GRADE),
PROPYLENE GLYCOL, LECITHIN, PHOSPHORIC ACID, PROPIONIC ACID (A PRESERVATIVE),
SULFURIC ACID, ACETIC ACID (A PRESERVATIVE), ARTIFICIAL AND/OR NATURAL FLAVOR,
BENZOIC ACID (A PRESERVATIVE), SODIUM HYDROXIDE, AMMONIUM HYDROXIDE, SUGAR,
ANISE OIL, GARLIC OIL, CASSIA, SORBIC ACID (A PRESERVATIVE), ETHYL VANILLIN,
METHYLPARABEN, FENUGREEK FLAVOR, VITAMIN A SUPPLEMENT, ZINC OXIDE, COPPER
SULFATE, CALCIUM SILICATE, CALCIUM IODATE, MAGNESIUM OXIDE, PROPYLPARABEN,
COBALT CARBONATE, FERROUS CARBONATE, VITAMIN D3 SUPPLEMENT, MANGANOUS OXIDE,
VITAMIN E SUPPLEMENT, SODIUM SELENITE.
RUMINANT MEAT AND BONE MEAL FREE
01AR G 0011519, 0023309

PURINA MILLS, LLC

PO BOX 66812

ST. LOUIS MO 63166-6812

FEED QUESTIONS? PLEASE CALL 1-800-227-8941

DIRECTIONS

FEED CONTINUOUSLY AT A RATE OF 1.3 POUNDS TO 4.4 POUNDS TO PROVIDE
NOT LESS THAN 60 MG. NOR MORE THAN 200 MG. OF LASALOCID PER HEAD
PER DAY.

WARNING

A WITHDRAWAL PERIOD HAS NOT BEEN ESTABLISHED FOR THIS PRODUCT
IN PRE-RUMINATING CATTLE. DO NOT USE IN CALVES TO BE PROCESSED
FOR VEAL.

CAUTION

DO NOT ALLOW HORSES OR OTHER EQUINES ACCESS TO SUPPLEMENTS
CONTAINING LASALOCID AS INGESTION MAY BE FATAL. THE SAFETY OF
LASALOCID IN UNAPPROVED SPECIES HAS NOT BEEN ESTABLISHED. FEEDING
UNDILUTED OR MIXING ERRORS RESULTING IN EXCESSIVE CONCENTRATIONS OF
LASALOCID COULD BE FATAL TO CATTLE. DO NOT FEED TO LACTATING
DAIRY CATTLE.

IMPORTANT

FOLLOW THESE MANAGEMENT PRACTICES

1. PROVIDE A SOURCE OF FRESH CLEAN WATER AT ALL TIMES.
2. TO INSURE FRESHNESS, OFFER ONLY THE AMOUNT OF FEED THAT CALVES
WILL CONSUME IN ONE DAY.
3. CLEAN FEEDER PAILS DAILY.
4. PROPER HOUSING AND SANITATION ARE IMPORTANT TO HELP PREVENT
DIARRHEA AND PNEUMONIA. CONSULT YOUR VETERINARIAN FOR A
PLANNED HERD HEALTH PROGRAM.
5. WHEN CALVES ARE HOUSED IN GROUPS AFTER WEANING. PROVIDE
ADEQUATE FEEDING SPACE TO ASSURE THAT ALL CALVES CAN EAT
AT THE SAME TIME.

STORE IN A DRY, WELL VENTILATED AREA PROTECTED FROM RODENTS AND
INSECTS. DO NOT FEED MOLDY OR INSECT INFESTED FEED TO ANIMALS AS IT
MAY CAUSE ILLNESS OR DEATH.

UPC 0883576010433 E1 CODE 0011519 TEXT 50# 5/32-11/64

UPC E1 CODE 0023309 TEXT BULK 5/32-11/64
